

MITIGATION MONITORING PROGRAM

Section 21081.6 of the Public Resources Code requires a Lead Agency to adopt a “reporting or monitoring program for the changes made to the project or conditions of project approval, adopted in order to mitigate or avoid significant effects on the environment” (Mitigation Monitoring Program, Section 15097 of the *CEQA Guidelines* provides additional direction on mitigation monitoring or reporting). This Mitigation Monitoring Program (MMP) has been prepared in compliance with the requirements of CEQA, Public Resources Code Section 21081.6, and Section 15097 of the CEQA Guidelines. The City of Los Angeles is the Lead Agency for this project.

A Mitigated Negative Declaration (MND) has been prepared to address the potential environmental impacts of the Project. Where appropriate, this environmental document identified Project design features, regulatory compliance measures, or recommended mitigation measures to avoid or to reduce potentially significant environmental impacts of the Proposed Project. This Mitigation Monitoring Program (MMP) is designed to monitor implementation of the mitigation measures identified for the Project.

The MMP is subject to review and approval by the City of Los Angeles as the Lead Agency as part of the approval process of the project, and adoption of project conditions. The required mitigation measures are listed and categorized by impact area, as identified in the MND.

The Project Applicant shall be responsible for implementing all mitigation measures, unless otherwise noted, and shall be obligated to provide documentation concerning implementation of the listed mitigation measures to the appropriate monitoring agency and the appropriate enforcement agency as provided for herein. All departments listed below are within the City of Los Angeles unless otherwise noted. The entity responsible for the implementation of all mitigation measures shall be the Project Applicant unless otherwise noted.

As shown on the following pages, each required mitigation measure for the proposed Project is listed and categorized by impact area, with accompanying discussion of:

Enforcement Agency – the agency with the power to enforce the Mitigation Measure.

Monitoring Agency – the agency to which reports involving feasibility, compliance, implementation and development are made, or whom physically monitors the project for compliance with mitigation measures.

Monitoring Phase – the phase of the Project during which the Mitigation Measure shall be monitored.

- Pre-Construction, including the design phase
- Construction
- Pre-Operation
- Operation (Post-construction)

Monitoring Frequency – the frequency of which the Mitigation Measure shall be monitored.

Action Indicating Compliance – the action of which the Enforcement or Monitoring Agency indicates that compliance with the required Mitigation Measure has been implemented.

The MMP performance shall be monitored annually to determine the effectiveness of the measures implemented in any given year and reevaluate the mitigation needs for the upcoming year.

It is the intent of this MMP to:

Verify compliance of the required mitigation measures of the MND;

Provide a methodology to document implementation of required mitigation;

Provide a record and status of mitigation requirements;

Identify monitoring and enforcement agencies;

Establish and clarify administrative procedures for the clearance of mitigation measures;

Establish the frequency and duration of monitoring and reporting; and

Utilize the existing agency review processes' wherever feasible.

This MMP shall be in place throughout all phases of the proposed Project. The entity responsible for implementing each mitigation measure is set forth within the text of the mitigation measure. The entity responsible for implementing the mitigation shall also be obligated to provide certification, as identified below, to the appropriate monitoring agency and the appropriate enforcement agency that compliance with the required mitigation measure has been implemented.

After review and approval of the final MMP by the Lead Agency, minor changes and modifications to the MMP are permitted, but can only be made by the Applicant or its successor subject to the approval by the City of Los Angeles through a public hearing. The Lead Agency, in conjunction with any appropriate agencies or departments, will determine the adequacy of any proposed change or modification. The flexibility is necessary in light of the proto-typical nature of the MMP, and the need to protect the environment with a workable program. No changes will be permitted unless the MMP continues to satisfy the requirements of CEQA, as determined by the Lead Agency.

MITIGATION MONITORING PROGRAM

Hazards and Hazardous Materials

VII-160 Hazardous Materials

(a) Pursuant to the Los Angeles Building Code, the Applicant will engage in the Construction Site Plan Review (CSPR) process with the California Department of Conservation, Division of Oil, Gas, and Geothermal Resources (DOGGR). The CSPR process includes, but is not limited to locating excavating, and conducting a methane leak test on the well, providing DOGGR with a site plan indicating the footprint of the proposed structure and well location, and provide DOGGR with a well evaluation and work plan to re-abandon the well, as necessary. Any well abandonment plan shall be prepared by a licensed Petroleum Engineer and shall be reviewed and approved by the City's Petroleum Administrator. All well abandonment shall be consistent with DOGGR requirements and all well abandonment activities shall be open to inspection to the Petroleum Administrator and/or his/her designee to ensure public health and safety, regulatory consistency, and industry best practices.

(b) Prior to the issuance of any grading or building permits related to the construction of the Project, Applicant shall retain a qualified environmental professional (as defined in Title 40 Code of Federal Regulations § 312.10 Definitions) to conduct a Phase II environmental site assessment of the project site and submit the assessment to the Department of City Planning. If the Phase II environmental site assessment determines hazardous and/or toxic substances are located on the project site, Applicant shall consult with appropriate oversight agencies, including the department of Toxic Substances Control and the Los Angeles Regional Water Quality Control Board, and implement remediation measures to minimize human exposure and prevent further environmental contamination. No grading or building permits shall be issued until a letter of No Further Action Letter is obtained, if required, from an appropriate agency.

Enforcement Agency: Los Angeles Department of Building and Safety, Los Angeles Petroleum Administrator and/or his/her designee, DOGGR

Monitoring Agency: Los Angeles Department of Building and Safety, Los Angeles Petroleum Administrator and/or his/her designee

Monitoring Phase: Pre-Construction and Construction

Monitoring Frequency: Ongoing during construction

Action Indicating Compliance: Issuance of Certificate of Occupancy or Land Use Permit

Public Services

XIV-10 Public Services (Fire)

Public Services (Fire Protection). The following recommendations of the Fire Department relative to fire safety shall be incorporated into the building plans, which includes the submittal of a plot plan for approval by the Fire Department either prior to the recordation of a final map or the approval of a building permit. The plot plan shall include the following minimum design features: fire lanes, where required, shall be a minimum of 20 feet in width; all structures must be within 300 feet of an approved fire hydrant, and entrances to any dwelling unit or guest room shall not be more than 150 feet in distance in horizontal travel from the edge of the roadway of an improved street or approved fire lane.

Enforcement Agency: Los Angeles Department of Building and Safety

Monitoring Agency: Los Angeles Department of Building and Safety

Monitoring Phase: Pre-Construction

Monitoring Frequency: Once, at plan check

Action Indicating Compliance: Issuance of building permits

XIV-30 Public Services (Police)

Environmental impacts may result from project implementation due to the location of the project in an area having marginal police services. However, this potential impact will be mitigated to a less than significant level by the following measure:

(a) The plans shall incorporate the Design Guidelines (defined in the following sentence) relative to security, semi-public and private spaces, which may include, but not be limited to, access control to building, secured parking facilities, walls/fences with key systems, well-illuminated public and semi-public space designed with a minimum of dead space to eliminate areas of concealment, location of toilet facilities or building entrances in high-foot traffic areas, and provision of security guard patrol throughout the Project Site if needed. Please refer to "Design Out Crime Guidelines: Crime Prevention Through Environmental Design", published by the Los Angeles Police Department. These measures shall be approved by the Police Department prior to the issuance of building permits.

- (b) Applicant shall employ at least two full-time case managers at the Project prior to occupancy by any tenants.
- (c) Prior to occupancy, each tenant shall be required to sign a disclosure statement acknowledging the restaurant hours and operations at El Mercado.
- (d) Prior to issuance of the certificate of occupancy, applicant shall install and make operational a comprehensive surveillance system (cameras), as approved by the Police Department, at the project site and shall have made provision for onsite security personnel.
- (e) Prior to occupancy by any tenant, Applicant shall post signs in the Lorena Plaza garage indicating no tenant or Lorena Plaza visitor parking in the El Mercado parking lot.
- (f) One apartment unit will be reserved for an onsite property manager.
- (g) A 24-hour “hot line” number shall be provided for the receipt of complaints from the community regarding the subject facility. It shall be posted in location(s) in plain view and accessible to the general public.

Enforcement Agency: Los Angeles Department of Building and Safety

Monitoring Agency: Los Angeles Department of Building and Safety, Los Angeles Housing and Community and Investment Department

Monitoring Phase: Operational, Pre-Construction

Monitoring Frequency: Once at plan check, on-going during operation

Action Indicating Compliance: Issuance of building permits (a), Certificate of Compliance (d, e) and on-going operational compliance required (b-f)

Regulatory Compliance Measures

In addition to the Mitigation Measures required of the project, and any proposed Project Design Features, the applicant shall also adhere to any applicable Regulatory Compliance Measures required by law. Listed below is a list of often required Regulatory Compliance Measures. Please note that requirements are determined on a case by case basis, and these are an example of the most often required Regulatory Compliance Measures.

AESTHETICS

- **Regulatory Compliance Measure RC-AE-1 (Hillside): Compliance with Baseline Hillside Ordinance.** To ensure consistency with the Baseline Hillside Ordinance, the project shall comply with the City's Hillside Development Guidelines, including but not limited to setback requirements, residential floor area maximums, height limits, lot coverage and grading restrictions.
- **Regulatory Compliance Measure RC-AE-2 (LA River): Compliance with provisions of the Los Angeles River Improvement Overlay District.** The project shall comply with development regulations set forth in Section 13.17.F of the Los Angeles Municipal Code as applicable, including but not necessarily limited to, landscaping, screening/fencing, and exterior site lighting.
- **Regulatory Compliance Measure RC-AE-3 (Vandalism): Compliance with provisions of the Los Angeles Building Code.** The project shall comply with all applicable building code requirements, including the following:
 - Every building, structure, or portion thereof, shall be maintained in a safe and sanitary condition and good repair, and free from, debris, rubbish, garbage, trash, overgrown vegetation or other similar material, pursuant to Municipal Code Section 91.8104.
 - The exterior of all buildings and fences shall be free from graffiti when such graffiti is visible from a street or alley, pursuant to Municipal Code Section 91.8104.15.
- **Regulatory Compliance Measure RC-AE-4 (Signage): Compliance with provisions of the Los Angeles Building Code.** The project shall comply with the Los Angeles Municipal Code Section 91.6205, including on-site signage maximums and multiple temporary sign restrictions, as applicable.
- **Regulatory Compliance Measure RC-AE-5 (Signage on Construction Barriers): Compliance with provisions of the Los Angeles Building Code.** The project shall comply with the Los Angeles Municipal Code Section 91.6205, including but not limited to the following provisions:

- The applicant shall affix or paint a plainly visible sign, on publically accessible portions of the construction barriers, with the following language: “POST NO BILLS”.
- Such language shall appear at intervals of no less than 25 feet along the length of the publically accessible portions of the barrier.
- The applicant shall be responsible for maintaining the visibility of the required signage and for maintaining the construction barrier free and clear of any unauthorized signs within 48 hours of occurrence.

AGRICULTURE and FORESTRY

AIR QUALITY

- **Regulatory Compliance Measure RC-AQ-1(Demolition, Grading and Construction Activities): Compliance with provisions of the SCAQMD District Rule 403.** The project shall comply with all applicable standards of the Southern California Air Quality Management District, including the following provisions of District Rule 403:
 - All unpaved demolition and construction areas shall be wetted at least twice daily during excavation and construction, and temporary dust covers shall be used to reduce dust emissions and meet SCAQMD District Rule 403. Wetting could reduce fugitive dust by as much as 50 percent.
 - The construction area shall be kept sufficiently dampened to control dust caused by grading and hauling, and at all times provide reasonable control of dust caused by wind.
 - All clearing, earth moving, or excavation activities shall be discontinued during periods of high winds (i.e., greater than 15 mph), so as to prevent excessive amounts of dust.
 - All dirt/soil loads shall be secured by trimming, watering or other appropriate means to prevent spillage and dust.
 - All dirt/soil materials transported off-site shall be either sufficiently watered or securely covered to prevent excessive amount of dust.
 - General contractors shall maintain and operate construction equipment so as to minimize exhaust emissions.
 - Trucks having no current hauling activity shall not idle but be turned off.
- **Regulatory Compliance Measure RC-AQ-2:** In accordance with Sections 2485 in Title 13 of the California Code of Regulations, the idling of all diesel-fueled commercial vehicles (weighing over 10,000 pounds) during construction shall be limited to five minutes at any location.
- **Regulatory Compliance Measure RC-AQ-3:** In accordance with Section 93115 in Title 17 of the California Code of Regulations, operation of any stationary, diesel-fueled, compression-ignition engines shall meet specified fuel and fuel additive requirements and emission standards.

- **Regulatory Compliance Measure RC-AQ-4:** The Project shall comply with South Coast Air Quality Management District Rule 1113 limiting the volatile organic compound content of architectural coatings.
- **Regulatory Compliance Measure RC-AQ-5:** The Project shall install odor-reducing equipment in accordance with South Coast Air Quality Management District Rule 1138.
- **Regulatory Compliance Measure RC-AQ-6:** New on-site facility nitrogen oxide emissions shall be minimized through the use of emission control measures (e.g., use of best available control technology for new combustion sources such as boilers and water heaters) as required by South Coast Air Quality Management District Regulation XIII, New Source Review.
- **Regulatory Compliance Measure RC-AQ-7 (Spray Painting): Compliance with provisions of the SCAQMD District Rule 403.** The project shall comply with all applicable rules of the Southern California Air Quality Management District, including the following:
 - All spray painting shall be conducted within an SCAQMD-approved spray paint booth featuring approved ventilation and air filtration system.
 - Prior to the issuance of a building permit, use of land, or change of use to permit spray painting, certification of compliance with SCAQMD air pollution regulations shall be submitted to the Department of Building and Safety.
- **Regulatory Compliance Measure RC-AQ-8 (Wireless Facilities):**If rated higher than 50 brake horsepower (bhp), permit required in accordance with SCAQMD Rule 1470 - Requirements for Stationary Diesel-Fueled Internal Combustion and Other Compression Initial Engines and SCAQMD Rule 1110.2 - Emissions from Gaseous- and Liquid- Field Engines.

BIOLOGY

- **(Duplicate of WQ Measure) Regulatory Compliance Measure RC-WQ-5 (Alteration of a State or Federal Watercourse):** The project shall comply with the applicable sections of the federal Clean Water Act (CWA) and California's Porter Cologne Water Quality Control Act (Porter Cologne). Prior to the issuance of any grading, use of land, or building permit which may affect an existing watercourse, the applicant shall consult with the following agencies and obtain all necessary permits and/or authorizations, to the satisfaction of the Department of Building and Safety. Compliance shall be determined through written communication from each jurisdictional agency, a copy of which shall be submitted to the Environmental Review case file for reference:
 - *United States Army Corps of Engineers.* The applicant shall obtain a Jurisdictional Determination (preliminary or approved), or a letter otherwise indicating that no permit is required. Contact: Aaron O. Allen, Chief - North Coast Branch, Regulatory Division, 805-585-2148.
 - *State Water Resources Control Board.* The applicant shall consult with the 401 Certification and Wetlands Unit and obtain all necessary permits and/or authorizations, or a letter otherwise indicating that no permit is required. Contact:

401 Certification and Wetlands Unit, Los Angeles Region, 320 W 4th Street, #200, Los Angeles, CA 90013, (213) 576-6600.

- *California Department of Fish and Wildlife.* The applicant shall consult with the Lake and Streambed Alteration Agreement Program and obtain a Streambed Alteration Agreement, or a letter otherwise indicating that no permit is required. Contact: LSAA Program, 4949 Viewridge Avenue, San Diego, CA 92123, (858) 636-3160.

CULTURAL RESOURCES

- **Regulatory Compliance Measure RC-CR-1 (Designated Historic-Cultural Resource): Compliance with United States Department of the Interior – National Park Service – Secretary of the Interior’s Standards for the Treatment of Historic Properties.** The project shall comply with the Secretary of the Interior's Standards for Historical Resources, including but not limited to the following measures:
 - Prior to the issuance of any permit, the project shall obtain clearance from the Department of Cultural Affairs for the proposed work.
 - A property shall be used for its historic purpose or be placed in a new use that requires minimal change to the defining characteristics of the building and its site and environment.
 - The historic character of a property shall be retained and preserved. The removal of historic material or alteration of features and spaces shall be avoided.
 - Each property shall be recognized as a physical record of its time, place and use. Changes that create a false sense of historical development, such as adding conjectural features or elements from other buildings, shall not be undertaken.
 - Most properties change over time; those changes that have acquired significance in their own right shall be retained and preserved.

- **Regulatory Compliance Measure RC-CR-2 (Archaeological):** If archaeological resources are discovered during excavation, grading, or construction activities, work shall cease in the area of the find until a qualified archaeologist has evaluated the find in accordance with federal, State, and local guidelines, including those set forth in California Public Resources Code Section 21083.2. Personnel of the proposed Modified Project shall not collect or move any archaeological materials and associated materials. Construction activity may continue unimpeded on other portions of the Project site. The found deposits would be treated in accordance with federal, State, and local guidelines, including those set forth in California Public Resources Code Section 21083.2.
 - Distinctive features, finishes and construction techniques or examples of skilled craftsmanship which characterize an historic property shall be preserved.
 - Deteriorated historic features shall be repaired rather than replaced. Where the severity of deterioration requires replacement of a distinctive historic feature, the new feature shall match the old in design, color, texture, and other visual qualities, and where possible, materials. Replacement of missing features shall be substantiated by documentary, physical, or pictorial evidence.

- Chemical or physical treatments, such as sandblasting, that cause damage to historic materials shall not be used. The surface cleaning of structures, if appropriate, shall be undertaken using the gentlest means possible.
 - Significant archaeological resources affected by a project shall be protected and preserved. If such resources must be disturbed, mitigation measures shall be undertaken.
 - New additions, exterior alterations, or related new construction shall not destroy historic materials that characterize the property. The new work shall be differentiated from the old and shall be compatible with the massing, size, scale, and architectural features to protect the historic integrity of the property and its environment.
 - New additions and adjacent or related new construction shall be undertaken in such a manner that if removed in the future, the essential form and integrity of the historic property and its environment would be unimpaired.
- **Regulatory Compliance Measure RC-CR-3 (Paleontological):** If paleontological resources are discovered during excavation, grading, or construction, the City of Los Angeles Department of Building and Safety shall be notified immediately, and all work shall cease in the area of the find until a qualified paleontologist evaluates the find. Construction activity may continue unimpeded on other portions of the Project site. The paleontologist shall determine the location, the time frame, and the extent to which any monitoring of earthmoving activities shall be required. The found deposits would be treated in accordance with federal, State, and local guidelines, including those set forth in California Public Resources Code Section 21083.2.
 - **Regulatory Compliance Measure CR-4 (Human Remains):** If human remains are encountered unexpectedly during construction demolition and/or grading activities, State Health and Safety Code Section 7050.5 requires that no further disturbance shall occur until the County Coroner has made the necessary findings as to origin and disposition pursuant to California Public Resources Code (PRC) Section 5097.98. In the event that human remains are discovered during excavation activities, the following procedure shall be observed:
 - Stop immediately and contact the County Coroner:
1104 N. Mission Road
Los Angeles, CA 90033
323-343-0512 (8 a.m. to 5 p.m. Monday through Friday) or
323-343-0714 (After Hours, Saturday, Sunday, and Holidays)

If the remains are determined to be of Native American descent, the Coroner has 24 hours to notify the Native American Heritage Commission (NAHC).

The NAHC will immediately notify the person it believes to be the most likely descendent of the deceased Native American.

- The most likely descendent has 48 hours to make recommendations to the owner, or representative, for the treatment or disposition, with proper dignity, of the human remains and grave goods.

- If the owner does not accept the descendant's recommendations, the owner or the descendent may request mediation by the NAHC.

GEOLOGY AND SOILS

- **Regulatory Compliance Measure RC-GEO-1 (Seismic):** The design and construction of the project shall conform to the California Building Code seismic standards as approved by the Department of Building and Safety.
- **Regulatory Compliance Measure RC-GEO-2 (Hillside Grading Area):** The grading plan shall conform with the City's Landform Grading Manual guidelines, subject to approval by the Advisory Agency and the Department of Building and Safety's Grading Division. Appropriate erosion control and drainage devices shall be provided to the satisfaction of the Building and Safety Department. These measures include interceptor terraces, berms, vee-channels, and inlet and outlet structures, as specified by Section 91.7013 of the Building Code, including planting fast-growing annual and perennial grasses in areas where construction is not immediately planned.
- **Regulatory Compliance Measure RC-GEO-3 (Landslide Area):** Prior to the issuance of grading or building permits, the applicant shall submit a geotechnical report, prepared by a registered civil engineer or certified engineering geologist, to the Department of Building and Safety, for review and approval. The geotechnical report shall assess potential consequences of any landslide and soil displacement, estimation of settlement, lateral movement or reduction in foundation soil-bearing capacity, and discuss mitigation measures that may include building design consideration. Building design considerations shall include, but are not limited to:
 - ground stabilization
 - selection of appropriate foundation type and depths
 - selection of appropriate structural systems to accommodate anticipated displacements or any combination of these measures

The project shall comply with the conditions contained within the Department of Building and Safety's Geology and Soils Report Approval Letter for the proposed project, and as it may be subsequently amended or modified.

- **Regulatory Compliance Measure RC-GEO-4 (Liquefaction Area):** The project shall comply with the Uniform Building Code Chapter 18. Division 1 Section 1804.5 Liquefaction Potential and Soil Strength Loss. Prior to the issuance of grading or building permits, the applicant shall submit a geotechnical report, prepared by a registered civil engineer or certified engineering geologist, to the Department of Building and Safety, for review and approval. The geotechnical report shall assess potential consequences of any liquefaction and soil strength loss, estimation of settlement, lateral movement or reduction in foundation soil-bearing capacity, and discuss mitigation measures that may include building design consideration. Building design considerations shall include, but are not limited to:
 - ground stabilization
 - selection of appropriate foundation type and depths
 - selection of appropriate structural systems to accommodate anticipated displacements or any combination of these measures.

The project shall comply with the conditions contained within the Department of Building and Safety's Geology and Soils Report Approval Letter for the proposed project, and as it may be subsequently amended or modified.

- **Regulatory Compliance Measure RC-GEO-5 (Subsidence Area):** Prior to the issuance of building or grading permits, the applicant shall submit a geotechnical report prepared by a registered civil engineer or certified engineering geologist to the written satisfaction of the Department of Building and Safety. The geotechnical report shall assess potential consequences of any subsidence and soil strength loss, estimation of settlement, lateral movement or reduction in foundation soil-bearing capacity, and discuss mitigation measures that may include building design consideration. Building design considerations shall include, but are not limited to: ground stabilization, selection of appropriate foundation type and depths, selection of appropriate structural systems to accommodate anticipated displacements or any combination of these measures. The project shall comply with the conditions contained within the Department of Building and Safety's Geology and Soils Report Approval Letter for the proposed project, and as it may be subsequently amended or modified.
- **Regulatory Compliance Measure RC-GEO-6 (Expansive Soils Area):** Prior to the issuance of grading or building permits, the applicant shall submit a geotechnical report, prepared by a registered civil engineer or certified engineering geologist, to the Department of Building and Safety, for review and approval. The geotechnical report shall assess potential consequences of any soil expansion and soil strength loss, estimation of settlement, lateral movement or reduction in foundation soil-bearing capacity, and discuss mitigation measures that may include building design consideration. Building design considerations shall include, but are not limited to: ground stabilization, selection of appropriate foundation type and depths, selection of appropriate structural systems to accommodate anticipated displacements or any combination of these measures. The project shall comply with the conditions contained within the Department of Building and Safety's Geology and Soils Report Approval Letter for the proposed project, and as it may be subsequently amended or modified.
- **Regulatory Compliance Measure RC-GHG-1 (Green Building Code):** In accordance with the City of Los Angeles Green Building Code (Chapter IX, Article 9, of the Los Angeles Municipal Code), the Project shall comply with all applicable mandatory provisions of the 2013 Los Angeles Green Code and as it may be subsequently amended or modified.

HAZARDS AND HAZARDOUS MATERIALS

- **Regulatory Compliance Measure RC-HAZ-1: Explosion/Release (Existing Toxic/Hazardous Construction Materials)**
 - **(Asbestos)** Prior to the issuance of any permit for the demolition or alteration of the existing structure(s), the applicant shall provide a letter to the Department of Building and Safety from a qualified asbestos abatement consultant indicating that no Asbestos-Containing Materials (ACM) are present in the building. If ACMs are found to be present, it will need to be abated in compliance with the South Coast Air

- Quality Management District's Rule 1403 as well as all other applicable State and Federal rules and regulations.
- **(Lead Paint)** Prior to issuance of any permit for the demolition or alteration of the existing structure(s), a lead-based paint survey shall be performed to the written satisfaction of the Department of Building and Safety. Should lead-based paint materials be identified, standard handling and disposal practices shall be implemented pursuant to OSHA regulations.
 - **(Polychlorinated Biphenyl – Commercial and Industrial Buildings)** Prior to issuance of a demolition permit, a polychlorinated biphenyl (PCB) abatement contractor shall conduct a survey of the project site to identify and assist with compliance with applicable state and federal rules and regulation governing PCB removal and disposal.
- **Regulatory Compliance Measure RC-HAZ-2: Explosion/Release (Methane Zone):** As the Project Site is within a methane zone, prior to the issuance of a building permit, the Site shall be independently analyzed by a qualified engineer, as defined in Ordinance No. 175,790 and Section 91.7102 of the LAMC, hired by the Project Applicant. The engineer shall investigate and design a methane mitigation system in compliance with the LADBS Methane Mitigation Standards for the appropriate Site Design Level which will prevent or retard potential methane gas seepage into the building. The Applicant shall implement the engineer's design recommendations subject to DOGGR, LADBS and LAFD plan review and approval.
 - **Regulatory Compliance Measure RC-HAZ-3: Explosion/Release (Soil Gases):** During subsurface excavation activities, including borings, trenching and grading, OSHA worker safety measures shall be implemented as required to preclude any exposure of workers to unsafe levels of soil-gases, including, but not limited to, methane.
 - **Regulatory Compliance Measure RC-HAZ-4 Listed Sites (Removal of Underground Storage Tanks):** Underground Storage Tanks shall be decommissioned or removed as determined by the Los Angeles City Fire Department Underground Storage Tank Division. If any contamination is found, further remediation measures shall be developed with the assistance of the Los Angeles City Fire Department and other appropriate State agencies. Prior to issuance of a use of land or building permit, a letter certifying that remediation is complete from the appropriate agency (Department of Toxic Substance Control or the Regional Water Quality Control Board) shall be submitted to the decision maker.
 - **Regulatory Compliance Measure RC-HAZ-5 (Hazardous Materials Site):** Prior to the issuance of any use of land, grading, or building permit, the applicant shall obtain a sign-off from the Fire Department indicating that all on-site hazardous materials, including contamination of the soil and groundwater, have been suitably remediated, or that the proposed project will not impede proposed or on-going remediation measures.

HYDROLOGY AND WATER QUALITY

- **Regulatory Compliance Measure RC-WQ-1: National Pollutant Discharge Elimination System General Permit.** Prior to issuance of a grading permit, the Applicant shall obtain coverage under the State Water Resources Control Board National Pollutant Discharge Elimination System General Permit for Storm Water Discharges Associated with Construction and Land Disturbance Activities (Order No. 2009-0009-DWQ, National Pollutant Discharge Elimination System No. CAS000002) (Construction General Permit) for Phase 1 of the proposed Modified Project. The Applicant shall provide the Waste Discharge Identification Number to the City of Los Angeles to demonstrate proof of coverage under the Construction General Permit. A Storm Water Pollution Prevention Plan shall be prepared and implemented for the proposed Modified Project in compliance with the requirements of the Construction General Permit. The Storm Water Pollution Prevention Plan shall identify construction Best Management Practices to be implemented to ensure that the potential for soil erosion and sedimentation is minimized and to control the discharge of pollutants in stormwater runoff as a result of construction activities.
- **Regulatory Compliance Measure RC-WQ-2: Dewatering.** If required, any dewatering activities during construction shall comply with the requirements of the Waste Discharge Requirements for Discharges of Groundwater from Construction and Project Dewatering to Surface Waters in Coastal Watersheds of Los Angeles and Ventura Counties (Order No. R4-2008-0032, National Pollutant Discharge Elimination System No. CAG994004) or subsequent permit. This will include submission of a Notice of Intent for coverage under the permit to the Los Angeles Regional Water Quality Control Board at least 45 days prior to the start of dewatering and compliance with all applicable provisions in the permit, including water sampling, analysis, and reporting of dewatering-related discharges.
- **Regulatory Compliance Measure RC-WQ-3: Low Impact Development Plan.** Prior to issuance of grading permits, the Applicant shall submit a Low Impact Development Plan and/or Standard Urban Stormwater Mitigation Plan to the City of Los Angeles Bureau of Sanitation Watershed Protection Division for review and approval. The Low Impact Development Plan and/or Standard Urban Stormwater Mitigation Plan shall be prepared consistent with the requirements of the Development Best Management Practices Handbook.
- **Regulatory Compliance Measure RC-WQ-4: Development Best Management Practices.** The Best Management Practices shall be designed to retain or treat the runoff from a storm event producing 0.75 inch of rainfall in a 24-hour period, in accordance with the Development Best Management Practices Handbook Part B Planning Activities. A signed certificate from a licensed civil engineer or licensed architect confirming that the proposed Best Management Practices meet this numerical threshold standard shall be provided.
- **Regulatory Compliance Measure RC-WQ-5 (Alteration of a State or Federal Watercourse):** The project shall comply with the applicable sections of the federal Clean Water Act (CWA) and California's Porter Cologne Water Quality Control Act (Porter Cologne). Prior to the issuance of any grading, use of land, or building permit which may affect an existing watercourse, the applicant shall consult with the following agencies and obtain all necessary permits and/or authorizations, to the satisfaction of the Department of Building and Safety. Compliance shall be determined through written communication from

each jurisdictional agency, a copy of which shall be submitted to the Environmental Review case file for reference:

- *United States Army Corps of Engineers.* The applicant shall obtain a Jurisdictional Determination (preliminary or approved), or a letter otherwise indicating that no permit is required. Contact: Aaron O. Allen, Chief - North Coast Branch, Regulatory Division, 805-585-2148.
 - *State Water Resources Control Board.* The applicant shall consult with the 401 Certification and Wetlands Unit and obtain all necessary permits and/or authorizations, or a letter otherwise indicating that no permit is required. Contact: 401 Certification and Wetlands Unit, Los Angeles Region, 320 W 4th Street, #200, Los Angeles, CA 90013, (213) 576-6600.
 - *California Department of Fish and Wildlife.* The applicant shall consult with the Lake and Streambed Alteration Agreement Program and obtain a Streambed Alteration Agreement, or a letter otherwise indicating that no permit is required. Contact: LSAA Program, 4949 Viewridge Avenue, San Diego, CA 92123, (858) 636-3160.
- **Regulatory Compliance Measure RC-WQ-6 (Flooding/Tidal Waves):** The project shall comply with the requirements of the Flood Hazard Management Specific Plan, Ordinance No. 172081 effective 7/3/98.

LAND USE AND PLANNING

- **Regulatory Compliance Measure RC-LU-1 (Slope Density):** The project shall not exceed the maximum density permitted in Hillside Areas, as calculated by the formula set forth in Los Angeles Municipal Code Section 17.05-C (for tracts) or 17.50-E (for parcel maps).

MINERAL RESOURCES

NOISE

- **Regulatory Compliance Measure RC-NO-1 (Demolition, Grading, and Construction Activities):** The project shall comply with the City of Los Angeles Noise Ordinance and any subsequent ordinances, which prohibit the emission or creation of noise beyond certain levels at adjacent uses unless technically infeasible.

POPULATION AND HOUSING

- **New Regulatory Compliance Measure RC-PH-1 (Tenant Displacement):**
 - **Apartment Converted to Condominium** - Prior to final map recordation, and pursuant to the provisions of Section 12.95.2-G and 47.06 of the Los Angeles Municipal Code (LAMC), a tenant relocation plan shall be submitted to the Los Angeles Housing Department for review and approval.
 - **Apartment Demolition** - Prior to the issuance of a demolition permit, and pursuant to the provisions of Section 47.07 of the Los Angeles Municipal Code, a tenant

relocation plan shall be submitted to the Los Angeles Housing Department for review and approval.

- **Mobile Home Park Closure or Conversion to Different Use** Prior to the issuance of any permit or recordation, and pursuant to the provisions of Section 47.08 and 47.09 of the Los Angeles Municipal Code, a tenant relocation plan and mobile home park closure impact report shall be submitted to the Los Angeles Housing Department for review and approval.

PUBLIC SERVICES

Schools

- **Regulatory Compliance Measure RC-PS-1 (Payment of School Development Fee)** Prior to issuance of a building permit, the General Manager of the City of Los Angeles, Department of Building and Safety, or designee, shall ensure that the Applicant has paid all applicable school facility development fees in accordance with California Government Code Section 65995.

Parks

- **Regulatory Compliance Measure RC-PS-2 (Increased Demand For Parks Or Recreational Facilities):**
 - (*Subdivision*) Pursuant to Section 17.12-A or 17.58 of the Los Angeles Municipal Code, the applicant shall pay the applicable Quimby fees for the construction of dwelling units.
 - (*Apartments*) Pursuant to Section 21.10 of the Los Angeles Municipal Code, the applicant shall pay the Dwelling Unit Construction Tax for construction of apartment buildings.
- **Regulatory Compliance Measure RC-PS-3 (Increase Demand For Parks Or Recreational Facilities – Zone Change)** Pursuant to Section 12.33 of the Los Angeles Municipal Code, the applicant shall pay the applicable fees for the construction of dwelling units.

RECREATION

See RC measures above under Parks.

TRANSPORTATION AND TRAFFIC

- **Regulatory Compliance Measure RC-TT-1 (Increased Vehicle Trips/Congestion - West Side Traffic Fee)** Prior to issuance of a Building Permit, the applicant shall pay a traffic impact fee to the City, based on the requirements of the West Los Angeles Traffic Improvement and Mitigation Specific Plan (WLA TIMP).

PUBLIC UTILITIES AND SERVICE SYSTEMS

Water Supply

- **Regulatory Compliance Measure RC-WS-1 (Fire Water Flow)** The Project Applicant shall consult with the LADBS and LAFD to determine fire flow requirements for the Proposed Project, and will contact a Water Service Representative at the LADWP to order a SAR. This system hydraulic analysis will determine if existing LADWP water supply facilities can provide the proposed fire flow requirements of the Project. If water main or infrastructure upgrades are required, the Applicant would pay for such upgrades, which would be constructed by either the Applicant or LADWP.
- **Regulatory Compliance Measure RC-WS-2 (Green Building Code):** The Project shall implement all applicable mandatory measures within the LA Green Building Code that would have the effect of reducing the Project's water use.
- **Regulatory Compliance Measure RC-WS-3 (New Carwash):** The applicant shall incorporate a water recycling system to the satisfaction of the Department of Building and Safety.
- **Regulatory Compliance Measure RC-WS-4 (Landscape)** The Project shall comply with Ordinance No. 170,978 (Water Management Ordinance), which imposes numerous water conservation measures in landscape, installation, and maintenance (e.g., use drip irrigation and soak hoses in lieu of sprinklers to lower the amount of water lost to evaporation and overspray, set automatic sprinkler systems to irrigate during the early morning or evening hours to minimize water loss due to evaporation, and water less in the cooler months and during the rainy season).

Energy

- **Regulatory Compliance Measure RC-EN-1(Green Building Code):** The Project shall implement all applicable mandatory measures within the LA Green Building Code that would have the effect of reducing the Project's energy use.

Solid Waste

- **Regulatory Compliance Measure RC-SW-1 (Designated Recycling Area)** In compliance with Los Angeles Municipal Code, the proposed Modified Project shall provide readily accessible areas that serve the entire building and are identified for the depositing, storage, and collection of nonhazardous materials for recycling, including (at a minimum) paper, corrugated cardboard, glass, plastics, and metals.
- **Regulatory Compliance Measure RC-SW-2 (Construction Waste Recycling)** In order to meet the diversion goals of the California Integrated Waste Management Act and the City of Los Angeles, which will total 70 percent by 2013, the Applicant shall salvage and recycle construction and demolition materials to ensure that a minimum of 70 percent of construction-related solid waste that can be recycled is diverted from the waste stream to be landfilled. Solid waste diversion would be accomplished through the on-site separation of materials and/or by contracting with a solid waste disposal facility that can guarantee a

minimum diversion rate of 70 percent. In compliance with the Los Angeles Municipal Code, the General Contractor shall utilize solid waste haulers, contractors, and recyclers who have obtained an Assembly Bill (AB) 939 Compliance Permit from the City of Los Angeles Bureau of Sanitation.

- **Regulatory Compliance Measure RC-SW-3 (Commercial/Multifamily Mandatory Recycling)** In compliance with AB341, recycling bins shall be provided at appropriate locations to promote recycling of paper, metal, glass and other recyclable material. These bins shall be emptied and recycled accordingly as a part of the Proposed Project's regular solid waste disposal program. The Project Applicant shall only contract for waste disposal services with a company that recycles solid waste in compliance with AB341.