

STRUMWASSER & WOOCHER LLP

ATTORNEYS AT LAW

10940 WILSHIRE BOULEVARD, SUITE 2000
LOS ANGELES, CALIFORNIA 90024

FREDRIC D. WOOCHER
MICHAEL J. STRUMWASSER
GREGORY G. LUKE †
BRYCE A. GEE
BEVERLY GROSSMAN PALMER
DALE LARSON
JENNA L. MIARA †‡

TELEPHONE: (310) 576-1233
FACSIMILE: (310) 319-0156
WWW.STRUMWOCH.COM

† Also admitted to practice in New York and Massachusetts
‡ Also admitted to practice in Illinois. Not yet admitted in
California

October 25, 2016

Councilmember Jose Huizar, Chair
Los Angeles City Council
Planning and Land Use Management Committee
200 N. Spring Street
Los Angeles, CA 90012

Submitted by email to Sharon.dickinson@lacity.org and hand delivered

Re: Council File 16-1011 and 16-1011-S1 (8150 Sunset Boulevard)

Dear Honorable Councilmembers,

Fix the City urges the Planning and Land Use Management Committee not to approve the massive project proposed at 8150 Sunset Boulevard. We incorporate by reference all other documents and testimony submitted for this project.

This project is a disaster waiting to happen in numerous respects. Notably, the site is located within the Hollywood Fault Alquist-Priolo Earthquake Fault Zone, and there has been insufficient geologic study to determine whether the fault or fault traces lie within fifty feet of the proposed construction. Moreover, the project will remove traffic lanes that permit emergency responders to quickly travel from Sunset Boulevard onto Crescent Heights Boulevard, and will generate crippling traffic on nearby streets, further impeding critical public safety response. In addition, the failure to require a street vacation in order to close the street violates long-established state law and denies due process to private street easement owners.

The increased density that would result from the project would unlawfully gut mitigation measures imposed to address traffic and infrastructure inadequacies due to density increases elsewhere in the Hollywood area when the Hollywood Community Plan was adopted. Moreover, approval of the proposed project would result in the demolition of a cultural and historic resource, the Lytton Bank Building. Demolition of a cultural resource is grounds for denying a density bonus under the city ordinance and SB 1818.

Fix the City is concerned with the provision of adequate infrastructure to protect public safety and assure the quality of life for Angelenos, and therefore requests that the PLUM Committee deny the requested entitlements and return the project to City Planning to develop an alternative that will be appropriate in scale and intensity of use for this location.

In addition to Fix the City's comments on its Appeals, Fix the City provides the following analysis for the consideration of the PLUM Committee. Fix the City also responds to the staff response to its appeal, posted in full in the afternoon of October 24, herein.

I. THE PROJECT APPROVALS VIOLATE THE ALQUIST-PRIOLO ACT

It is beyond dispute that even though the project site is located with the Alquist-Priolo Earthquake Fault Zone, the City has not required that the applicant conduct sufficient analysis of the fault and fault traces located on or near the site to permit the project to be approved as currently proposed. The project, as approved by the City Planning Commission, puts at risk both residential and commercial structures, in violation of state law and City policies and procedures. The Alquist-Priolo Act requires that all structures for *human occupancy*, not just "habitable structures," be located at least fifty feet from a surface fault line. Unless investigation is conducted 50 feet from the site toward the mapped Hollywood Fault, no structure may be located within 50 feet of the property line. No such studies were conducted. Therefore, the entire structure, including the subsurface parking structure, and not just the above-ground dwelling units, must be move 50 feet from Sunset Boulevard.

Moving only the residential portions of the project simply rearranges the deck chairs. The applicant has not moved the habitable structure 50 feet from the property line along Sunset Boulevard because the project is a single structure below-ground. In the absence of unequivocal evidence that the Hollywood Fault and its traces are not located within 50 feet of the property's border along Sunset, the entire subsurface structure must be move 50 feet back from Sunset Boulevard to create the state-mandated surface fault exclusion zone.

The City and the applicant's correspondence reveals an effort to evade the Alquist-Priolo Act and City requirements, which were clearly stated by Pascal Challita, Geotechnical Engineer III with the Department of Building and Safety. Mr. Challita's letter of November 21, 2014, set forth requirements for further investigation and the creation of an exclusion zone, consistent with state law. Subsequently, memos by John Weight, Geotechnical Engineer II (subordinate to Mr. Challita), ignored Mr. Challita's insistence on off-site study, instead permitting a "reinforced foundation zone," in very portion of the property where construction is not permitted without additional off-site study under the Alquist-Priolo Act, subjecting future occupants to the very risk that the Act is intended to avoid: a surface fault rupture involving a structure for human occupancy.

The Alquist-Priolo Act's requirements are clear. Public Resources Code section 2621.5 states that the act "is intended to provide policies and criteria to assist cities, counties, and state agencies in the exercise of their responsibility to prohibit the location of development and structures for human occupancy across the trace of active faults."

The provisions apply to "any project . . . which is located within a delineated earthquake fault zone, upon issuance of the official earthquake fault zones maps to affected local jurisdictions." (*Ibid.*) The Alquist-Priolo Act defined "project" to include "structures for human occupancy," excluding certain smaller single family dwellings. (*Id.*, § 2621.6, subd. (2).) By

regulation, the State Mining and Geology Board has provided a definition for the phrase “structures for human occupancy:” “any structure used or intended for supporting or sheltering any use of occupancy, which is expected to have a human occupancy rate of more than 2,000 person-hours per year.” (Cal. Code. Reg., tit. 14, § 3601, subd. (e).) The regulations also explain that:

“No structure for human occupancy . . . shall be permitted to be placed across the trace of an active fault. Furthermore, as the area within fifty (50) feet of such active faults shall be *presumed* to be underlain by active branches of that fault *unless proven otherwise* by an appropriate geologic investigation and report . . . no such structures shall be permitted in this area.” (*Id.* § 3603, subd. (a) (emphasis added).)

The Alquist-Priolo Act therefore prohibits any development of structures in which persons will spend as little as 2,000 hours per year, in total. Clearly the proposed project qualifies as a structure for human occupancy subject to the restrictions of the Alquist-Priolo Act – the law does not apply in a different manner to the “residential” component of the project.

The record of communications between the applicant and City reveals a troubling disregard and evasion of the clear Alquist-Priolo prohibition on construction within 50 feet of a fault trace. Appendix D to the Draft Environmental Impact Report (Draft EIR) and Appendix B to the recirculated Draft EIR (RDEIR), as well as Appendix B to the Final EIR contain the geology and soils report, along with correspondence between the applicant and the City regarding earthquake fault concerns. These documents reveal a disturbing evolution.

The original study submitted along with the November 2014 Draft EIR was conducted by Golder and Associates. The study included boreholes in the northeast corner and the southwest corner of the site, but no boreholes or trenching in the northwest corner of the site – the location on the site *closest* to the mapped Hollywood Fault, as shown in the figures that accompanied the Golder report. Nor were any cone penetration test (CPT) soundings conducted in that corner of the site. The Golder report concluded that there were no traces of the fault on the site. The California State Mining and Geology Board noted, upon its review of the Golder study in connection with revisions to the fault map, that it “revealed no new data that would modify [its] conclusions or recommendations *for zoning* in this area.” This statement reveals that the Board continued to believe that the boundaries of *this site* are within 50 feet of the Hollywood Fault.

As required under the Alquist-Priolo Act, the City’s engineers reviewed the Golder study. On November 21, 2014, Pascal Challita, Geotechnical Engineer III with the Los Angeles Department of Building and Safety, issued a memorandum to Jim Tokunaga (Deputy Advisory Agency) regarding the Grading Division’s review of the Golder report. Mr. Challita stated that the Department could not conclude its review of the reports because *insufficient study had been conducted*. Mr. Challita commented that no geotechnical study had been conducted “50 feet beyond the property boundary.” Critically, Mr. Challita explained that “The Department policy is that the presence of an active fault *must be considered to exist just beyond the property line*.” (emphasis added.) Mr. Challita also took issue with the Golder report’s conclusion that “the setback or reinforced foundations are not necessary.” Mr. Challita found that conclusion to be

based upon research regarding off-fault deformations near “steeply-dipping strike-slip faults,” unlike the poorly-developed Hollywood Fault which is “overlain by thick un-faulted young alluvium.” In conclusion, Mr. Challita stated, “[T]here are too many epistemic and aleatory uncertainties regarding the Hollywood fault to warrant disregarding the required setback.” (Emphasis added.) Mr. Challita’s response is *entirely consistent* with the precautionary approach embodied in the Alquist-Priolo Act.

In May 2015, Golder responded to Mr. Challita’s request for additional information. Golder’s May 2015 letter acknowledged that “it is Building Department policy to consider that within an Alquist-Priolo Earthquake Fault Zone the active trace of a fault is present just beyond the area that has been investigated.” The Golder report acknowledged that investigation would have to take place “50 feet northwest of the property boundary in Sunset Boulevard.” Without such exploration, Golder stated, “the City will require that buildings be set back 50 feet from the property line at the northwest corner of the Project site.” All of those statements accurately characterized Challita’s comments. Golder went on, however, to expand upon the permissible construction within the Alquist-Priolo Zone: “Alternately, according to the City geologist, in lieu of undertaking additional borings or providing a 50-foot setback, an acceptable off-fault surface rupture mitigation measure is, within the 50-foot setback area, to design the foundation to accommodate 10 inches of horizontal and 2 inches of vertical off-fault deformation.” The May 2015 letter cites as authority for this proposition – which was not mentioned or even suggested at in Mr. Challita’s letter – a May 5, 2015 telephone communication with Daniel Schneidereit.

In June 2015, the City responded to Golder’s May 2015 letter. John Weight, Grading Division Chief, Department of Building and Safety, provided a memo to Jim Tokunaga. Mr. Weight’s memorandum mischaracterized Mr. Challita’s analysis. Mr. Weight wrote: “As explained in Comment 1 of the previous letter, dated 11/21/14, the Department does not except [sic] a zero setback without considering a reinforced foundation that accommodates off-fault deformation.” Mr. Challita never mentioned reinforced foundations, consistent with the Alquist-Priolo prohibition on the construction of habitable structures within 50 feet of a surface fault. Mr. Weight noted another instance where the Department had permitted a “zero setback” – 1840 Highland, and suggested using that site as a model for the foundation of this project, “if appropriate.” It is unclear whether the 1840 Highland project was approved before or after the Alquist-Priolo Zone was mapped for the Hollywood Fault.

In August 2015, Golder responded to Weight’s memo, noting that its “investigation was unable to unequivocally establish that the main Hollywood Fault trace is more than 50 feet from the northwest corner of the site.” Golder stated that “in accordance with City of Los Angeles policy,” it recommended “a 50-foot wide reinforced foundation zone be established in the northwest corner of the site.” Of course, as discussed above, the Alquist-Priolo Act does not provide for an alternative to the 50-foot exclusion zone. While cities may impose stricter policies, they may not rewrite state law or contradict it.

In October 2015, Mr. Weight concluded the City’s review of the geological studies noting that “Because the exploration did not extend 50 feet beyond the northern part of the site, a reinforced foundation area is recommended at the northwest corner of the site to reduce the

impact of minor off-fault deformation in the event that an active fault is located just beyond the site exploration.” This response puts the final nail in the coffin of the Alquist-Priolo Act for this site. No longer is the City following state law, which requires an *exclusion* zone of 50 feet from an active fault trace. State regulations provide that the area within 50 feet of a mapped surface fault is *presumed* to contain traces of the fault unless proven otherwise. No structures are permitted in that 50-foot area, unless a geologic investigation concludes that the area is *not* underlain by the traces of the active fault. Golder *concedes* that its study cannot unequivocally demonstrate that there is no fault immediately off-site. Mr. Challita’s concern that the information about the Hollywood Fault is uncertain and unpredictable was never addressed in Golder’s responses. Rather, Golder and the City appear to have collectively created a “reinforced foundation” exception that appears nowhere in the Alquist-Priolo Act. There is no reference in those laws and regulations to an exception to the exclusion zone for a reinforced foundation.¹ If the applicant cannot conduct sufficient off-site study to unequivocally demonstrate that the fault is not within 50 feet of the site boundary, it must impose a 50-foot “no build” zone along the northwest portion of the site, where no structures for “human occupancy” may be constructed.²

Because the project’s “reinforced foundation zone” is inconsistent with the Alquist-Priolo Act, the findings for both the Vesting Tentative Tract Map and the Site Plan Review are improper. The Vesting Tentative Tract Map findings state that “all project-related habitable structure are required to be set back from the fault trace by a minimum of 50 feet. Given compliance with this fault setback requirement, impacts regarding surface fault rupture would be less than significant, and no mitigation measure would be necessary.” The tract map does not conform to the setback requirement, so this is a false statement.

The Alquist-Priolo Act applies to structures for human occupancy, not only habitable structures, and the proposed project includes structures for human occupancy within fifty feet of the fault trace. Moreover, mitigation *is required* by the City: the City is improperly using a “reinforced foundation” zone to mitigate the risk of surface fault rupture and off-fault deformation. Finally, the structure utilizes one foundation for all buildings, so all of the structures are within 50 feet of the fault. The findings in support of Site Plan Review do not include the reinforced foundation requirement. Regardless, no approval would be proper for the proposed project because no study has unequivocally demonstrated that the fault is not located immediately off-site. Under the Alquist-Priolo Act, a 50-foot exclusion zone is mandatory and this project would be an illegal and hazardous risk otherwise.

¹ California Geological Survey Note 49, “Guidelines for Evaluating the Hazard of Surface Fault Rupture,” 2002, states that the most appropriate mitigation method is the setback. It suggests that “engineering strengthening or design may be of additional mitigative value...” p. 1. Thus a reinforced foundation may be *in addition* to a setback, but *not as a substitute* for a setback. (Emphasis added; see Exhibit 1 [Cal Geo Survey].)

² The Lytton Bank Building, as a pre-existing historic structure, may remain in this portion of the site, subject to special exception in the Alquist-Priolo Act. (See Public Resources Code, § 2621.7, subd. (e)(4).)

The staff response to Fix the City's appeal does not address the problems with the proposed project's construction in the Alquist-Priolo exclusion zone. Staff contends that the fault trace is "approximately" 100 feet to the northwest, and not within, the project site. Staff ignores the fact that there has been no study of the fault within fifty feet of the site to the northwest, and erroneously describes the Alquist-Priolo Act as simply prohibiting construction directly on a fault. In the absence of adequate study, the Alquist-Priolo Act *requires* that the City *presume* the presence of surface faulting or fault traces within fifty feet of a mapped fault. No study in the record extends under Sunset Boulevard toward the mapped fault, and therefore the fifty foot exclusion zone is required. Staff misrepresents both the law and the facts on this critical issue.

II. THE DENSITY BONUS IS IMPROPER BECAUSE THE SITE HAS A 1:1 FLOOR TO AREA RESTRICTION IMPOSED AS A CEQA MITIGATION MEASURE

The Floor to area ratio (FAR) for this site is expressly limited in the Hollywood Community Plan to 1:1, beyond the typical 1.5:1 FAR for a commercially zoned site. As documents reviewed by Fix the City unequivocally demonstrate, this 1:1 FAR restriction was imposed on this property as a CEQA mitigation measure as part of the adoption of the Framework Element and the 1988 Hollywood Community Plan. The massive increase in density to 3:1 FAR requested for the site is *inconsistent* with the site's designation in the Hollywood Community Plan. Critically, the site's zoning is C4-1D, **with a FAR of 1:1**. This D Limitation was included as a mitigation measure in the certified Environmental Impact Report for the 1988 Hollywood Community Plan (See Exhibit 2 [Ordinance 164,714]) in order to account for the impacts on infrastructure and traffic from the expansion permitted in the 1973 plan. Even in the most recent HCP update, which was overturned by the Los Angeles Superior Court, the D Limitation remained in place, restricting the FAR to 1:1. There has been no disclosure of the attempt to remove the D Limitation as required by LAMC 17.15 D.

The origin of the D limitation on the site is relevant to understanding its continued significance. The City of Los Angeles, for several years after general plan consistency became a state law requirement, resisted changing its zoning to conform to its General Plan. In 1979, the state legislature adopted Assembly Bill 283 (AB 283), which required the City of Los Angeles to amend its zoning ordinance to be consistent with the City's general plan by July 1, 1982. (See Government Code, § 658670, subd. (d).) When the City did not take the necessary steps to update its zoning ordinance, a coalition of citizens filed suit, in *Federation of Hillside and Canyon Associations v. City of Los Angeles*. The Superior Court promptly issued a writ of mandate commanding the City to update its zoning ordinance.

The City then recirculated several relevant EIRs, including the Hollywood Community Plan EIR in February 1988. (See Exhibit 3 [1988 Hollywood Community Plan EIR].) That EIR makes clear why numerous sites in Hollywood, including the project location at 8150 Sunset, were "down-zoned." The 1988 EIR analyzed a plan for Hollywood that included "development standards" aimed at achieving specific "development character" for each area. "Neighborhood-Oriented Commercial" uses would be "permitted to be built to 1 time the lot area." (*Id.*, p. 23.)

The 1:1 FAR limitation is also linked to “an effort to make the transportation system and other public facilities and service systems workable.” (*Id.*, p. 29.)

The downzoning of these sites was not just an idea intended to create a certain neighborhood character, however. Downzoning was in specific response to development patterns that had been instituted in Hollywood under the 1973 Hollywood Community Plan and the City’s inconsistent former zoning. The 1988 EIR noted that under the 1973 Plan,

“this level of development activity has resulted in significant burdens on the traffic circulation system within the Community Plan area, as well as other adverse impacts on public services and infrastructure. Development activity has also resulted in numerous land use conflicts and incompatibilities reflected in parking problems, aesthetic impacts, light, shade-shadow impacts of new larger buildings on existing lower density properties, the removal of architecturally or historically significant buildings, among other impacts.” (*Id.*, pp. 31-32.)

Accordingly, one of the “major objectives” was to reduce the capacity of the Hollywood Community, which required “down zoning.” The 1988 EIR provides as a mitigation measure for the land use effects of the plan that “the Proposed Plan is intended as mitigation for the effects of the Current Plan.” (*Id.*, p. 35.) Throughout the EIR, reference is made to reducing development density in order *to mitigate the impacts of development at greater intensities elsewhere in Hollywood*. (Emphasis added; see *id.* at p. 77 [limit future land use densities to those consistent with the Proposed Plan]; p. 84; p. 116.) In staff reports regarding the Hollywood Community Plan, staff explained that, in commercial zones, the plan included a “floor area ratio (FAR) for each commercial land use designation . . . in quantitative terms in addition to referencing a height district.” (Exhibit 4, p. 8.)

SB 1818 does not confer the right to violate the Subdivision Map Act. Under LAMC 17.15.D, the VTT cannot be approved unless there is a height district amendment to make it consistent with the General Plan map, which shows a limitation of 1:1 FAR. At best, the City Council can approve the VTT conditionally, pending the height district is amended to make it consistent with the project approvals, and mandatory findings required by LAMC 12.32.4.D can be made to support the change. No such application is in the record. It is doubtful that those findings can be made.

After the 1988 EIR was finalized, the City began to adopt a series of zoning ordinances to conform the underlying zoning to the 1988 Hollywood Community Plan. On March 22, 1989, the City Council adopted Ordinance No. 164714, imposing a permanent “D” limitation on the subject property, specifying that development “shall not exceed one time the buildable area of the lot.” (Exhibit 2.) This restriction is entirely consistent with the General Plan designation of Neighborhood Office Commercial that was included in the 1988 Hollywood Community Plan, and the “D” limitation was plainly intended to implement the downzoning that was a mitigation measure of the 1988 Hollywood Community Plan. *The mitigation that was put in place, therefore, remains a commitment by the City under the California Environmental Quality Act.* The City may not disregard a development limitation imposed as a CEQA mitigation measure

without conducting an analysis as to why the mitigation measure has become “infeasible” and what would replace it. The staff response fails to address the significance of the inclusion of the D condition in the mitigation measures for the adopted 1988 Hollywood Community Plan. The EIR for the current project nowhere discloses that the D limitation on the site was included as mitigation to permit increasingly dense development *elsewhere* in the Hollywood Community Plan area. The limitations on density on this site permitted increased density elsewhere, and no analysis has been conducted in the EIR of the impacts of the removal of this mitigation on the Hollywood Community Plan and its mitigation. The mitigation measure, as staff explained, is now replaced with a statement of overriding considerations reflecting the *inability to mitigate* all of the impacts of this project. The D Limitation was placed on the site in order to mitigate widespread infrastructure failures, including and not limited to traffic, sewers, police and fire response times and facilities, etc. The project EIR does not address these plan-wide infrastructure issues.

SB1818 density bonus rules do not require that a density bonus be awarded to every property. As set forth in Fix the City’s appeal, the site is not eligible to apply for a density bonus to 3:1 FAR because it is not in a height district where 1.5:1 FAR applies. The density increase is *tripling*, not *doubling*, the permissible density. The 3:1 FAR incentive is therefore not available for this property in the first instance. The staff response does not address this issue, and misleadingly conflates the 3:1 FAR increase with the permissible number of residential units that can be constructed on site. Looking solely at the number of units ignores the fact that commercial square footage on the site also will increase significantly. The staff response also contends that General Plan findings for density increases on projects with subdivisions are inapplicable, even though one of the requested entitlements for the project is a subdivision!

The City has adopted a similar approach to the density increases permitted with RAS zoning. In 2005, the Planning Department issued an interpretive memorandum explaining the increased density permitted in RAS zoning would not apply when a parcel-specific restriction (in that case, a community plan footnote) restricted the density to levels below that allowed by RAS3 and RAS4 zoning. (See Exhibit 5.) “In one particular plan, the Plan Footnote on a Neighborhood Commercial area states: ‘Floor Area Ratio 1:1.’ In this specific situation it cannot be the intent of Council to allow a 3:1 FAR since they knowingly restricted the property to a 1:1 FAR. INTERPRETATION: It is hereby interpreted that the RAS Zones can exceed a Community Plan Footnote when that footnote is general in nature and generally refers to all parcels under that plan category. Where there is a specific footnote that refers to (a) specific parcel(s) that is more restrictive, the RAS Zone would not be permitted without a corresponding Plan Amendment.” (*Id.*)

Similarly, in 2006 when the City was considering how to implement the density bonuses for affordable housing, Planning staff opined that permitting a 3:1 FAR density bonus on “every commercially zoned parcel without additional study is potentially too significant to recommend at this time.” (See Exhibit 4.) The clear implication of these approaches is that there are parcels where density increases are inappropriate, and that those specific parcels are those that have been in some way identified with a parcel-specific development limitation—like the D limitation imposed on this parcel, limiting the density to a 1:1 FAR, unlike the majority of C4 properties.

Granting a 3:1 FAR for this property unlawfully treats it as if it has no D limitation and is the same as any C4 property and ignores a CEQA mitigation measure without any justification.

Moreover, in this case, the City could easily make the required finding that the incentive “will have a Specific Adverse Impact upon public health and safety or the physical environment . . .” (LAMC 12.22 A 25 (g).) A “Specific Adverse Impact” is “a significant, quantifiable, direct, and unavoidable impact, based on objective, identified written public health or safety standards, policies, or conditions as they existed on the date the application was deemed complete.” (LAMC 12.22 A 25 (b).) The fact that a specific D limitation was imposed on this site as a CEQA mitigation measure establishes that the 1:1 density restriction is intended to mitigate broader development impacts. The site is ineligible for increased FAR to 3:1 as an incentive or otherwise, without a legislative process to change the site’s zoning that include findings that the infrastructure and traffic have improved since 1988 and the mitigation is therefore no longer required. In addition, the density bonus may be denied because of the unmitigable traffic impacts of the project, which would be further increased because the City lacks the ability to implement the mitigation measures located in the City of West Hollywood. Finally, the density bonus can be denied because the Lytton Bank is a cultural resource, according to the Cultural Heritage Commission and is on the agenda for approval by the City Council. For all these reasons, the density bonus can be denied by the City.

III. STREET VACATION PROCEDURES HAVE NOT BEEN FOLLOWED

The project proposes to remove a dedicated right turn lane and to convert a city-owned median island into privately-controlled open space. Fix the City’s appeal addresses this issue at length. Without duplication of its earlier arguments, Fix the City notes that there is no evidence in the record that the City or the applicant have taken the necessary procedural steps to begin a street vacation proceeding. The staff responds concedes that no vacation request has been submitted. Staff contends that an encroachment permit can be used for the closure of the free right turn lane on Crescent Heights, but an encroachment permit is not appropriate for use for a permanent removal of street access.

Nor has there been a zone change commenced to the change the use for the triangular city-owned parcel (8118 Sunset) or to modify this property for street purposes (rounding the corner if the turn lane is closed to traffic). The staff fails to respond to Fix the City’s observation that the proposed project will “gift” City property to a private developer without any proper procedures. Use of the city-owned property also requires an ordinance. The vacation requires an ordinance of intention and all of the findings mandated by state law. The city property has not been declared surplus, and Fair Market Value is not being provided to the City, in violation of the City Charter. The full impacts of the project have not been analyzed, nor have the due process rights of property owners within the Crescent Heights Tract been protected under California Streets and Highways Code Section 8353(b).

IV. ANY ADDITIONAL CHANGES THAT AFFECT TRAFFIC, EMERGENCY SERVICES, AND AFFECT THE ABILITY TO IMPLEMENT PREVIOUSLY DISCLOSED MITIGATION MEASURES REQUIRE ADDITIONAL ANALYSIS AND POSSIBLE RECIRCULATION OF THE EIR

A major area of concern for the communities adjacent the proposed project is its traffic generation. Any changes made to the project that might affect traffic or proposed traffic mitigation, such as the traffic light at Havenhurst and Fountain, must be properly disclosed and analyzed. These types of mitigations include the creation of a cul-de-sac street near the project, which could significantly affect circulation, emergency response, and the efficacy of various mitigation measures. If these types of changes are announced at the last minute, without adequate opportunity for public review and comment, the intent of CEQA to have full public disclosure and deliberation of the environmental effects of a proposed project.

V. STAFF COMMENTS REGARDING EMERGENCY RESPONSE ARE NOT SUPPORTED BY SUBSTANTIAL EVIDENCE

Staff's response to the emergency response and public safety issues raised in Fix the City's appeal relies entirely on surmise. Staff's response simply lists a number of actions that the Fire Department could take to improve response times. No evidence is provided that these actions actually have improved response times in a meaningful way. Staff focuses on the fact that the "one impacted intersection" is located in an area unlikely to be traversed by first responders accessing the project. Of course, the project and the cumulative impact of other area development projects, plus the many already constructed projects have contributed to area traffic that is already highly impacted. It is not simply a question of whether first responders will be able to access the project, but whether first responders will be able to access other area emergencies. The project admittedly has a significant impact on traffic and will create additional congestion in roadways that inhibits emergency response. Given LAFD staffing shortages, the fact that the city is losing more firefighters than it is hiring, stations responding to an emergency come frequently from much farther than the stations listed in the staff report and EIR. Those distant responders encounter increased traffic congestion and thus response time is diminished not only by local traffic, but regional congestion. No analysis has been provided regarding response time from other stations, and how the project and cumulative projects will impact response time. The improvements cited in the staff response do not quantify how much time is saved, versus how much time is lost due to distant stations responding, and worsening traffic in the project area as well as regionally. By contrast, ATSAC is presented in EIRs with a numerical value of reduced traffic congestion. How would the innovations being considered and someday in the future implemented, impact response time?

Fix the City has raised serious concerns about the approval of the proposed project and its conformity to state and local law. Fix the City urges the PLUM Committee to recommend denial of the proposed project so that these concerns may be addressed and a less impactful project presented to the City for review.

Fix the City Appeal
October 25, 2016
Page 11

Respectfully submitted,

A handwritten signature in black ink, appearing to read "Beverly Grossman Palmer". The signature is written in a cursive style with a long, sweeping tail.

Beverly Grossman Palmer

Exhibit 1

GUIDELINES FOR EVALUATING THE
HAZARD OF SURFACE FAULT RUPTURE

GUIDELINES FOR EVALUATING THE HAZARD OF SURFACE FAULT RUPTURE

(Similar guidelines were adopted by the State Mining and Geology Board for advisory purposes in 1996.)

These guidelines are to assist geologists who investigate faults relative to the hazard of surface fault rupture. Subsequent to the passage of the Alquist-Priolo Earthquake Fault Zoning Act (1972), it became apparent that many fault investigations conducted in California were incomplete or otherwise inadequate for the purpose of evaluating the potential of surface fault rupture. It was further apparent that statewide standards for investigating faults would be beneficial. These guidelines were initially prepared in 1975 and have been revised several times since then.

The investigation of sites for the possible hazard of surface fault rupture is a deceptively difficult geologic task. Many active faults are complex, consisting of multiple breaks. Yet the evidence for identifying active fault traces is generally subtle or obscure and the distinction between recently active and long-inactive faults may be difficult to make. It is impractical from an economic, engineering, and architectural point of view to design a structure to withstand serious damage under the stress of surface fault rupture. Once a structure is sited astride an active fault, the resulting fault-rupture hazard cannot be mitigated unless the structure is relocated, whereas when a structure is placed on a landslide, the potential hazard from landsliding often can be mitigated. Most surface faulting is confined to a relatively narrow zone a few feet to few tens of feet wide, making avoidance (i.e., building setbacks) the most appropriate mitigation method. However, in some cases primary fault rupture along branch faults can be distributed across zones hundreds of feet wide or manifested as broad warps, suggesting that engineering strengthening or design may be of additional mitigative value (e.g., Lazarte and others, 1994).

No single investigative method will be the best, or even useful, at all sites, because of the complexity of evaluating surface and near surface faults and because of the infinite variety of site conditions. Nonetheless, certain investigative methods are more helpful than others in locating faults and evaluating the recency of activity.

The evaluation of a given site with regard to the potential hazard of surface fault rupture is based extensively on the concepts of recency and recurrence of faulting along existing faults. In a general way, the more recent the faulting the greater the probability for future faulting (Allen, 1975). Stated another way, faults of known historic activity during the last 200 years, as a class, have a greater probability for future activity than faults classified as Holocene age (last 11,000 years), and a much greater probability of future activity than faults classified as Quaternary age (last 1.6 mil-

lion years). However, it should be kept in mind that certain faults have recurrent activity measured in tens or hundreds of years whereas other faults may be inactive for thousands of years before being reactivated. Other faults may be characterized by creep-type rupture that is more or less ongoing. The magnitude, sense, and nature of fault rupture also vary for different faults or even along different strands of the same fault. Even so, future faulting generally is expected to recur along pre-existing faults (Bonilla, 1970). The development of a new fault or reactivation of a long-inactive fault is relatively uncommon and generally need not be a concern in site development.

As a practical matter, fault investigation should be directed at the problem of locating existing faults and then attempting to evaluate the recency of their activity. Data should be obtained both from the site and outside the site area. The most useful and direct method of evaluating recency is to observe (in a trench or road cut) the youngest geologic unit faulted and the oldest unit that is not faulted. Even so, active faults may be subtle or discontinuous and consequently overlooked in trench exposures (Bonilla and Lienkaemper, 1991). Therefore, careful logging is essential and trenching needs to be conducted in conjunction with other methods. For example, recently active faults may also be identified by direct observation of young, fault-related geomorphic (i.e., topographic) features in the field or on aerial photographs. Other indirect and more interpretive methods are identified in the outline below. Some of these methods are discussed in Bonilla (1982), Carver and McCalpin (1996), Hatheway and Leighton (1979), McCalpin (1996a, b, c), National Research Council (1986), Sherard and others (1974), Slemmons (1977), Slemmons and dePolo (1986), Taylor and Cluff (1973), the Utah Section of the Association of Engineering Geologists (1987), Wallace (1977), Weldon and others (1996), and Yeats and others (1997). McCalpin (1996b) contains a particularly useful discussion of various field techniques. Many other useful references are listed in the bibliographies of the references cited here.

The purpose, scope, and methods of investigation for fault investigations will vary depending on conditions at specific sites and the nature of the projects. Contents and scope of the investigation may also vary based on guidelines and review criteria of agencies or political organizations having regulatory responsibility. However, there are topics that should be considered in all comprehensive



Revised 5/2002

© California Department of Conservation, California Geological Survey, 2002. Reproduction of this CGS Note for classroom or public education purposes is encouraged and does not require written permission. However, please cite California Geological Survey as source.

The Department of Conservation makes no warranties as to the suitability of this product for any particular purpose.

♻️ Printed with soy ink on recycled paper.

fault investigations and geologic reports on faults. For a given site some topics may be addressed in more detail than at other sites because of the difference in the geologic and/or tectonic setting and/or site conditions. These investigative considerations should apply to any comprehensive fault investigation and may be applied to any project site, large or small. Suggested topics, considerations, and guidelines for fault investigations and reports on faults are provided in the following annotated outline. Fault investigations may be conducted in conjunction with other geologic and geotechnical investigations (DMG Notes 42 and 44). Although not all investigative techniques need to be or can be employed in evaluating a given site, the outline provides a checklist for preparing complete and well-documented reports. Most reports on fault investigations are reviewed by local or state government agencies. Therefore it is necessary that the reports be documented adequately and written carefully to facilitate that review. The importance of the review process is emphasized here, because it is the reviewer who must evaluate the adequacy of reports, interpret or set standards where they are unclear, and advise the governing agency as to their acceptability (Hart and Williams, 1978; DMG Note 41).

The scope of the investigation is dependent not only on the complexity and economics of a project, but also on the level of risk acceptable for the proposed structure or development. A more detailed investigation should be made for hospitals, high-rise buildings, and other critical or sensitive structures than for low-occupancy structures such as wood-frame dwellings that are comparatively safe. The conclusion drawn from any given set of data, however, must be consistent and unbiased. Recommendations must be clearly separated from conclusions, because recommendations are not totally dependent on geologic factors. The final decision as to whether, or how, a given project should be developed lies in the hands of the owner and the governing body that must review and approve the project.

CONTENTS OF GEOLOGIC REPORTS ON FAULTS

Suggested topics, considerations, and guidelines for investigations and reports

The following topics should be considered and addressed in detail where essential to support opinions, conclusions, and recommendations, in any geologic report on faults. It is not expected that all the topics or investigative methods would be necessary in a single investigation. In specific cases it may be necessary to extend some of the investigative methods well beyond the site or property being investigated. Particularly helpful references are cited parenthetically below.

I. Text

- A. Purpose and scope of investigation; description of proposed development.
- B. Geologic and tectonic setting. Include seismicity and earthquake history.
- C. Site description and conditions, including dates of site visits and observations. Include information on geologic units, graded and filled areas, vegetation, existing structures, and other factors that may affect the choice of investigative methods and interpretation of data.
- D. Methods of investigation.
 1. Review of published and unpublished literature, maps, and records concerning geologic units, faults, ground-water barriers, and other factors.

2. Stereoscopic interpretation of aerial photographs and other remotely sensed images to detect fault-related topography (geomorphic features), vegetation and soil contrasts, and other lineaments of possible fault origin. The area interpreted usually should extend beyond the site boundaries.
3. Surface observations, including mapping of geologic and soil units, geologic structures, geomorphic features and surfaces, springs, deformation of engineered structures due to fault creep, both on and beyond the site.
4. Subsurface investigations.
 - a. Trenching and other excavations to permit detailed and direct observation of continuously exposed geologic units, soils, and structures; must be of adequate depth and be carefully logged (Taylor and Cluff, 1973; Hatheway and Leighton, 1979; McCalpin, 1996b).
 - b. Borings and test pits to permit collection of data on geologic units and ground water at specific locations. Data points must be sufficient in number and spaced adequately to permit valid correlations and interpretations.
 - c. Cone penetrometer testing (CPT) (Grant and others, 1997; Edelman and others, 1996). CPT must be done in conjunction with continuously logged borings to correlate CPT results with on-site materials. The number of borings and spacing of CPT soundings should be sufficient to adequately image site stratigraphy. The existence and location of a fault based on CPT data are interpretative.
5. Geophysical investigations. These are indirect methods that require a knowledge of specific geologic conditions for reliable interpretations. They should seldom, if ever, be employed alone without knowledge of the geology (Chase and Chapman, 1976). Geophysical methods alone never prove the absence of a fault nor do they identify the recency of activity. The types of equipment and techniques used should be described and supporting data presented (California Board of Registration for Geologists and Geophysicists, 1993).
 - a. High resolution seismic reflection (Stephenson and others, 1995; McCalpin, 1996b).
 - b. Ground penetrating radar (Cai and others, 1996).
 - c. Other methods include: seismic refraction, magnetic profiling, electrical resistivity, and gravity (McCalpin, 1996b).
6. Age-dating techniques are essential for determining the ages of geologic units, soils, and surfaces that bracket the time(s) of faulting (Pierce, 1986; Birkeland and other, 1991; Rutter and Catto, 1995; McCalpin, 1996a).
 - a. Radiometric dating (especially ¹⁴C).
 - b. Soil-profile development.

- c. Rock and mineral weathering.
 - d. Landform development.
 - e. Stratigraphic correlation of rocks/minerals/fossils.
 - f. Other methods — artifacts, historical records, tephrochronology, fault scarp modeling, thermoluminescence, lichenometry, paleomagnetism, dendrochronology, etc.
7. Other methods should be included when special conditions permit or requirements for critical structures demand a more intensive investigation.
- a. Aerial reconnaissance overflights.
 - b. Geodetic and strain measurements.
 - c. Microseismicity monitoring.
- E. Conclusions.
1. Location and existence (or absence) of hazardous faults on or adjacent to the site; ages of past rupture events.
 2. Type of faults and nature of anticipated offset, including sense and magnitude of displacement, if possible.
 3. Distribution of primary and secondary faulting (fault zone width) and fault-related deformation.
 4. Probability of or relative potential for future surface displacement. The likelihood of future ground rupture seldom can be stated mathematically, but may be stated in semi-quantitative terms such as low, moderate, or high, or in terms of slip rates determined for specific fault segments.
 5. Degree of confidence in and limitations of data and conclusions.
- F. Recommendations.
1. Setback distances of proposed structures from hazardous faults. The setback distance generally will depend on the quality of data and type and complexity of fault(s) encountered at the site. In order to establish an appropriate setback distance from a fault located by indirect or interpretative methods (e.g., borings or cone penetrometer testing), the area between data points also should be considered underlain by a fault unless additional data are used to more precisely locate the fault. State and local regulations may dictate minimum distances (e.g., Section 3603 of California Code of Regulations in Appendix B in Hart and Bryant, 1997).
 2. Additional measures (e.g., strengthened foundations, engineering design, flexible utility connections) to accommodate warping and distributive deformation associated with faulting (Lazarte and others, 1994).
 3. Risk evaluation relative to the proposed development.
 4. Limitations of the investigation; need for additional studies.
- II. References.
- A. Literature and records cited or reviewed; citations should be complete.
 - B. Aerial photographs or images interpreted — list type, data, scale, source, and index numbers.
 - C. Other sources of information, including well records, personal communications, and other data sources.
- III. Illustrations — these are essential to the understanding of the report and to reduce the length of text.
- A. Location map — identify site locality, significant faults, geographic features, regional geology, seismic epicenters, and other pertinent data; 1:24,000 scale is recommended. If the site investigation is done in compliance with the Alquist-Priolo Act, show site location on the appropriate Official Map of Earthquake Fault Zones.
 - B. Site development map — show site boundaries, existing and proposed structures, graded areas, streets, exploratory trenches, borings geophysical traverses, locations of faults, and other data; recommended scale is 1:2,400 (1 inch equals 200 feet), or larger.
 - C. Geologic map — show distribution of geologic units (if more than one), faults and other structures, geomorphic features, aerial photographic lineaments, and springs; on topographic map 1:24,000 scale or larger; can be combined with III(A) or III(B).
 - D. Geologic cross sections, if needed, to provide three-dimensional picture.
 - E. Logs of exploratory trenches and borings — show details of observed features and conditions; should not be generalized or diagrammatic. Trench logs should show topographic profile and geologic structure at a 1:1 horizontal to vertical scale; scale should be 1:60 (1 inch = 5 feet) or larger.
 - F. Geophysical data and geologic interpretations.
- IV. Appendix: Supporting data not included above (e.g., water well data, photographs, aerial photographs).
- V. Authentication: Investigating geologist's signature and registration number with expiration data.

REFERENCES

- Allen, C.R., 1975, Geologic criteria for evaluating seismicity: Geological Society of America Bulletin, v. 86, p. 1041-1056.
- Birkeland, P.W., Machette, M.N., and Haller, K.M., 1991, Soils as a tool for applied Quaternary geology: Utah Geological and Mineral Survey Miscellaneous Publication 91-3, 63 p.
- Bonilla, M.G., 1970, Surface faulting and related effects, in Wiegel, R.L., editor, Earthquake Engineering, Prentice-Hall, Inc., Englewood Cliffs, New Jersey, p. 47-74.
- Bonilla, M.G., 1982, Evaluation of potential surface faulting and other tectonic deformation: U.S. Geological Survey Open-File Report 82-732, 58 p.
- Bonilla, M.G. and Lienkaemper, J.J., 1991, Factors affecting the recognition of faults in exploratory trenches: U.S. Geological Survey Bulletin 1947, 54 p.
- Cai, J., McMecham, G.A., and Fisher, M.A., 1996, Application of ground-penetrating radar to investigation of near-surface fault properties in the San Francisco bay region: Bulletin of the Seismological Society of America, v. 86, p. 1459-1470.
- California Department of Conservation, Division of Mines and Geology DMG Notes:
- * DMG Note 41 — General guidelines for reviewing geologic reports, 1998.
 - * DMG Note 42 — Guidelines for geologic/seismic reports, 1986.

- * DMG Note 44 — Recommended guidelines for preparing engineering geologic reports, 1986.
- California Department of Conservation, Division of Mines and Geology, 1997, Guidelines for evaluating and mitigating seismic hazards in California: Special Publication 117, 74 p.
- California State Board of Registration for Geologists and Geophysicists, 1993, Guidelines for geophysical reports, 5 p.
- Carver, G.A. and McCalpin, J.P., 1996, Paleoseismology of compressional tectonic environments, in McCalpin, J.P., editor, Paleoseismology: Academic Press, p. 183-270.
- Chase, G.W. and Chapman, R.H., 1976, Black-box geology — uses and misuses of geophysics in engineering geology: California Geology, v. 29, p. 8-12.
- Edelman, S.H. and Hognin, A.R., 1996 (in press), Cone penetrometer testing for characterization and sampling of soil and groundwater, in Morgan, J.H., editor, Sampling Environmental Media ASTM STP 1282; American Society for Testing Materials, Philadelphia, Pennsylvania.
- Grant, L.B., Waggoner, J.T., Rockwell, T.K., and von Stein, C., 1997, Paleoseismicity of the North Branch of the Newport-Inglewood Fault Zone in Huntington Beach, California, from cone penetrometer test data: Bulletin of the Seismological Society of America, v. 87, no. 2, p. 277-293.
- Hart, E.W. and Bryant, W.A., 1997 (revised), Fault-rupture hazard zones in California: California Department of Conservation, Division of Mines and Geology Special Publication 42, 38 p. (Revised periodically; information on state law and zoning program for regulating development near hazardous faults.)
- Hart, E.W. and Williams, J.W., 1978, Geologic review process, California Geology, v. 31, no. 10, p. 235-236.
- Hatheway, A.W. and Leighton, F.B., 1979, Trenching as an exploratory tool, in Hatheway A.W. and McClure, C.R., Jr., editors, Geology in the siting of nuclear power plants: Geological Society of America Reviews in Engineering Geology, v. IV, p. 169-195.
- Lazarte, C.A., Bray, J.D., Johnson, A.M., and Lemmer, R.E., 1994, Surface breakage of the 1992 Landers earthquake and its effects on structures: Bulletin of the Seismological Society of America, v. 84, p. 547-561.
- McCalpin, J.P., editor, 1996a, Paleoseismology: Academic Press, 588 p.
- McCalpin, J.P., 1996b, Field techniques in paleoseismology, in McCalpin, J.P., editor, 1996a, Paleoseismology: Academic Press, p. 33-83.
- McCalpin, J.P., 1996c, Paleoseismology in extensional environments, in McCalpin, J.P., editor, 1996a, Paleoseismology: Academic Press, p. 85-146.
- National Research Council, 1986, Studies in geophysics — active tectonics: National Academy Press, Washington, DC, 266 p. (Contains several articles evaluating active faulting.)
- Pierce, K.L., 1986, Dating methods, in Studies in geophysics — active tectonics: National Academy Press, Washington, DC, p. 195-214.
- Rutter, N.W. and Catto, N.R., 1995, Dating methods for Quaternary deposits: Geological Society of Canada, Geotext 2, 308 p.
- Sherard, J.L., Cluff, L.S., and Allen, C.R., 1974, Potentially active faults in dam foundations: Geotechnique, Institute of Civil Engineers, London, v. 24, no. 3, p. 367-428.
- Slemmons, D.B., 1977, State-of-the-art for assessing earthquake hazards in the United States: Report 6, faults and earthquake magnitude: U.S. Army Engineer Waterways Experiment Station Miscellaneous Paper S-73-1, 129 p. with 37 p. appendix.
- Slemmons, D.B. and dePolo, C.M., 1986, Evaluation of active faulting and associated hazards, in Studies in geophysics — active tectonics: National Academy Press, Washington, DC, p. 45-62.
- Stephenson, W.J., Rockwell, T.K., Odum, J.K., Shedlock, K.M., and Okaya, D.A., 1995, Seismic reflection and geomorphic characterization of the onshore Palos Verdes Fault Zone, Los Angeles, California: Bulletin of the Seismological Society of America, v. 85, p. 943-950.
- Taylor, C.L. and Cluff, L.S., 1973, Fault activity and its significance assessed by exploratory excavation, in Proceedings of the Conference on tectonic problems of the San Andreas Fault System: Stanford University Publication, Geological Sciences, v. XIII, September 1973, p. 239-247.
- Utah Section of the Association of Engineering Geologists, 1987, Guidelines for evaluating surface fault rupture hazards in Utah: Utah Geological and Mineral Survey Miscellaneous Publication N, 2 p.
- Wallace, R.E., 1977, Profiles and ages of young fault scarps, north-central Nevada: Geological Society of America Bulletin, v. 88, p. 1267-1281.
- Weldon, R.J., II, McCalpin, J.P., and Rockwell, T.K., 1996, Paleoseismology of strike-slip tectonic environments, in McCalpin, J.P., editor, Paleoseismology: Academic Press, p. 271-329.
- Yeats, R.S., Sieh, K.E., and Allen, C.A., 1997, Geology of earthquakes: Oxford University Press, New York, NY, 576 p.

Offices of the California Geological Survey

Publications and Information Office

801 K Street, MS 14-33
Sacramento, CA 95814-3532
(916) 445-5716

Southern California Regional Office

655 South Hope Street, Suite 700
Los Angeles, CA 90017-3231
(213) 239-0878

Bay Area Regional Office

185 Berry Street, Suite 210
San Francisco, CA 94107-1728
(415) 904-7707

www.conservation.ca.gov

THE RESOURCES AGENCY
MARY NICHOLS
SECRETARY FOR RESOURCES

STATE OF CALIFORNIA
GRAY DAVIS
GOVERNOR

DEPARTMENT OF CONSERVATION
DARRYL YOUNG
DIRECTOR

Exhibit 2

29

POST

ORDINANCE NO. 164 714

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28

An ordinance amending Section 12.04 of the Los Angeles Municipal Code by amending the zoning map.

THE PEOPLE OF THE CITY OF LOS ANGELES DO ORDAIN AS FOLLOWS:

Section 1.

Section 12.04 of the Los Angeles Municipal Code is hereby amended by changing the zones and zone boundaries shown upon a portion of the zone map attached thereto and made a part of Article 2, Chapter 1, of the Los Angeles Municipal Code, so that such portion of the zoning map shall be as follows:

1 Sec. 2 Pursuant to Section 12.32 K of the Los Angeles Municipal Code, the
2 following limitations are hereby imposed upon the use of that property shown
3 in Section 1 hereof which is subject to the "T" Tentative and "Q" Qualified
4 classifications:

5
6 1. Crescent Heights Tract, Sheet 1, Block C Lots 1-3, 28, 29:
7 comprising property zoned [T][Q]C2-1: The (T) and (Q) conditions
8 described in CPC No. 87-368-ZC and as published in Ordinance
9 No. 163513 are hereby made permanent.

10
11 2. Crescent Heights Tract, Sheet 1, Block B, Lots 1-3 and the
12 southerly 40 feet of Lot 29: comprising property zoned [T][Q]C2-1:
13 The (T) and (Q) conditions described in CPC No. 84-451-ZC and as
14 published in Ordinance No. 163084 are hereby made permanent.

15
16
17 Sec. 3 Pursuant to Section 12.32 L of the Los Angeles Municipal Code, the
18 following limitations are hereby imposed upon the use of that property shown
19 in Section 1 hereof which is subject to the "D" Development limitation:

20
21 1. Crescent Heights Tract, Sheet 1, Block A Lots 1, the southerly 50
22 feet of Lot 2, Lots 28-30; Block B Lot 30 and the northerly 40 feet
23 of Lot 29; Block E Lot 1; Tract No. 31173 Lot 1; Tract No. 1607
24 Lots 7, 8, 16, 25 26, 35, 36, 46-48; Cielo Vista Terrace Tract Lots
25 1, 2, 23-25; Tract No. 4721 Lots 1, 2 and the property extending
26 from the westerly line of Tract No. 4721 Lots 1 and 2 to the easterly
27 line of Tract No. 4067 Lot 28: comprising property zoned C4-1D:
28 The total floor area of all buildings on a lot shall not exceed one (1)
times the buildable area of the lot.

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28

2. Tract No. 4721 Lot 3, comprising property zoned CR-1D: The total floor area of all buildings on a lot shall not exceed one (1) times the buildable area of the lot.

3. Crescent Heights Tract Sheet 1 Block B Lot 28; Tract No. 4067 Lot 28: comprising property zoned R4-1D: The total floor area of all buildings on a lot shall not exceed one (1) times the buildable area of the lot.

Sec. 4 The City Clerk shall certify to the passage of this ordinance and cause the same to be published by posting for ten days in three public places in the City of Los Angeles, to wit: one copy on the bulletin board located at the Main Street entrance to the City Hall of the City of Los Angeles; one copy on the bulletin board located at the east entrance to the Hall of Justice in said City; and one copy on the bulletin board located at the Temple Street entrance to the Hall of Records in the said City.

I hereby certify that the foregoing ordinance was passed by the Council of the City of Los Angeles, at its meeting of MAR 22 1989

ELIAS MARTINEZ, City Clerk,

By Edward C. Cardenas
Deputy.

Approved.....

Tom Bradley
Mayor.

Approved as to Form and Legality

.....
JAMES K. HAHN, City Attorney.

By.....

Pursuant to Sec. 97.6 of the City Charter,
approval of this ordinance recommended
for the City Planning Commission.....


MAR 01 1989.

File No. 86-0695-SV

See attached report
Kenneth C. Stopping
Director of Planning

- ① W'LY LINE OF LOT 5, TRACT NO. 5757
- ② E'LY LINE OF LOT 5, TRACT NO. 5757
- ③ S'LY LINE OF LOT 8, TRACT NO. 5757
- ④ LINE PARALLEL WITH AND LYING 106' WEST OF W'LY LINE OF FAIRFAX
AVE 88' WIDE
- ⑤ N'LY LINE OF LOT 46, TRACT NO. 1607
- ⑥ N'LY LINE OF LOT 25, TRACT NO. 1607
- ⑦ W'LY LINE OF LOT 25, TRACT NO. 1607
- ⑧ N'LY LINE OF THE S'LY 35' OF LOT 15, TRACT 1607
- ⑨ S'LY LINE OF THE N'LY 15' OF LOT 7, TRACT 1607
- ⑩ N'LY LINE OF LOT 2, CIELO VISTA TERRACE
- ⑪ N'LY LINE OF LOT 22, CIELO VISTA TERRACE
- ⑫ N'LY AND E'LY LINES OF LOT 25, CIELO VISTA TERRACE
- ⑬ N'LY LINE OF LOT 3, TRACT NO. 4721
- ⑭ S'LY LINE OF LOT 3, TRACT NO. 4721
- ⑮ W'LY LINE OF LOTS 2 AND 3, TRACT NO. 4721
- ⑯ S'LY LINE OF LOTS 1 & 2, TRACT 7318
- ⑰ E'LY LINE OF LOT 28, TRACT 4067
- ⑱ E'LY LINE OF LOT 28-30, BLOCK E, (A)
- ⑲ S'LY LINE OF LOT 1, BLOCK E, (A)
- ⑳ S'LY LINE OF LOT 3, BLOCK E, (A)
- ㉑ N'LY AND W'LY LINES OF LOT 3, BLOCK D, (A)
- ㉒ S'LY LINE OF LOT 26, BLOCK D, (A)
- ㉓ N'LY LINE OF LOTS 4 AND 27, BLOCK C, (A)


CRESCENT HEIGHTS BLVD.
SELMA DRIVE





- (24) E'LY AND S'LY LINES OF LOT 30, BLOCK B, (A)
- (25) W'LY LINE OF THE E'LY 20' OF LOT 28, BLOCK B, (A)
- (26) N'LY LINE OF LOT 28, BLOCK B, (A)
- (27) N'LY LINE OF LOTS 4, 27, BLOCK B, (A)
- (28) S'LY LINE OF LOT 28, BLOCK A, (A)
- (29) E'LY LINE OF LOTS 28 AND 29, BLOCK A, (A)
- (30) N'LY LINE OF THE S'LY 50' OF LOT 2, BLOCK A, (A)



LEGEND

(A) CRESCENT HEIGHTS SHEET 1





| | |
|------|----------------|
| 7017 | CPC 86-831 GPC |
| 7016 | 29 of 47 |
| 4966 | |



| | |
|----------------|----|
| SHEET NO. 470 | DM |
| <i>RX / FA</i> | |
| | |
| | |

Ord. 164714

164714

DECLARATION OF POSTING ORDINANCE

I, MELISSA M. HERNANDEZ, state as follows:

I am, and was at all times hereinafter mentioned, a resident of the State of California, over the age of eighteen years, and a Deputy City Clerk of the City of Los Angeles, California.

Ordinance No. 164714, entitled:

ZONE & HEIGHT DISTRICT CHANGES
IN THE HOLLY WOOD COMMUNITY PLAN AREA

a copy of which is hereto attached, was finally adopted by the Council of the City of Los Angeles on March 22 1989, and under direction of said Council and said City Clerk, pursuant to Section 31 of the Charter of the City of Los Angeles, on April 6 1989

I posted a true copy of said ordinance at each of three public places located in the City of Los Angeles, California, as follows: one copy on the bulletin board at the Main Street entrance to City Hall of said City, one copy on the bulletin board at the east entrance to the Hall of Justice of the County of Los Angeles in said City, and one copy on the bulletin board at the Temple Street entrance to the Hall of Records of the County of Los Angeles in said City.

The copies of said ordinance posted as aforesaid were kept posted continuously and conspicuously for ten days, or more, beginning April 6 1989 to and including May 16 1989.

I declare under penalty of perjury that the foregoing is true and correct.


Signed this 5 day of April, 1989 at Los Angeles, California.

Melissa M. Hernandez
Deputy City Clerk

Effective Date: May 16, 1989

Exhibit 3

CITY OF LOS ANGELES
CALIFORNIA



TOM BRADLEY
MAYOR

CITY PLANNING
COMMISSION

DANIEL P. GARCIA
PRESIDENT

WILLIAM G. LUDDY
VICE-PRESIDENT

ROBERT J. ABERNETHY
SAM BOTWIN
SUZETTE NEIMAN

RAMONA HARO
SECRETARY

Room 503, City Hall
485-5071

DEPARTMENT OF
CITY PLANNING
Room 561 City Hall
200 N. Spring St.
Los Angeles, CA 90012-4856

KENNETH C. TOPPING
DIRECTOR

KEI UYEDA
DEPUTY DIRECTOR

(213) 485-5073

February 8, 1988

To: Public Agencies and Officials, Interested Parties

SUBJECT: DRAFT EIR, HOLLYWOOD COMMUNITY PLAN REVISION,
SCH NO. 87112504

This transmits to you for comment the above referenced draft EIR. Written comments on the draft EIR should be received by March 28, 1988. The City Planning Department will prepare a Final Environmental Impact Report based on the draft EIR and the comments received.

Submit your comments in writing to:


Community Planning Division - Hollywood DEIR
City Planning Department
Room 505, City Hall
200 N. Spring Street
Los Angeles, CA 90012

Any questions on this matter should be directed to Lynell Washington or Michael Davies at (213) 485-2478.


Michael F. Davies
City Planner

MD/bk

CITY OF LOS ANGELES
CALIFORNIA



TOM BRADLEY
MAYOR

CITY PLANNING
COMMISSION

DANIEL P. GARCIA
PRESIDENT

WILLIAM G. LUDDY
VICE-PRESIDENT

ROBERT J. ABERNETHY

SAM BOTWIN
SUZETTE NEIMAN

RAMONA HARD
SECRETARY

Room 503, City Hall
485-5071

DEPARTMENT OF
CITY PLANNING
Room 561 City Hall
200 N. Spring St.
Los Angeles, CA 90012-4856

KENNETH C. TOPPING
DIRECTOR

KEI UYEDA
DEPUTY DIRECTOR

(213) 485-5073

March 24, 1988.

To: Public Agencies and Officials, Interested Parties

SUBJECT: DRAFT EIR, HOLLYWOOD COMMUNITY PLAN REVISION SCH NO. 87112504

This is to inform you that the comment period for the above referenced Draft EIR has been extended to April 8, 1988. The City Planning Department shall prepare a Final Environmental Impact Report based on the Draft EIR and the comments received.

Submit your comments in writing to:

Community Planning Division - Hollywood DEIR
City Planning Department
Room 505, City Hall
200 N. Spring Street
Los Angeles, CA 90012

Any questions on this matter should be directed to Lynell Washington or Michael Davies at (213) 485-2478.

A handwritten signature in cursive script, appearing to read "Michael F. Davies".

Michael F. Davies
City Planner

TABLE OF CONTENTS

| | <u>Page</u> |
|---|-------------|
| 1.0 INTRODUCTION | 1 |
| 2.0 SUMMARY | 2 |
| 3.0 PROJECT DESCRIPTION | 14 |
| 3.1 Location | 14 |
| 3.2 Purpose of the Community Plan..... | 14 |
| 3.3 Basis for Revising the Hollywood Community Plan..... | 16 |
| 3.4 Geographic Areas Covered by the Proposed Plan Revision..... | 17 |
| 3.5 Objectives of the Plan Revision..... | 17 |
| 3.6 Plan Land Uses..... | 19 |
| 3.7 Plan Capacity..... | 26 |
| 4.0 OVERVIEW OF ENVIRONMENTAL SETTING | 30 |
| 5.0 ENVIRONMENTAL IMPACTS AND MITIGATION MEASURES..... | 31 |
| 5.1 Land Use..... | 31 |
| 5.2 Population and Housing | 34 |
| 5.3 Traffic and Circulation | 37 |
| 5.4 Aesthetics and Urban Design | 78 |
| 5.5 Public Services | 88 |
| 5.6 Air Quality | 96 |
| 5.7 Noise | 100 |
| 5.8 Energy and Utilities | 103 |
| 5.9 Earth | 110 |
| 5.10 Drainage | 111 |
| 5.11 Natural Resources | 112 |
| 5.12 Plant and Animal Life | 112 |
| 5.13 Cultural and Historic Resources | 113 |
| 6.0 UNAVOIDABLE ADVERSE IMPACTS | 114 |
| 7.0 ALTERNATIVES TO THE PROJECT | 115 |
| 8.0 LONG-TERM IMPLICATIONS | 117 |
| 8.1 The Relationship between Local Short-term Uses of the Environment and the Maintenance and Enhancement of Long-term Productivity | 117 |
| 8.2 Irreversible Environmental Changes Resulting from Project Implementation | 117 |
| 8.3 Growth Inducing Impact | 117 |
| 8.4 Cumulative Impacts | 118 |
| 9.0 ORGANIZATIONS AND PERSONS CONSULTED | 119 |
| 10.0 REFERENCES | 122 |
| APPENDIX A -- INITIAL STUDY | 124 |
| APPENDIX B - HOLLYWOOD REDEVELOPMENT PLAN | 138 |

1.0 INTRODUCTION

1.1 AUTHORIZATION AND FOCUS

This report has been prepared for the City of Los Angeles Department of City Planning in accordance with the Guidelines for Implementation of the California Environmental Quality Act (CEQA) as amended and the City of Los Angeles Environmental Guidelines.

In accordance with the CEQA Guidelines, an Initial Study of the proposed project was prepared. Other environmental effects, considered in the Initial Study, which were determined to be clearly insignificant and/or unlikely to occur are not addressed in this report. The complete Initial Study is attached as Appendix A.

The purpose of this EIR is to provide an informational document that will inform the Planning Commission, the Los Angeles City Council and the general public of the environmental effects of the Proposed Hollywood Community Plan Revision. Per Section 15168 of the CEQA Guidelines, this report is intended to function as a Program EIR.

1.2 PROJECT PROPONENT

The Revision to the Hollywood Community Plan is proposed by:

Department of City Planning
Community Planning and Development Division
City of Los Angeles
City Hall Room 505
200 North Spring Street
Los Angeles, CA 90012-4856

2.0 SUMMARY

Summary of Proposed Action: The proposed revision would modify and reduce residential and commercial development levels allowed under the current Hollywood Community Plan, adopted in 1973. Objectives of the revision are to:

- Accommodate the year 2010 projected population, plus a 10-15 percent buffer;
- Provide community-serving commercial uses in small centers in areas outside the boundaries of the designated Hollywood Redevelopment Plan area;
- Concentrate major commercial development within the Redevelopment Plan area; and
- Define a transportation and circulation system that provides for acceptable levels of traffic service in conjunction with community plan land uses.

The Proposed Plan revision would provide capacity for 199,000 people, 93,000 housing units and 31 million square feet of development. These capacities would represent the following increases over existing levels outside of the Hollywood Redevelopment Plan area:

- 29,000 persons
- 12,000 housing units
- 8 million square feet of commercial space
- 7 million square feet of industrial space.

Location and Boundaries: The Hollywood Community Plan area is located within the central portion of the City of Los Angeles, approximately 3 miles northwest of downtown Los Angeles. The Plan area is generally bounded by the City of Glendale on the northeast, the Northeast District Plan Area (City of Los Angeles) on the east, the Silver Lake - Echo Park District (City of Los Angeles) on the southeast, the Wilshire District (City of Los Angeles) on the south, the City of Beverly Hills on the southwest, the City of West Hollywood on the west, the Bel Air - Beverly Crest District (City of Los Angeles) on the west, the Sherman Oaks - Studio City District (City of Los Angeles) on the northwest, Universal City (County of Los Angeles) on the northwest, and the City of Burbank on the north.

Project Background: The current Hollywood Community Plan was adopted in 1973. Work on the plan revision was initiated in October 1986. The plan revision was undertaken as part of the Department of City Planning's effort to update plans and to address plan and zone inconsistencies.

The Hollywood Redevelopment Plan was adopted in May 1986. An Environmental Impact Report (State Clearinghouse Number 85052903) was prepared in late 1985 for the plan and redevelopment area. The land use map of the Redevelopment Plan is attached as Appendix B.

Pre-circulation Issues: A Notice of Preparation (NOP) and Request for Comments were distributed to local agencies, organizations and interested citizens. Responses are on file with Department of City Planning, Community Planning and Development Division, Room 505, Los Angeles City Hall. Issues raised encompassed a wide variety of concerns, including:

- Traffic impacts
- Noise
- Air quality
- Land use compatibility
- Consistency with regional plans and policies
- Consideration of SCAG plans and policies
- Population, employment and housing
- School facilities
- Adequacy of public services
- Sewer capacity
- Energy use
- Public transit

Areas of Controversy: Public involvement has been an important element in the development of the Hollywood Community Plan. In order to identify issues, problems, and alternatives, a series of public meetings were held where differing perspectives on the following category of issues were raised.

- Residential density
- Traffic
- Parks and open space
- Conflicts between commercial and residential uses
- Support for motion picture industry
- Infrastructure over-capacity
- Safety
- Relation of the Community Plan to Redevelopment Plan
- Hillside development on substandard lots
- Land use classification of studio properties
- Slope density
- Hillside cluster housing zoning category
- Conflicts of schools with surrounding uses
- Neighborhood conservation
- Historic preservation
- Aesthetics of public improvements
- Aesthetics of private improvements
- Public participation in the planning of public improvements
- Mini-malls
- Provision and conservation of neighborhood-serving commercial uses
- Non-conforming uses

For additional details, please refer to the Hollywood Community Plan Revision: Background Report, Gruen Associates, July 15, 1987.

Alternatives: In addition to the Proposed Plan revision, this report considers 1) retention of the current Community Plan, and 2) an alternative that would hold residential development potential to the same level as the Proposed Plan, and would increase non-residential development to a level greater than the Proposed Plan and less than the Current Plan.

SUMMARY OF SIGNIFICANT ENVIRONMENTAL IMPACTS AND MITIGATION MEASURES

The following paragraphs summarize the key findings of the environmental report prepared for the Hollywood Community Plan Revision. It should be recognized at the outset that the purpose of the Plan Revision has been to eliminate and/or mitigate the adverse effects on transportation, public services and infrastructure that have resulted from development that has occurred under the Current Hollywood Community Plan, adopted by the City Council 15 years ago.

LAND USE

Impact:

- Development potentials for all land uses are scaled back under the Proposed Plan revision. Residential land uses are limited to be consistent with the year 2010 population projection prepared by the Southern California Association of Governments (SCAG). Commercial, office and industrial development potentials, the source of the bulk of the traffic generation in the Plan area, are set at reduced densities that will allow the Plan area roadway system to function at acceptable levels of service.
- The Proposed Plan establishes residential development densities that reflect existing conditions and allow for in-fill housing growth to attain the SCAG forecast. Very High and High residential density categories are eliminated (outside of the Redevelopment Plan area) and the majority of the residential use is shifted into mid-range density categories such as Medium and Low Medium.
- The Proposed Plan (Revision Area only) would provide for a population capacity of 199,000 persons. This would be a 17 percent increase from existing levels and a 49 percent decrease in the build-out capacity of the Current Community Plan. Non-residential densities are similarly reduced. The Proposed Plan would provide for 31 million square feet (not including the Redevelopment Area). This would be a 82 percent increase over existing levels but a 69 percent decrease from build-out of the Current Plan.

Mitigation:

- Implementation of a Transportation Specific Plan, transportation and circulation improvements, as well as development standards to ensure that land use capacity and transportation service are in balance and that land use conflicts and incompatibilities are minimized.

Net Effect After Mitigation:

- The net effect of the proposed action would be to "down zone" property, to reduce the incentive to redevelop in residential areas, and to provide small scale neighborhood-oriented commercial developments.

POPULATION AND HOUSING

Impact:

- Changes in land use density in the revision area would provide for the addition of approximately 10,000 housing units or about 30,000 persons.
- The Proposed Plan would result in a single family and multiple-family unit distribution similar to existing conditions, i.e. 20 percent single-family and 80 percent multi-family. The Current Plan would result in 10 percent single-family, 90 percent multi-family split.
- Given the potential population capacity and employment capacity, the Proposed Plan would result in a employment to population ratio of 0.59. According to SCAG criteria this ratio reflects an "employment rich" condition and would slightly exceed the 0.55 ratio considered to be indicative of a jobs-housing balance.

Mitigation:

- Non-residential development levels in either the revision area or the redevelopment area should be reduced to achieve a better a jobs-housing balance in the Community Plan area.

Net Effect After Mitigation:

- Jobs-Housing balance within Hollywood Community Plan area.

TRANSPORTATION AND CIRCULATION

Impact:

- The Proposed Plan would increase evening peak period trips in the Plan area by 48 percent. In comparison, the Current Plan would increase trips by 209 percent.
- With the Proposed Plan, 28 of the 39 intersections studied would operate at Level of Service F during the evening peak hour. In comparison, 36 intersections would operate at LOS F due to the Current Plan.

Mitigation:

- Prepare a Transportation Specific Plan to implement operational and physical improvements in the Plan area, including: ATSAC, peak period parking restrictions, one-way couplets, reversible lane operations, street widening, jog eliminations, and localized intersection improvements.
- Transportation Systems Management and Transportation Demand Management plans should be developed and implemented for large scale commercial developments and employers in the Community Plan area.

- Future office development in the Redevelopment Area should be limited to a level similar to that contained in the Redevelopment Project EIR's 20-year market-based forecasts, at least until steps are taken to implement major street system improvements in excess of improvements feasible within existing rights-of-way.

Net Effect After Mitigation:

- Transportation service would be improved. With operational and physical improvements, 11 of the 39 studied intersections would operate at LOS F. With street widening consistent with the standards and classifications in the Circulation Element, 13 of the 39 intersections would operate at LOS F.

AESTHETICS AND URBAN DESIGN

Impacts:

- The Proposed Plan can only directly regulate general land use, residential density, and non-residential development intensity. If development occurs without the imposition of development standards and transportation system improvements, then future development (while at lower development intensities) will look much like recent development. The visual and functional quality of the Hollywood environment will continue to decline.

Mitigation:

- Programs and development standards should be implemented through inclusion in the Zoning Code or other enforceable means. These actions should include as a minimum:
 - Preservation of historically and architecturally significant neighborhoods through Specific Plans or the Historic Preservation Overlay Zone (HPOZ).
 - Development Standards for all land uses addressing street trees.
 - Commercial Development Standards (parking, screening, landscaping, access, etc.)
 - Residential Development Standards, addressing hillside areas and multi-family housing (setbacks, lot coverage, dedications, open space, etc.).
 - Neighborhood Plans and Improvement Districts. The Proposed Plan should allow for specific standards on a neighborhood basis for both commercial and residential areas.

Net Effect After Mitigation:

- Preservation and enhancement of neighborhood environmental quality in Hollywood.

PUBLIC SERVICES

Impact:

- Schools - The Proposed Plan would generate a 13 percent increase in students. In comparison, the Current Plan would generate a 114 percent increase in students.
- Parks - The Proposed Plan would require 540 acres of parkland to meet City standards. This is 2.7 times more parkland than is currently provided. In comparison, the Current Plan would require more than 900 acres of parkland.
- Fire Protection - The Proposed Plan would result in increased demand. Under the Proposed Plan the hillside areas would continue to develop and be a source of continuing concern to the Fire Department.
- Police Service - The Proposed Plan would result in increased demand. To maintain typical citywide ratios of police personnel to population, a 17 percent increase in personnel would be needed to accommodate the Proposed Plan population capacity. The Current Plan would require a 135 percent increase in personnel.
- Libraries - No adverse impacts anticipated.

Mitigation

- Schools - Expand facilities on current sites. Allow residential development only in areas where there is remaining enrollment capacity.
- Parks - Provide neighborhood-oriented recreation at Griffith Park. Use school yards. Develop pocket parks. Require dedication of usable open space as part of new residential developments.
- Fire Protection - Compliance with all applicable State and local codes and ordinances, and the guidelines found in the Fire Protection and Fire Prevention Plan.
- Police Service - Over the life of the plan, assign additional personnel consistent with Police Department policy and budgetary constraints.
- Libraries - No mitigation required.

Net Effect After Mitigation

- Schools - Unavoidable adverse effect anticipated.
- Parks - Unavoidable adverse effect anticipated.
- Fire Protection - Acceptable level of service provided.
- Police Service - Acceptable level of service provided.

AIR QUALITY

Impact:

- Short-term construction-related emissions anticipated on a project basis.
- Long-term increase in stationary emissions.
- Long-term increase in vehicular emissions. For carbon monoxide, the Proposed Plan would result in 57 percent reduction in potential emissions when compared to the Current Plan.

Mitigation:

- Construction-related emissions to be reduced through implementation of dust control measures such as wetting.
- Implementation of the Transportation Specific Plan discussed above.

Net Effect After Mitigation:

- Although emissions would increase above existing levels due to the Proposed Plan, the Proposed Plan would represent a significant reduction in potential development and associated trip generation in the Community Plan area and would have a beneficial impact.

NOISE

Impact:

- On an intermittent short-term basis, construction-related noise would occur.
- With the Proposed Plan, traffic-related noise levels would exceed City standards at 22 of the 28 locations studied. In comparison, the Current Plan would result in unacceptable noise at 27 of the 28 locations studied.

Mitigation:

- On a project basis, construction related activities should be limited to daytime hours. These activities should comply with the provisions of City Ordinance No. 144,331. Construction equipment should be properly fitted with noise attenuation devices.
- Development standards for residential should address site plans and building layouts to minimize noise impacts.
- For stationary noise sources, adjacent properties should be adequately buffered, including use of walls and earth berms.

Net Effect After Mitigation:

- Construction-related noise would be reduced to acceptable levels.
- For existing residential development, adjacent to major and secondary roads, noise impacts may not be mitigated and would result in unavoidable adverse effects. For new residential development, site plan design and development standards would substantially reduce noise impacts.

ENERGY AND UTILITIES

Impact:

- Sewer/Wastewater - Compared to existing levels, the Proposed Plan would increase wastewater generation by 5 million gallons/day (mgd) at build-out (a 22 percent increase). This would place an additional demand on the Hyperion Treatment Plant and on the local sewer system. The Current Plan would result in an increase of 39 mgd (a 167 percent increase).
- Solid Waste - At build-out, the Proposed Plan would produce 447 tons of solid waste per day (a 25 percent increase over existing generation). Housing and commercial/industrial growth permitted by the Proposed Plan would contribute to the use of remaining landfill capacity in Los Angeles County. Build-out of the Current Plan would produce 803 tons of solid waste/day.
- Electrical Power - The Proposed Plan would increase electrical demand to 971 million kilowatt hours annually (a 37 percent increase over existing consumption). In comparison, the Current Plan would result in the consumption of 2.5 billion kilowatt hours annually.
- Water Supply - The Proposed Plan would increase water consumption to 25 mgd (a 22 percent increase above existing levels). The rate of increase in water use is higher for the Community Plan area than the consumption growth forecast by the Department of Water and Power citywide. The Current Plan would result in the consumption of 59 mgd.
- Natural Gas - The Proposed Plan would result in the consumption of 5.9 billion cubic feet (a 19 percent increase over existing consumption). The Current Plan would result in the consumption of 11.5 billion cubic feet.

Mitigation

- Energy - Compliance with conservation requirements contained in the California Administrative Code, Title 24, Building Standards.
- Sewers/Wastewater - Development should be permitted when phased with improvements in the local sewer system, as well as programmed improvements at the Hyperion Treatment Plant. Phasing of development should be undertaken for all communities within the Hyperion service area. Similar to the Proposed Plan, population holding capacities in each area should be consistent with SCAG growth forecast.

- Solid Waste - The Proposed Plan should encourage a variety of waste reduction techniques. These, as a minimum, will include separation, recycling and composting. Growth in the Plan area must also be tied directly to Citywide and Countywide Solid Waste Management Plans, where development will need to be kept in balance with available landfill capacity in combination with other solid waste disposal technologies. According to the most recent assessment of solid waste needs by the Bureau of Sanitation and the County Department of Public Works(1/88), available landfill capacity in the City of Los Angeles will be exhausted in 1997 and countywide there will be significant shortfalls by 1992. Thus, mitigation of plan area solid waste impacts must address new landfills or alternatives.
- Water Supply - The Proposed Plan should encourage the use of water conservation measures consistent with the Department of Water and Power's Urban Water Management Plan.
- Electricity and Natural Gas - No mitigation required.

Net Effect After Mitigation

- Energy and utilities impacts would be reduced but not eliminated. Impacts on Hyperion will only be reduced if coordinated with a citywide phasing of development to match improvements in treatment capacity.

EARTH

Impact:

- Regardless of the land use plan implemented, there will be a continued risk of human injury and property damage because of potential regional earthquakes. The elimination of high density residential categories in the Proposed Plan would contribute to minimizing the degree of risk.
- Continued development in the hillside areas will raise concerns regarding grading practices and landslide potential.

Mitigation:

- Compliance with the Seismic Safety Element and other City Building Code requirements regarding earth moving and grading.
- Require that all projects use the practices identified in the Department of City Planning's "Planning Guidelines Grading Manual."

DRAINAGE

Impact:

- The Proposed Plan would continue to permit hillside development. As a result, there would be some increase in impervious surfaces and a consequent increase in stormwater runoff.

Mitigation:

- On a project basis, compliance with provisions of the Flood Hazard Management Specific Plan and any additional requirements identified by the Bureau of Engineering.

Net Effect After Mitigation:

- Impacts reduced to acceptable levels.

NATURAL RESOURCES

Impact:

- No impacts anticipated.

PLANT AND ANIMAL LIFE

Impact:

- The Proposed Plan would continue to permit hillside development, and as a result undeveloped and natural areas containing local habitat would be removed.

Mitigation:

- Compliance with grading regulations and use of "unitized" grading procedures to reduce impacts on remaining natural areas.

Net Effect After Mitigation:

- Unavoidable adverse effect on hillside habitat areas.

HISTORIC AND CULTURAL RESOURCES

Impact:

- The Proposed Plan revision cannot directly address the preservation of cultural resources. The Proposed Plan does, however, scale back development potentials to reduce the incentive to redevelop historic and cultural resource properties.

Mitigation:

- An historic and architectural survey of the Plan revision area should be prepared. Based on the findings of the survey, specific plans and/or Historic Preservation Overlay Zones should be adopted. Also, the designation of individual structures as Cultural-Historical Monuments through the Cultural Heritage Commission should be sought.

Net Effect After Mitigation:

- Preservation of neighborhoods and buildings that have contributed to the overall character and uniqueness of the Hollywood Community Plan area.

3.0 PROJECT DESCRIPTION

3.1 LOCATION AND BOUNDARIES

The Hollywood Community Plan area is located west of Pasadena and downtown Los Angeles, and south of Glendale and Burbank (see Figure 1). The Plan area is irregular in shape and is generally bounded by Melrose Avenue on the south, Hyperion Avenue and Golden State Freeway on the east, and Barham Boulevard, Forest Lawn Drive and Ventura Freeway on the north. On the west, it is bordered by Cahuenga Boulevard, Mulholland Drive, Laurel Canyon Boulevard and a line running at a southwest tangent from Laurel Canyon Boulevard.

3.2 PURPOSE OF THE COMMUNITY PLAN

In the City of Los Angeles, the land use element of the General Plan is divided into 35 community or district plans. Each community or district plan area is about the size of a medium or large city. The Hollywood Community Plan area has a population of almost 200,000 people, making it bigger than most cities in California.

State law [Government Code Section 65860(d)] requires that the General Plan and zoning in the City of Los Angeles be consistent. To comply with this law, the City now requires that what the Plan says about generalized use, density and intensity for an area be the same as the zoning assigned to each parcel in that area. As a result of this law, there are two things that the Community Plan regulates definitively: 1) the general type of use, and 2) the residential density (number of units) or commercial intensity (square feet of floor space) permitted in a particular area.

Everything else in the Community Plan is considered to be a recommendation and is taken into consideration whenever a "discretionary action" (for example, a zone change) is requested. The Community Plan can recommend "programs" for implementing the Plan. For example, it can recommend that the Circulation Element be revised and that a "Transportation Specific Plan" be adopted to make sure that transportation improvements will be made in coordination with development permitted by the Community Plan. It can recommend that a series of development standards be included in the Zoning Code to address specific uses, parking requirements, landscaping, height and other design considerations for each land use category. It can also recommend that historic surveys be undertaken and Specific Plans be prepared for areas within the Community Plan Area that need special attention.

This chapter summarizes the key elements of the Plan revision proposal, prepared by Gruen Associates. For additional details please refer to the Hollywood Community Plan Revision Background Report available from the Department of City Planning, City Hall, Room 505.




Figure 1
Regional Location

This Proposed Plan revision contains the corresponding zoning designations needed to make the zoning consistent with the Proposed Plan with respect to general land use, density and intensity. If the Proposed Plan designation for a particular area would make the zoning "less restrictive" than it is today, the zoning will not be changed at this time. Instead, a zone change will be considered and may be granted upon request by the property owner. The zone changes necessary to bring about compliance with State law are being processed through CPC No. 86-831-GPC.

Land use designations/regulations in other elements of the General Plan which are applicable to Hollywood are also included in the Plan. Other elements include: circulation, fire protection, safety, seismic safety, noise, libraries, bicycles, conservation, open space, scenic highways, public recreation, major equestrian and hiking trails, and City-owned power transmission rights-of-way facilities.

3.3 BASIS FOR REVISING THE HOLLYWOOD COMMUNITY PLAN

There are four primary reasons for revising the Hollywood Community Plan at this time:

1. Land use plans are typically prepared to accommodate 20 years of growth and are updated every 5 years to respond to unanticipated changes in conditions. The Current Plan was prepared in the late 1960's with a 1990 time horizon; however, its capacity greatly exceeds growth projections for the next 20 years. Moreover, until the recently adopted Beverly Hills Freeway Deletion Area and Highland-Cahuenga Area Plan amendments, the Plan had not been updated. Until now, no comprehensive update was undertaken.
2. The City is under a court order to bring its General Plan and zoning into conformance by March 1988.

For example, if the current zoning on a lot is residential and the Proposed Plan designation is commercial, or if the current zoning permits a duplex and the plan permits a fourplex, the zoning is not changed. This means that, if the property owner wants to build a commercial use permitted by the plan in the first example or a fourplex instead of a duplex in the second example, he or she must request a zone change. The zone change will generally be permitted because it is consistent with the Community Plan, but the request for a zone change gives the City the opportunity to impose development standards which are recommended by the Plan but which are not currently in the Zoning Code. Other conditions may be imposed based on need to mitigate adverse environmental impacts of the proposed project.

3. More importantly, the transportation system and other public facilities and services in Hollywood are at, or approaching, capacity today and cannot accommodate the additional development permitted by the Current Plan without substantial improvements.
4. There is a widespread concern within the Hollywood community that "quality of life" has declined dramatically in recent years, largely because public facility improvements have not kept pace with development, and because there are no standards or design guidelines to ensure that new development projects are functional and attractive.

3.4 GEOGRAPHIC AREAS COVERED BY THE PROPOSED PLAN REVISION

The Hollywood Community Plan Area is shown in Figure 2. The Plan Revision proposes changes in land use designations in all parts of the Community Plan area except the Redevelopment Area. A plan for that area was recently prepared by the Community Redevelopment Agency (CRA) and adopted by the City Council in May 1986. Although this Plan Revision cannot alter the recently adopted Redevelopment Plan, the Redevelopment Plan is included in the evaluation of transportation and other service system capacities and other impacts. Furthermore, the Plan Revision identifies refinements to the Redevelopment Plan's land use designations which are needed to make the community-wide transportation system work. (refer to APPENDIX B).

In the two recently adopted plan amendment areas -- the Beverly Hills Freeway Deletion Area and the Highland Cahuenga Area -- the Plan Revision proposes only minor changes to make land uses in those areas consistent with the rest of the Plan Revision area.

3.5 OBJECTIVES OF THE PLAN REVISION

1. With respect to the Plan's capacity for additional development, the objectives are to accommodate:
 - The total population projected by the Southern California Association of Governments (SCAG) for the year 2010, plus a 10 to 15 percent capacity buffer in the entire Hollywood Community Plan area, including the Redevelopment Area;
 - Enough additional community-serving retail and services outside the Redevelopment Area to serve that additional population;
 - Enough additional community and regional-serving office development, retail and services to revitalize downtown Hollywood and create an employment center that is concentrated enough to be served by public transportation, carpooling and vanpooling, and with nearby housing to facilitate walking and bicycling to work.
 - Enough additional industrial capacity to permit the film and television industries to remain in Hollywood and to expand.
2. To create cohesive neighborhoods with generally similar building types (for example, mostly single-family houses or mostly duplexes or mostly apartment buildings).





Figure 2
 PLAN AREA
HOLLYWOOD
 COMMUNITY
 PLAN REVISION



↑ GRUEN
 ASSOCIATES

CITY OF
 LOS ANGELES

3. To provide commercial uses to serve the Hollywood residential community in a logical land use pattern that provides a choice of shopping opportunities and reduces automobile trips, including:
 - A limited amount of highway-oriented uses along major highways that carry high volumes of local and through traffic, like Santa Monica, Sunset and Hollywood Boulevard;
 - A substantial amount of neighborhood-oriented uses along secondary highways which carry less traffic and are surrounded by residential neighborhoods. Ideally, every residential neighborhood should have a pedestrian-oriented shopping area to which people can walk and which can provide a focus for neighborhood activity;
 - Major shopping facilities and employment in the center of Hollywood, so that residents do not have to drive to regional centers in other communities, like the Glendale Galleria or Beverly Center.
4. To ensure adequate traffic capacity and public improvements and facilities to support the build-out population.¹
5. To enhance the quality of life in Hollywood.

3.6 PLAN LAND USES

Table 1 shows the distribution of land area in the Plan Revision area under the Proposed Plan: 54 percent residential, 39 percent open space and public facilities, 5 percent commercial and 1 percent industrial. This distribution reflects the existing distribution of land uses. In comparison the Current Plan distribution is: 60 percent residential, 33 percent open space, 5 percent commercial and 2 percent industrial.

Figure 3 shows the proposed residential land uses for the Plan Revision area. As the figure and Table 1 indicate, 71.1 percent of the residential land would be devoted to single family housing (Minimum, Very Low II, Low I and Low II plan categories), 6 percent to duplexes (Low Medium I), 16.7 percent to low density apartments or townhouses (Low Medium II), 11.7 percent to medium density apartments, 0.3 percent to high medium density apartments (located only in the Highland-Cahuenga Corridor Area just north of downtown Hollywood), and none to high or very high density apartments. In contrast, the Current Plan devotes only 3.5 percent of residential land to duplexes and low density apartments, 15.2 percent to medium density apartments, and 8.9 percent to high medium, high and very high density apartments. Table 2 summarizes the densities, zoning and housing types that correspond to each residential plan category.

¹. Build-out is defined here as the population resulting from the maximum development permitted for a given land use category.

TABLE 1/a/
PROPOSED LAND USE CATEGORIES AND DISTRIBUTION

| Plan Category | Corresponding Zone | Units per Gross Acre | Acres | Percent |
|-----------------------------------|--------------------|-------------------------|---------------|--------------|
| Minimum | A1, A2, RE40 | .5 to 1 | 928 | 6.6 % |
| Very Low I | RE20, RA | 1+ to 2 | - | - |
| Very Low II | RE15, RE11 | 2+ to 3 | 1,668 | 11.9 |
| Low I | RE9 | 3+ to 5 | 451 | 3.2 |
| Low II | R1, RS, RD6 | 5+ to 7 | 2,370 | 16.8 |
| Low Medium I | R2, RD5, RD4, RD3 | 7+ to 12 | 456 | 3.2 |
| Low Medium II | RD1.5, RD2 | 12+ to 24 | 889 | 6.3 |
| Medium | R3 | 24+ to 40 | 830 | 5.9 |
| High Medium | R4 | 40+ to 60 | 23 | 0.2 |
| High | R4 | 60+ to 80 | - | - |
| Very High | R5 | 80+ | - | - |
| RESIDENTIAL SUBTOTAL | | | 7,615 | 54.1 |
| Recreation and Schools | | | 4,228 | 30.1 |
| Other Public Uses | | | 341 | 2.4 |
| Open Space/Freeway | | | 956 | 6.8 |
| OPEN SPACE/PUBLIC SUBTOTAL | | | 5,525 | 39.3 |
| Limited Commercial | | | 50 | 0.3 |
| Highway Oriented Commercial | | | 235 | 1.7 |
| Neighborhood Oriented Commercial | | | 331 | 2.4 |
| Community Commercial | | | 68 | 0.5 |
| Manufacturing (CM, LTDM, LTD) | | | 244 | 1.7 |
| NON-RESIDENTIAL SUBTOTAL | | | 928 | 6.6 |
| GRAND TOTAL | | | 14,068 | 100.0 |

/a/ Does not include the Hollywood Redevelopment Area.

Source: Gruen Associates.




Table 2
**SUMMARY OF RESIDENTIAL PLAN/ZONING DESIGNATIONS
 FOR THE HOLLYWOOD COMMUNITY PLAN REVISION AREA**

| <u>Plan Designation</u> | <u>Gross Density (Units/Gross Acre¹)</u> | <u>Corresponding Zoning²</u> | <u>Housing Type³</u> | <u>Illustrative Development⁴</u> |
|-------------------------|---|---|---------------------------------|--|
| Minimum | 0.5 - 1 | RE40 | SFD ⁵ | 1 house on a minimum 40,000 square foot (1 acre) lot. |
| Very Low I | 1 - 2 | RE20, RA | SFD | 1 house on a minimum 20,000 square foot (1/2 acre) lot. |
| Very Low II | 2 - 3 | RE11, RE15 | SFD | 1 house on a minimum 15,000 square foot lot (RE15) or 1 house on a minimum 11,000 square foot lot (RE11). |
| Low I | 3 - 5 | RE9 | SFD | 1 house on a minimum 9,000 square foot lot. |
| Low II | 5 - 7 | R1, RS, | SFD | 1 house on a minimum 7,500 square foot lot (RS) or 1 house on a minimum 7,500 square foot lot. |
| Low Medium I | 7 - 12 | R2, RD5, RD4, RD3 | Duplex | 2 houses or a duplex on a 5,000 square foot lot. |
| Low Medium II | 12 - 24 | RD1.5, RD2 | Multiple | 1 housing unit per 1,500 square feet of lot area (RD1.5): 4 or 5 units on a 6,000 square foot lot or 10 units on a 15,000 square foot lot (2 stories with surface parking or 2 stories over 1 level of parking). |
| Medium | 24 - 40 | R3 | Multiple | 11 to 18 units on a 15,000 square foot lot (2 or 3 stories over 1 level of parking or 3 stories with surface parking). |

1. Gross acreage includes streets.

2. **Bold type indicates most common choice of zones for each land use category in Hollywood.**

3. 45 foot height limit applies to all residentially zoned land outside the Redevelopment Area in Hollywood; in certain areas the height limit may be further reduced to 30 feet.

4. Density bonuses for 25% low- and moderate-income housing would permit a 25% increase in units in the Low Medium II and Medium categories.

5. SFD = Single Family Detached.

Source: Gruen Associates

Figure 4 shows the proposed nonresidential land uses. Of the total land area devoted to commercial uses, 7% would be Limited Commercial, 34% Highway-Oriented Commercial, 48% Neighborhood-Oriented Commercial, and 10% Community Commercial (medical center). In the Current Plan, approximately the same land area is devoted to commercial uses, but that land is almost evenly split among the highway-oriented, neighborhood office and community commercial categories. Table 3 summarize the zones, development intensities, and specific uses recommended for each nonresidential category.

The current commercial categories in the zoning code do not correspond exactly to Community Plan commercial categories, nor do they permit such differentiation except through additional development standards. Therefore, the revised text of the Community Plan recommends that specific development standards be adopted as part of the zoning code for each commercial category. The intent of the development standards is to achieve the following general development character for each area:

- Highway-Oriented Commercial would be located along major traffic corridors with high volumes of local and through traffic. Uses would include supermarkets, strip centers, auto sales and repair, and motels. Users would arrive primarily by car or bus; a minimum of 5 parking spaces per 1,000 square feet would be provided. Shade trees, landscape buffers and minimal architectural standards would be established.
- Neighborhood-Oriented Commercial would be located along secondary streets surrounded by residential neighborhoods. These uses would be permitted to be built to 1 time the lot area. Shops would be oriented to pedestrians along the street, with parking behind or in centralized structures; certain uses would be limited to encourage a high percentage of neighborhood-serving uses (like supermarkets, drug stores, hardware stores, shoe repair, and dry cleaners); users would walk from their homes, as well as drive to these neighborhood areas.

The City would facilitate the establishment of parking assessment districts to help merchants provide adequate off-street parking.

- Community Commercial. Hospitals in the East Hollywood Center Study Area would be permitted to develop to 3 times buildable area.¹

¹. The Zoning Code defines "buildable area" as all that portion of a lot located within the proper zone for the proposed main building, excluding those portions of the lot which must be reserved for yard spaces, building line setback space, or which may only be used for accessory buildings or uses.

Table 3
**SUMMARY OF COMMERCIAL AND INDUSTRIAL PLAN/ZONING DESIGNATIONS
 FOR THE HOLLYWOOD COMMUNITY PLAN REVISION AREA**

| <u>Community Plan Designation</u> | <u>Potential Corresponding Zones¹</u> | <u>Permitted Floor Area</u> | <u>Illustrative Development</u> |
|-----------------------------------|--|-----------------------------|--|
| Limited Commercial | CR, C1, C1.5, P | 0.5 x lot area | CR - Professional offices with ground floor retail C1; C1.5 - Neighborhood-serving retail and services P - Parking |
| Highway-Oriented Commercial | C1, C2, P | 0.5 x lot area | Supermarkets, highway-oriented retail convenience stores and strip-centers, auto sales and repair, hotel/motels. Plan intent is to have adequate landscaping and parking. |
| Neighborhood-Oriented Commercial | C1, C2, C4, P | 1.0 X lot area | Pedestrian-oriented neighborhood retail shops and services, such as shoe repair, dry cleaners, pharmacies, hardware stores, grocery stores. Plan intent is to provide 50% neighborhood serving uses. |
| Community Commercial | C2, C4, CR, P, PB | 3.0 x lot area | Hospitals and related facilities; Plan intent is to encourage retail on ground floor along Vermont and Sunset. |
| Commercial Manufacturing | CM, P | 1.5 x lot area | Mix of commercial and light industrial uses. |
| Limited Manufacturing | M1, MR1, P, PB | 1.5 x lot area | Motion picture production facilities, parking structures. |

1 **Bold type indicates most common corresponding zone.**

Source: Gruen Associates

3.7 PLAN CAPACITY

Table 4 and Figure 5 summarize the development capacity of the Proposed Plan for the Revision Area and the adopted Redevelopment Plan, and compares that capacity with 1987 development and with the capacity of the Current Plan. Capacity is described in terms of housing units, population, and non-residential floor space.

Housing Capacity. Build-out of the Proposed Plan, which achieves the objective of accommodating only the year 2010 population projection plus a 15 percent capacity buffer, represents a 26 percent increase in housing units for the entire Community Plan area, compared with an increase in excess of 89 percent permitted by the Current Plan plus the adopted Redevelopment Plan area.

In order to reduce the Plan capacity from over 180,000 units permitted by the Current Plan to 120,000 units, it was generally necessary to zone residential neighborhoods consistent with either their predominant or median (mid-range) existing density. The permitted density could not exceed the predominant existing use, since that would permit too many additional units and would overtax streets and other public facilities. Conversely, the permitted density could not be less than the predominant existing use, because that would not allow the neighborhood to achieve a consistent overall building character, would not allow the additional units needed for the year 2010, and would create an excessive number of nonconforming uses.¹

¹ Because so much of Hollywood was previously zoned for maximum densities i.e., R4 and R5 which permit densities of 108 to 217 units per net acre, there are apartment buildings at R4 densities sprinkled throughout the community. Many of these buildings are already nonconforming with respect to the Current Plan and with respect to the interim zoning controls which have been in place since 1986. They will continue to be nonconforming under the Proposed Plan. Specifically, approximately 6 percent of all lots in the Plan area will be nonconforming with respect to density; almost none will be nonconforming with respect to use. In order to eliminate all nonconforming uses, it would be necessary to zone most of the community south of the Hollywood Hills R4; the result would be about twice as many housing units as the Current Plan permits and a corresponding increase in traffic. Since the traffic generated by build-out of the Current Plan is already impossible to accommodate, as shown in Figure S-2, a further increase would only make conditions more unmanageable.

The Proposed Plan does eliminate the nonconforming status of most single-family houses in the Hollywood Hills. The Current Plan shows most lots in the hills at Very Low densities. However, the majority of those areas are already built at Low I and Low II densities and/or have been subdivided at those densities. The Proposed Plan designates them at those actual existing densities. This change has no effect on Plan capacity (that is, it does not increase the capacity). It simply shows what is already there and minimizes the need for existing homeowners to get variances for home improvements.

TABLE 4
HOLLYWOOD GROWTH PROJECTIONS/a/

| | 1987 | Additional | Build-out |
|--|----------------|----------------|----------------|
| <u>Housing Units</u> | | | |
| Redevelopment Area | 16,000 | +13,000 | 29,000 |
| Revision Area | 81,000 | +12,000 | 93,000 |
| Total | 97,000 | +25,000 | 122,300 |
| <u>Population</u> | | | |
| Redevelopment Area | 34,000 | +39,000 | 73,000 |
| Revision Area | 170,000 | +29,000 | 199,000 |
| Total | 204,000 | +68,000 | 272,000 |
| <u>Commercial Development in Millions of Square Feet</u> | | | |
| Redevelopment Area | 12 | +22 | 34/b/ |
| Revision Area | 12 | + 7 | 19 |
| Total | 24 | +29 | 53 |
| <u>Industrial Development in Millions of Square Feet</u> | | | |
| Redevelopment Area | 3 | + 2 | 5 |
| Revision Area | 5 | + 7 | 12 |
| Total | 8 | + 9 | 17 |

/a/ Redevelopment Area statistics are based on the adopted Redevelopment Plan. All other figures are estimates prepared by Gruen Associates.

/b/ Assumes "practical build-out" as defined by the Community Redevelopment Agency (CRA). The underlying assumptions are: 1) Redevelopment would occur if a) the existing number of residential units is 50 percent or less than permitted by the Redevelopment Plan, or b) the existing commercial square footage is 25 percent or less than the potential build-out permitted by the Redevelopment Plan, or c) the existing industrial square footage is 25 percent or less than the potential build-out permitted by the Redevelopment Plan, and d) the existing building is substantially deteriorated and e) the existing development is not in conformance with the Redevelopment Plan. 2) Redevelopment would not occur if a) the existing buildings are of historical or architectural significance, or b) the existing use is open space, recreation, public, quasi-public or institutional.






Figure 5

COMPARISON OF HOLLYWOOD COMMUNITY PLAN DEVELOPMENT CAPACITY

For example, if a neighborhood is mostly duplexes today, it was designated Low Medium I (LM1) which allows duplexes. It was not designated Low II (L2) which permits only single-family houses. Nor was it designated Low Medium II (LM2) or Medium (Med) which would allow complete redevelopment and would result in more housing units than are needed for the year 2010.

Nonresidential Development Capacity. In an effort to make the transportation system and other public facilities and service systems workable, the Proposed Plan (within the revision area) reduces the development capacity of commercially and industrially zoned land to:

- 0.5 times lot area (i.e. a "Floor Area Ratio" of 0.5:1) for Highway-Oriented and Limited Commercial development;
- 1 times lot area for Neighborhood-Oriented Commercial development;
- 1.5 times lot area for all industrial development;
- 3 times lot area for Community Commercial development, which is limited to land currently owned by three hospitals in the medical center at the intersection of Sunset Boulevard and Vermont Avenue.

The resulting commercial development capacity in the Revision Area, excluding the medical center area, is 15.4 million square feet of floor space, an increase of 54 percent over the existing estimated 10 million square feet. This additional development is estimated to be just enough additional retail sales and services to serve the added population, assuming that 15 to 20 percent of the commercial development in the Redevelopment Area which currently provides community service will be replaced by regional serving uses.

The Proposed Plan would permit the medical center to double in size from an estimated 1.85 million square feet in 1987 to 3.7 million square feet at build-out. It would permit industrial development, consisting primarily of film and video production, to more than double in size, from an estimated 5 million square feet in 1987 to 11.9 million square feet at build-out.

4.0 OVERVIEW OF THE ENVIRONMENTAL SETTING

The Hollywood Community Plan area is located in the central portion of the City of Los Angeles, approximately 3 miles northwest of downtown Los Angeles. The Plan area encompasses approximately 23 square miles. The area is situated south of the Santa Monica Mountains. It includes the Hollywood Hills, as well as highly urbanized residential and commercial areas to the south. The major ecological and open space resource in the Plan area (as well as the City as a whole) is Griffith Park (4,108 acres), located in the northern third of the Plan area. The channel of the Los Angeles River skirts the north and northeastern perimeter of the Plan area.

The Hollywood Community Plan area is located within the South Coast Air Basin (SCAB). The South Coast Air Basin is a 6,600-square mile basin encompassing all of Orange County, most of Los Angeles and Riverside counties, and the eastern portion of San Bernardino County. The climate of the South Coast Air Basin is determined by its terrain and geographical location. The Basin is a coastal plain with connecting broad valleys and low hills, bounded by the Pacific Ocean to the southwest, and high mountains around the rest of its perimeter. The region generally lies on the semi-permanent high pressure zone of the eastern Pacific. As a result, the climate is mild, tempered by cool sea breezes. The usually mild climatological pattern is interrupted occasionally by periods of extremely hot weather, winter storms, or Santa Ana winds.

Under the provisions of the Clean Air Act, areas are classified by the U.S. Environmental Protection Agency as either "attainment" or "non-attainment" areas, for pollutants such as carbon monoxide, sulfur dioxide (SO₂), nitrogen oxides (NO₂), ozone (O₃), hydrocarbons (HC), total suspended particulates (TSP) and lead (Pb), based on whether the National Ambient Air Quality Standards (NAAQS) are being met or not. The Plan Revision area is located in the Los Angeles County sub-area of the South Coast Air Basin. Los Angeles County is designated a non-attainment area for O₃, CO, NO₂, and TSP; the County is classified as an attainment area for SO₂.

Overall growth and development for the region encompassing the Hollywood Community Plan area is guided by the population, housing and employment forecast prepared by the Southern California Association of Governments (SCAG). The SCAG 82 modified projections, as they are known, are utilized as the base for other regional plans that affect the Plan area such as the Air Quality Management Plan and the Regional Transportation Plan. Other applicable plans which encompass the Plan revision area include:

- Regional Water Quality Control Plan, Los Angeles Basin
- Urban Water Management Plan
- Los Angeles County General Plan
- Los Angeles County Solid Waste Management Plan
- Elements of the City of Los Angeles General Plan (Housing, Conservation, Seismic, Open Space, Noise, Scenic Highway, Safety, Public Library, Public Recreation, Fire Protection and Prevention).

5.0 ENVIRONMENTAL IMPACT ANALYSIS

This section presents an assessment of the environmental impacts that would result from the Proposed Plan. As required by the California Environmental Quality Act (CEQA), the following environmental factors have been addressed:

- Land Use
- Population and Housing
- Traffic and Circulation
- Urban Design
- Public Services
- Air Quality
- Noise
- Earth
- Energy and Utilities
- Drainage
- Natural Resources
- Cultural and Historic Resources
- Plant and Animal Life

Other environmental effects, considered in the Initial Study, which were determined to be clearly insignificant and/or unlikely to occur are not addressed in detail in this report. The complete Initial Study is attached as Appendix A.

5.1 LAND USE

Existing Conditions

The Current Hollywood Community Plan was approved by the City Council in September 1973 after several years of study. The northern part of the area has been designated for recreation and other public land uses, as well as open space. Much of northwest section has been designated for minimum or very low density housing. The southern section has been designated for more intensive development. These include low to very high density housing, and commercial and industrial uses. The Plan enumerates policies for commerce, housing and industry. Also discussed are specific programs for public improvements, circulation, and zoning actions. The Current Plan provides for residential densities ranging from minimum to very high. The Current Plan, exclusive of the Redevelopment Area, provides for a population capacity of 389,000 persons and for approximately 101 million square feet of non-residential development. With the Redevelopment Area included, these overall capacities would be increased to a population of 462,000 and a development level of approximately 140 million square feet.

Since the adoption of the plan, real estate and development activities have taken place within these substantial capacities. In addition, it should be recognized that much previous development has taken place under even higher densities due to the inconsistency between the Community Plan and the underlying zoning. This level of development activity has resulted in significant burdens on the traffic circulation system within the Community Plan area, as well as other adverse impacts on public services and infrastructure. Development activity has also resulted in numerous land use conflicts and incompatibilities reflected in parking problems, aesthetic impacts, light,

shade-shadow impacts of new larger buildings on existing lower density properties, the removal of architecturally or historically significant buildings, among other impacts.

Environmental Effects

One of the major objectives of the plan revision process was to bring the population and employment capacities of the Plan area into line with SCAG growth projections for 2010 for approximately 219,000 persons and 107,000 jobs. To accomplish these development levels, "down zoning" is required. As a result, the development potential for residential and commercial/industrial properties would be reduced in subareas throughout the Community Plan area, with the exception of the Redevelopment Area and areas where there have been recent plan amendments.

Changes in Residential Categories: In general, this work focused on minimizing non-conforming uses, matching plan categories to existing typical densities or median densities, while at the same time allowing for some growth potential. Table 5 compares the Current Plan with the Proposed Plan. It shows that the primary effect of the Proposed Plan would be to eliminate the High and Very High residential density categories (60 dwelling units per acre or greater) as well as greatly reduce the acreage devoted to the High Medium category (40 to 60 dwelling units per acre). The Proposed Plan also entails a substantial shift from the Very Low residential density categories to the Low I and Low II categories, generally to reflect existing conditions.

TABLE 5
COMPARISON OF PROPOSED AND CURRENT PLAN FOR RESIDENTIAL CATEGORIES/a/

| Plan Category | Corresponding Zone | Units per Gross Acre | Proposed Plan Acres | Current Plan Acres/b/ |
|---------------|--------------------|----------------------|---------------------|-----------------------|
| Minimum | A1, A2, RE40 | .5 to 1 | 928 | 1,084 |
| Very Low I | RE20, RA | 1+ to 2 | - | - |
| Very Low II | RE15, RE11 | 2+ to 3 | 1,668 | 3,878* |
| Low I | RE9 | 3+ to 5 | 451 | |
| Low II | R1, RS, RD6 | 5+ to 7 | 2,370 | 1,120* |
| Low Medium I | R2, RD5, RD4, RD3 | 7+ to 12 | 456 | |
| Low Medium II | RD1.5, RD2 | 12+ to 24 | 889 | 293* |
| Medium | R3 | 24+ to 40 | 830 | 1,281 |
| High Medium | R4 | 40+ to 60 | 23 | 307 |
| High | R4 | 60+ to 80 | - | 357 |
| Very High | R5 | 80+ | - | 88 |
| TOTAL | | | 7,615 | 8,408 |

/a/ Does not include the Hollywood Redevelopment Area.

/b/ Includes recent amendments to the Plan.

*In the 1973 Plan, distinctions between I and II were not made.

Changes in Non-residential Categories: Table 6 compares the Proposed Plan with the Current with respect to commercial and industrial land use categories on an acreage and square foot basis. As can be seen, the Proposed Plan would reduce commercial and industrial acreage by 108 acres (a 10 percent reduction). However, substantially reduced floor to area ratios in all categories would reduce the development potential by 69 percent (a reduction of 70.4 million square feet), when compared to the Current Plan. The reduction in development was based on a desire to concentrate higher intensity development within the Redevelopment Area, and to limit the trip generation from non-residential uses to be compatible with the street system capacity.

TABLE 6
COMPARISON OF PROPOSED AND CURRENT PLAN FOR
COMMERCIAL AND INDUSTRIAL CATEGORIES/a/

| Category | Acres | | Sq.Ft. (Millions) | |
|--------------------------------|---------------|--------------|-------------------|-----------------|
| | Proposed Plan | Current Plan | Proposed Plan/b/ | Current Plan/c/ |
| Limited Commercial | 50 | - | 0.8 | - |
| Highway Oriented Commercial | 235 | 294 | 3.8 | 28.8 |
| Neighborhood Office Commercial | 331 | 236 | 10.8 | 23.1 |
| Community Commercial | 68 | 179 | 3.7 | 17.5 |
| Manufacturing/d/ | 244 | 327 | 11.9 | 32.0 |
| TOTAL | 928 | 1,036 | 31.0 | 101.4 |

Source: Gruen Associates

/a/ Does not include the Redevelopment Area.

/b/ Square Feet based on the following floor area ratios: Highway Oriented = FAR 0.5:1, Limited Commercial = FAR 0.5:1, Neighborhood Office = FAR 0.75:1 for retail and FAR 0.25:1 for office, Community Commercial = FAR 3:1, Manufacturing categories = FAR 1.5:1.

/c/ Assumes an FAR 3:1 for non-residential uses.

/d/ Includes commercial-manufacturing, limited manufacturing and light manufacturing categories.

Mitigation Measures

The Proposed Plan is intended as mitigation for the effects of the Current Plan. Nevertheless, the Proposed Plan does not eliminate the growth potential in the Plan area. It would allow for the development of approximately 12,000 additional housing units and approximately 14 million square feet of new development above existing levels. It should also be recognized that the Redevelopment Area could accommodate an additional 13,000 dwelling units and approximately 39 million square feet of development.

5.2 POPULATION AND HOUSING

Existing Conditions

1987 Estimate: Based on building permit activity, Gruen Associates has estimated that the 1987 Plan area population is 204,000 persons; 170,000 persons are thought to reside in the Plan revision area and 34,000 live in the Redevelopment Area. Similarly with housing, 81,000 units are estimated for the revision area and 16,000 units are located in the Redevelopment area.

Housing Mix: According to estimates prepared by Gruen Associates, there were approximately 19,000 single family homes in the Plan area in 1987. In addition, there are estimated to be 78,000 multiple-family units. Thus, 80 percent of the existing stock is multiple family units, and the remaining 20 percent consists of single-family homes.

Environmental Effects

Capacity: Table 7 compares the Proposed Plan with the Current Plan and existing conditions relative to housing units and population. Within the revision area, the Proposed Plan would result in the addition of approximately 12,000 dwellings above 1987 levels. Similarly, the Proposed Plan would add 29,000 persons to the population. With respect to the Current Plan, the Proposed Plan would reduce potential housing capacity from 154,000 units to 93,000 units (a 40 percent reduction in capacity). Population capacity would be reduced from 389,000 persons to 199,000 persons (a 49 percent reduction in capacity).

Housing Mix: As indicated above, the mix between single family units and multi-family units is 20 percent and 80 percent, respectively. The Proposed Plan would maintain this mix of units. The Current Plan, however, would allow for the development of a substantial number of multi-family units. At Current Plan build-out, the overall mix of units would be approximately 10 percent single family and 90 percent multi-family. This change would suggest the redevelopment of lower density residential areas to higher densities. In contrast, the Proposed Plan would maintain the overall status quo relative to residential density mix.

Jobs-Housing Balance: It has been estimated that the Proposed Plan would provide capacity for approximately 65,000 jobs within the Plan revision area. For this same area, the Current Plan would provide capacity for approximately 233,000 jobs. The Southern California Association of Governments has indicated that an approximate indicator of the balance between jobs and housing is the ratio of employment to population. A balance between jobs and housing is typically represented by a ratio of 0.38 to 0.55.¹ For the revision area, Table 8 illustrates the ratio for the Proposed and Current Plan.

¹. See California Department of Housing and Community Development, Issue Paper "Jobs-Housing Balance", December 1987, page 5.

TABLE 7
HOUSING UNITS AND POPULATION COMPARISON
 (in thousands)

| | Existing/a/ | | Current Plan/b/ | | Proposed Plan | |
|--------------------|---------------|------------------|-----------------|------------------|---------------|------------------|
| | Revision Area | Entire Plan Area | Revision Area | Entire Plan Area | Revision Area | Entire Plan Area |
| Single Family | 18 | 19 | 21 | 21 | 21 | 21 |
| Multi-Family | 63 | 78 | 133 | 162 | 72 | 101 |
| TOTAL UNITS | 81 | 97 | 154 | 183 | 93 | 122 |
| POPULATION | 170 | 204 | 389 | 462 | 199 | 272 |

/a/ 1987 estimated developed by Gruen Associates.
 /b/ Includes Amended Redevelopment Plan Build-out
 Source: Gruen Associates

TABLE 8
JOBS-HOUSING BALANCE

Proposed Plan (Revision Area Only)

Employment Capacity = 65,000 jobs
 Population Capacity = 199,000 persons
 Employment/Population = 0.33 (housing-rich)

Current Plan (Revision Area Only)

Employment Capacity = 233,000 jobs
 Population Capacity = 389,000 persons
 Employment/Population = 0.60 (job-rich)

Proposed Plan (Entire Plan Area)

Employment Capacity = 161,000 jobs/a/
 Population Capacity = 272,000 persons
 Employment/Population = 0.59 (job-rich)

Current Plan (Entire Plan Area)

Employment Capacity = 329,000 jobs/a/
 Population Capacity = 462,000 persons
 Employment/Population = 0.71 (job-rich)

/a/ Includes approximately 96,000 jobs estimated in Redevelopment Area (39 million square feet of development)

It can be seen that the Proposed Plan would result in a ratio of 0.33 (indicative of too much housing) while the Current Plan would result in a ratio 0.60 (indicative of too many jobs in relation to housing). When the substantial amount of employment anticipated in the Redevelopment Area (96,000 jobs) is added, the ratio for the Proposed Plan shifts to favor jobs (a ratio of 0.59).¹ In contrast, the imbalance is further exaggerated under the Current Plan, where the ratio would shift to 0.71. In both of these cases, non-residential development levels would need to be scaled back to achieve a jobs-housing balance in the Hollywood Community Plan area.

Mitigation Measures

- For units lost through displacement and redevelopment, relocation assistance should be provided per City of Los Angeles requirements.
- To achieve a jobs-housing balance in Hollywood, commercial and industrial development densities in the Redevelopment Area should be reduced.

¹. The Redevelopment Area employment estimate assumes approximately 20 million s.f. of office, 14 million s.f. of retail and 5 million s.f. of industrial.





FIGURE 6
STUDY AREA



NOT TO SCALE



KAKU ASSOCIATES

FIGURE 7
ANALYZED INTERSECTIONS

TABLE 9

STREET SYSTEM DESCRIPTION

| Street/Segment | 1973 CP Classification | Existing Through Lanes | | Notes |
|---|---------------------------|------------------------|------|-------|
| | | Off-Peak | Peak | |
| EAST/WEST STREETS | | | | |
| MULHOLLAND DR | | | | |
| Laurel Canyon-Cahuenga | Major | 2 | 2 | |
| LOS FELIZ BLVD | | | | |
| Western-Vermont | Secondary | 4 | 4 | |
| Vermont-Riverside | Major | 4 | 5 | (2) |
| FRANKLIN AVE | | | | |
| Gardner-La Brea | Secondary | 2 | 2 | |
| La Brea-Highland | Secondary | 4 | 4 | |
| Highland-Wilcox | Secondary | 2 | 2 | |
| Wilcox-Normandie | Secondary | 4 | 4 | |
| Normandie-St George | Secondary | 2 | 2 | |
| ST GEORGE ST | | | | |
| Franklin-Rowena | Secondary | 2 | 2 | |
| HOLLYWOOD BLVD | | | | |
| Laurel Canyon-La Brea | Major | 2 | 4 | (11) |
| La Brea-Sunset | Major | 4 | 4 | |
| SUNSET BLVD | | | | |
| La Cienega-Kings | Major | 4 | 4 | |
| Kings-Wilton | Major | 4 | 6 | (1) |
| Wilton-Santa Monica | Major | 4 | 4 | |
| FOUNTAIN AVE | | | | |
| La Cienega-Fairfax | Secondary | 2 | 4 | (1) |
| Fairfax-Orange | Secondary | 4 | 4 | (5) |
| Orange-Bronson | Secondary | 2 | 2 | |
| LA MIRADA AVE (Fountain Ave jog) | | | | |
| Bronson-Van Ness | Secondary | 2 | 2 | |
| FOUNTAIN AVE | | | | |
| Van Ness-St Andrews | Secondary | 2 | 2 | |
| St Andrews-Western | Secondary | 4 | 4 | |
| Western-Sunset | Secondary | 2 | 2 | |
| Sunset-Hyperion | Secondary | 4 | 4 | |
| SANTA MONICA BLVD | | | | |
| La Cienega-Sweetzer | Major | 4 | 6 | (1) |
| Sweetzer-La Brea | Major | 4 | 4 | |
| La Brea-Highland | Major | 4 | 6 | (1) |
| Highland-Wilcox | Major | 4 | 4 | |
| Wilcox-Gower | Major | 4 | 6 | (1) |
| Gower-Sunset | Major | 4 | 4 | |

TABLE 9 (continued)

STREET SYSTEM DESCRIPTION

| Street/Segment | 1973 CP Classification | Existing Through Lanes | | Notes |
|---------------------------------|---------------------------|------------------------|------|-------|
| | | Off-Peak | Peak | |
| MYRA AVE | | | | |
| Santa Monica-Sunset | Major | 4 | 4 | |
| MELROSE AVE | | | | |
| La Cienega-La Brea | Secondary | 4 | 4 | |
| La Brea-Citrus | Secondary | 3 | 4 | (9) |
| Citrus-Normandie | Secondary | 2 | 3 | (10) |
| Normandie-Alexandria | Secondary | 4 | 4 | |
| Alexandria-Hoover | Secondary | 2 | 4 | (1) |
| NORTH/SOUTH STREETS | | | | |
| LA CIENEGA BLVD | | | | |
| Melrose-Santa Monica | Major | 4 | 4 | |
| Santa Monica-Sunset | Secondary | 4 | 4 | |
| CRESCENT HEIGHTS BLVD | | | | |
| Rosewood-Santa Monica | Secondary | 2 | 3 | (3) |
| Santa Monica-Sunset | Major | 4 | 4 | |
| LAUREL CANYON BLVD | | | | |
| Sunset-Hollywood | Secondary | 4 | 4 | |
| Hollywood-Mt Olympus | Secondary | 3 | 3 | (6) |
| Mt Olympus-Mulholland | Secondary | 2 | 2 | |
| FAIRFAX AVE | | | | |
| Rosewood-Melrose | Major | 4 | 4 | |
| Melrose-Santa Monica | Major | 6 | 6 | |
| Santa Monica-Hollywood | Major | 4 | 4 | |
| MARTEL AVE | | | | |
| Rosewood-Melrose | Secondary | 2 | 2 | |
| VISTA ST | | | | |
| Melrose-Santa Monica | Secondary | 2 | 2 | |
| GARDNER ST | | | | |
| Santa Monica-Fountain | Secondary | 4 | 4 | |
| Fountain-Franklin | Secondary | 2 | 2 | |
| LA BREA AVE | | | | |
| Rosewood-Hollywood | Major | 4 | 6 | (1) |
| Hollywood-Franklin | Secondary | 4 | 4 | |
| HIGHLAND AVE | | | | |
| Rosewood-Melrose | Major | 4 | 4 | |
| Melrose-Sunset | Major | 4 | 6 | (1) |
| Sunset-Franklin (west) | Major | 5 | 7 | (4) |
| Franklin (west)-Franklin (east) | Major | 7 | 7 | (4) |
| Franklin (east)-Odin | Major | 6 | 7 | (4) |

TABLE 9 (continued)

STREET SYSTEM DESCRIPTION

| Street/Segment | 1973 CP Classification | Existing Through Lanes | | Notes |
|----------------------------------|---------------------------|------------------------|------|-------|
| | | Off-Peak | Peak | |
| CAHUENGA BLVD WEST | | | | |
| Highland-SB Off-Ramp | Major | 4 | 4 | (7) |
| SB Off Ramp-Mulholland | Major | 4 | 4 | |
| Mulholland-Barham | Major | 3 | 3 | (7) |
| WILCOX AVE | | | | |
| Melrose-Franklin | Secondary | 2 | 2 | |
| COLE AVE | | | | |
| Melrose-Cahuenga | Secondary | 2 | 2 | |
| CAHUENGA BLVD | | | | |
| Melrose-Franklin | Secondary | 4 | 4 | |
| Franklin-Odin | Major | 4 | 4 | |
| CAHUENGA BLVD EAST | | | | |
| Odin-Pilgrimage Bridge | Local | 3 | 3 | (8) |
| Pilgrimage Bridge-n/o NB On Ramp | Local | 2 | 2 | (13) |
| n/o NB On Ramp-Barham Off Ramp | Local | 1 | 1 | (13) |
| Barham Off Ramp-Barham | Local | 2 | 2 | (13) |
| VINE ST | | | | |
| Melrose-Franklin | Major | 4 | 4 | |
| GOWER ST | | | | |
| Melrose-Hollywood | Secondary | 2 | 2 | |
| Hollywood-Franklin | Secondary | 4 | 4 | |
| BRONSON AVE | | | | |
| Santa Monica-Franklin | Secondary | 2 | 2 | |
| WILTON PL | | | | |
| Melrose-Franklin | Secondary | 2 | 4 | (1) |
| WESTERN AVE | | | | |
| Melrose-Franklin | Major | 4 | 4 | |
| NORMANDIE AVE | | | | |
| Melrose-Santa Monica | Secondary | 2 | 3 | (12) |
| Santa Monica-Franklin | Secondary | 2 | 2 | |
| VERMONT AVE | | | | |
| Melrose-Sunset | Major | 4 | 6 | (1) |
| Sunset-Los Feliz | Major | 4 | 4 | |
| Los Feliz-Vermont Canyon | Secondary | 4 | 4 | |
| VIRGIL AVE | | | | |
| Melrose-Sunset | Secondary | 4 | 4 | |
| HILLHURST AVE | | | | |
| Sunset-Los Feliz | Secondary | 4 | 4 | |
| Los Feliz-Vermont | Secondary | 2 | 2 | |
| HYPERION AVE | | | | |
| Fountain-Glendale | Secondary | 4 | 4 | |

TABLE 9 (continued)

STREET SYSTEM DESCRIPTION

| Street/Segment | 1973 CP Classification | Existing Through Lanes | | Notes |
|--------------------|---------------------------|------------------------|------|-------|
| | | Off-Peak | Peak | |
| GRIFFITH PARK BLVD | | | | |
| Hyperion-Los Feliz | Secondary | 2 | 2 | |
| ROWENA AVE | | | | |
| Los Feliz-Hyperion | Secondary | 2 | 2 | |
| Hyperion-Glendale | Secondary | 4 | 4 | |
| RIVERSIDE DR | | | | |
| Glendale-Los Feliz | Major | 4 | 4 | |

Notes:

1. Peak parking restrictions in both directions during both peak periods (various locations).
2. Los Feliz peak parking restrictions: WB during morning peak and EB during evening peak (Vermont-Riverside).
3. Crescent Heights peak parking restrictions: NB during morning peak and SB during evening peak (Rosewood-Santa Monica).
4. Highland reversible lane sections operate as follows:

| | Off-Pk | | AM Pk | | PM Pk | |
|---------------------------------|--------|----|-------|----|-------|----|
| | NB | SB | NB | SB | NB | SB |
| Sunset-Franklin (west) | 2 | 3 | 3 | 3 | 4 | 3 |
| Franklin (west)-Franklin (east) | 3 | 4* | 3 | 4* | 4 | 3* |
| Franklin (east)-Odin | 3 | 3 | 3 | 4 | 4 | 3 |

* Includes long southbound right-turn lane to Franklin.

5. Fountain lanes: number of lanes varies, portions are two-lane (Fairfax-Orange).
6. Laurel Canyon lanes: 1 lane NB, 2 lanes SB (Hollywood-Mt Olympus).
7. Cahuenga West lanes: 1 lane NB, 3 lanes SB (Highland-SB Off Ramp); 1 lane NB, 2 lanes SB (Mulholland-Barham).
8. Cahuenga East lanes: 2 lanes NB, 1 lane SB (Odin-Pilgrimage Bridge).
9. Melrose lanes: 1 lane EB, 2 lanes WB during off-peak periods (La Brea-Citrus).
10. Melrose peak parking restrictions: WB during morning and evening (Citrus-Normandie).
11. Hollywood peak parking restrictions: EB and WB during evening peak only (Laurel Canyon-La Brea).
12. Normandie peak parking restrictions: SB during morning peak and NB during evening peak (Melrose-Santa Monica).
13. Cahuenga Boulevard East is one-way northbound over Cahuenga Pass.

Existing Traffic Volumes and Levels of Service

Level of service is a qualitative measure used to describe the condition of traffic flow, ranging from excellent conditions at level of service (LOS) A to overloaded conditions at LOS F. LOS C is the level of operation typically used as a design standard, while LOS D is typically considered to be acceptable for urban street systems. Level of service definitions for signalized intersections are provided in Table 10.¹ Weekday morning and evening peak hour intersection turning movement counts were provided by the City of Los Angeles Department of Transportation for 39 intersections. The results of the level of service analysis for the morning and evening peak hours are shown in Table 11. As indicated in the table, 3 of the 39 intersections are currently operating at an unacceptable level of service (LOS E or F) and 11 are currently operating at LOS D during the morning peak period, while 11 intersections are currently operating at an unacceptable level of service and 13 are currently operating at LOS D during the evening peak period.

Existing daily traffic volumes on streets throughout the Hollywood area were obtained from the City of Los Angeles traffic count files. Existing daily volumes on streets in the West Hollywood area were obtained from the County of Los Angeles for 1986 and 1987, and 1986 daily volumes on the Hollywood and Golden State Freeways were obtained from Caltrans. Figure 8 illustrates the existing daily traffic volumes on the street and highway network in the Hollywood area.

Utilizing the calculated v/c ratios from the calibrated model in conjunction with observations of the existing traffic conditions and congested areas, the street segments which are currently estimated to experience fair to poor levels of service of D, E or F during the afternoon peak commute period are illustrated in Figure 9. As can be seen, the street segments currently experiencing the most congestion include the Highland Avenue/Franklin Avenue vicinity, street segments in the vicinity of Hollywood Freeway ramps, and portions of Los Feliz Boulevard, Franklin Avenue, Hollywood Boulevard, Sunset Boulevard, Santa Monica Boulevard, Melrose Avenue, Beverly Boulevard, La Cienega Boulevard, Laurel Canyon Boulevard, Cahuenga Boulevard West, Highland Avenue, Vine Street, Western Avenue and Vermont Avenue.

¹. The "Intersection Capacity Utilization" method of intersection capacity analysis was used to determine the intersection volume/capacity (v/c) ratio and corresponding level of service for the existing turning movements and intersection characteristics at signalized intersections. As part of the development of the highway network for the computer model, existing capacities were estimated for each street in the network based upon the physical and operational characteristics of the street. The existing traffic volumes were compared to the estimated capacities to develop v/c ratios for the various highway segments throughout the area.

TABLE 10

INTERSECTION LEVEL OF SERVICE DEFINITIONS

| Level of Service | Volume/Capacity Ratio | Definition |
|------------------|-----------------------|---|
| A | 0.00 - 0.60 | EXCELLENT. No vehicle waits longer than one red light and no approach phase is fully used. |
| B | 0.61 - 0.70 | VERY GOOD. An occasional approach phase is fully utilized; many drivers begin to feel somewhat restricted within groups of vehicles. |
| C | 0.71 - 0.80 | GOOD. Occasionally drivers may have to wait through more than one red light; backups may develop behind turning vehicles. |
| D | 0.81 - 0.90 | FAIR. Delays may be substantial during portions of the rush hours, but enough lower volume periods occur to permit clearing of developing lines, preventing excessive backups. |
| E | 0.91 - 1.00 | POOR. Represents the most vehicles intersection approaches can accommodate; may be long lines of waiting vehicles through several signal cycles. |
| F | Greater than 1.00 | FAILURE. Backups from nearby locations or on cross streets may restrict or prevent movement of vehicles out of the intersection approaches. Tremendous delays with continuously increasing queue lengths. |

TABLE 11

PM PEAK HOUR INTERSECTION LEVEL OF SERVICE ANALYSIS
EXISTING CONDITIONS

| Map Num | Intersection | AM Peak Hour | | PM Peak Hour | |
|------------|---------------------------------------|--------------|-----|--------------|-----|
| | | V/C | LOS | V/C | LOS |
| 1 | Melrose Ave & Fairfax Ave | 0.72 | C | 0.87 | D |
| 2 | Melrose Ave & La Brea Ave | 0.80 | C/D | 0.93 | E |
| 3 | Melrose Ave & Highland Ave | 0.95 | E | 1.03 | F |
| 4 | Melrose Ave & Western Ave | 0.87 | D | 0.99 | E |
| 5 | Santa Monica Bl & Highland Ave | 0.85 | D | 1.00 | E/F |
| 6 | Santa Monica Bl & Vine St | 0.79 | C | 0.97 | E |
| 7 | Santa Monica Bl & Western Ave | 0.81 | D | 0.89 | D |
| 8 | Santa Monica Bl & Vermont Ave | 0.48 | A | 0.65 | B |
| 9 | Santa Monica Bl & Myra Ave/Hoover St | 0.51 | A | 0.79 | C |
| 10 | Santa Monica Bl & Sunset Bl | 0.45 | A | 0.69 | B |
| 11 | Fountain Ave & Highland Ave | 1.05 | F | 1.07 | F |
| 12 | Fountain Ave & Vine St | 0.71 | C | 0.84 | D |
| 13 | Fountain Ave & Western Ave | 0.56 | A | 0.78 | C |
| 14 | Fountain Ave & Vermont Ave | 0.49 | A | 0.65 | B |
| 15 | Sunset Bl & Crescent Hgts/Laurel Cyn | 0.88 | D | 0.94 | E |
| 16 | Sunset Bl & Fairfax Ave | 0.65 | B | 0.87 | D |
| 17 | Sunset Bl & La Brea Ave | 0.66 | B | 0.87 | D |
| 18 | Sunset Bl & Highland Ave | 0.86 | D | 0.83 | D |
| 19 | Sunset Bl & Vine St | 0.73 | C | 0.82 | D |
| 20 | Sunset Bl & Gower St | 0.71 | C | 0.87 | D |
| 21 | Sunset Bl & Western Ave | 0.71 | C | 0.97 | E |
| 22 | Sunset Bl & Normandie Ave | 0.46 | A | 0.82 | D |
| 23 | Sunset Bl & Vermont Ave | 0.75 | C | 0.85 | D |
| 24 | Sunset Bl & Hollywood Bl/Hillhurst St | 0.82 | D | 0.99 | E |
| 25 | Hollywood Bl & Fairfax Ave | 0.69 | B | 0.67 | B |
| 26 | Hollywood Bl & La Brea Ave | 0.77 | C | 0.76 | C |
| 27 | Hollywood Bl & Highland Ave | 0.89 | D | 0.74 | C |
| 28 | Hollywood Bl & Cahuenga Bl | 0.78 | C | 0.87 | D |
| 29 | Hollywood Bl & Vine St | 0.75 | C | 0.74 | C |
| 30 | Hollywood Bl & Bronson Ave | 0.57 | A | 0.69 | B |
| 31 | Hollywood Bl & Western Ave | 0.73 | C | 0.75 | C |
| 32 | Hollywood Bl & Vermont Ave | 0.45 | A | 0.57 | A |
| 33 | Franklin Ave (West) & Highland Ave | 0.93 | E | 1.03 | F |
| 34 | Franklin Ave (East) & Highland Ave | 0.74 | C | 0.76 | C |
| 35 | Franklin Ave & Western Ave | 0.67 | B | 0.72 | C |
| 36 | Franklin Ave & Vermont Ave | 0.66 | B | 0.92 | E |
| 37 | Los Feliz Bl & Vermont Ave | 0.82 | D | 0.89 | D |
| 38 | Los Feliz Bl & Hillhurst Ave | 0.87 | D | 0.83 | D |
| 39 | Los Feliz Bl & Riverside Dr | 0.81 | D | 0.77 | C |





FIGURE 8

EXISTING DAILY TRAFFIC VOLUMES



49

Figure 9
 SEGMENTS OVER CAPACITY:
 EXISTING TRAFFIC /
 EXISTING STREET SYSTEM
HOLLYWOOD
COMMUNITY
PLAN REVISION

Source: Kaku Associates

GRUEN ASSOCIATES

CITY OF LOS ANGELES

Regional versus Local Trips

The location of Hollywood adjacent to a major commuting route between the San Fernando Valley and downtown Los Angeles, coupled with the physical constraints on travel across the Hollywood Hills, has a significant impact on travel patterns in the Hollywood area. Practically all traffic between the eastern San Fernando Valley and the Los Angeles basin (whether downtown Los Angeles to the southeast, the Wilshire corridor area to the south, or the West Hollywood/Beverly Hills area to the southwest) must either travel through the Cahuenga Pass on either the Hollywood Freeway or Cahuenga Boulevard, or must utilize cross-mountain routes such as Laurel Canyon Boulevard. This regionally-oriented traffic is funneled through the Hollywood area, adding to traffic congestion on key streets in the area.

An analysis of through trips was performed using the existing volumes from the calibrated model. Table 12 shows the percentage breakdown of usage of key streets in the study area by regional and Community Plan generated traffic. While regional trips are generally higher toward the edges of the study area, regional trips tend to be between 20% and 40% even in the center of the Community Plan study area.

Environmental Effects

As indicated in the previous section, more than half of the analyzed intersections are either approaching or are currently operating at an unacceptable level of service during the evening peak hour. Further development within the Hollywood area coupled with regional growth could overload the already congested transportation facilities. The purpose of this section is to assess the impacts of the land use alternatives on the street system.

Trip Generation

The land use alternatives represent varying degrees of development within the Hollywood Community Plan study area. Population and employment projections were used to determine the generation of vehicle trips within the study area, which is presented in Table 13. As can be seen, the Build-out of the 1973 Hollywood Community Plan generates 209% more evening peak period trips and 227% more daily trips than are currently generated. The Increased Non-Residential Development Alternative (Alternative 1) generates 84% more evening peak period trips and 88% more daily trips than are currently generated, while the Proposed Plan Revision only generates 48% more evening peak period trips and 50% more daily trips than are currently generated.

Traffic forecasts were produced for each of the alternative development scenarios. While the existing network was used for the Proposed Plan and Alternative 1, the 1973 Hollywood Community Plan designates a classification for each of the streets in the study area, with each classification having a standard number of travel lanes and roadway widths. These standards are presented in Table 14.

TABLE 12

EVENING PEAK PERIOD THROUGH TRIP ANALYSIS
EXISTING CONDITIONS (ESTIMATED)

| Street | Regional Traffic * | Local Traffic ** | Total |
|--------------------------|-----------------------|---------------------|-------|
| La Cienega at Sunset | 47% | 53% | 100% |
| Fairfax at Sunset | 35% | 65% | 100% |
| La Brea at Sunset | 29% | 71% | 100% |
| Highland at Sunset | 37% | 63% | 100% |
| Vine at Sunset | 24% | 76% | 100% |
| Western at Sunset | 12% | 88% | 100% |
| Vermont at Sunset | 10% | 90% | 100% |
| Franklin at Highland | 35% | 65% | 100% |
| Hollywood at Highland | 25% | 75% | 100% |
| Sunset at Highland | 29% | 71% | 100% |
| Santa Monica at Highland | 14% | 86% | 100% |
| Melrose at Highland | 12% | 88% | 100% |
| Los Feliz at Vermont | 15% | 85% | 100% |
| Franklin at Vermont | 5% | 95% | 100% |
| Hollywood at Vermont | 37% | 63% | 100% |
| Sunset at Vermont | 14% | 86% | 100% |
| Santa Monica at Vermont | 36% | 64% | 100% |
| Melrose at Highland | 47% | 53% | 100% |

Notes:

- * Regional traffic = vehicle trips with both origin and destination outside of the Hollywood Community or Redevelopment Plan areas.
- ** Local traffic = vehicle trips with either origin or destination, or both, within Hollywood Community or Redevelopment Plan areas.

Percentages represent estimates from travel demand model developed for Hollywood, not actual traffic count data.

TABLE 13

PROJECTED TRIP GENERATION FOR LAND USE ALTERNATIVES

| Alternative | AM Peak Period | | | PM Peak Period | | | Daily |
|------------------|----------------|--------|---------|----------------|---------|---------|-----------|
| | In | Out | Total | In | Out | Total | |
| Existing | 56,510 | 47,640 | 104,150 | 121,010 | 126,590 | 247,600 | 932,630 |
| 1973 CP Buildout | 151,450 | 86,210 | 237,660 | 346,230 | 418,980 | 765,210 | 3,045,640 |
| Alternative 1 | 101,540 | 62,250 | 163,790 | 205,580 | 250,870 | 456,450 | 1,754,480 |
| Proposed Plan | 82,640 | 56,770 | 139,410 | 168,840 | 197,380 | 366,220 | 1,395,130 |

Note:

- o Trip projections represent estimated trips for both the Hollywood Community Plan and Redevelopment Plan area, assuming full buildout of each Community Plan alternative and full buildout of the Redevelopment Plan.
- o All trip projections rounded to nearest 10 vehicle trips.

TABLE 14
1973 COMMUNITY PLAN STREET STANDARDS

| <u>Classification</u> | <u>Right-of-Way Width (feet)</u> | <u>Pavement Width (feet)</u> | <u>Number of Through Lanes (Two-Way)</u> |
|-----------------------|--------------------------------------|----------------------------------|--|
| Major Highway | 100 to 104 | 80 to 84 | 6 |
| Secondary | 86 | 66 | 4 |
| Collector | 64 | 44 | 2 |

Since many streets in the network do not currently meet the 1973 Community Plan criteria, a build-out network was created and was used for the 1973 Community Plan Build-out land use alternative. In addition to the increased capacity of selected streets, the 1973 Community Plan includes the elimination of the Franklin Avenue/Highland jog by realigning the western approach of Franklin Avenue, and the Fountain Avenue jog at Bronson Avenue and Van Ness Avenue has also been eliminated by realigning Fountain Avenue between Tamarind Avenue and St. Andrews Place.

Summary results based on the traffic forecasts are presented in Table 15 including values for the estimated existing conditions, the build-out of the 1973 Community Plan on the build-out network, and the Proposed Plan and Alternative 1 on the existing network. Traffic impact measures shown include vehicle-miles of travel (VMT), average speed (MPH), and vehicle-hours of delay for the evening peak period, aggregated across the entire Hollywood Community Plan highway network. It should be noted that these numbers do not necessarily represent actual conditions, but rather are intended for use in making relative comparisons between the various alternatives.

Projected Operating Conditions

Evening peak period turning movements were obtained from the model for each alternative, and the corresponding levels of service are presented in Table 16. The calculated v/c ratios from the traffic forecasts were used to identify the street segments which are projected to experience poor levels of service, E and F, during the evening peak period. The street segment levels of service for each of the land use alternatives are presented in Figures 10 through 12.

Current Plan Build-out on Build-out Network: As indicated in Table 16, 36 of the 39 analyzed intersections are projected to operate at LOS F during the evening peak hour with the build-out of the 1973 Community Plan. In addition, nearly every street in the study area is expected to be extremely congested, with all of the streets in the core of the Hollywood business district projected to have v/c ratios greater than 1.20. As can be seen in Figure 10, the street segments that are expected to experience extreme congestion, with v/c ratios greater than 1.20, include the entire lengths of Franklin Avenue and Fountain Avenue; the majority of Hollywood Boulevard and Sunset Boulevard; and the segments of Highland Avenue, Wilcox Avenue, Cahuenga Boulevard, Wilton Place, Western Avenue, Normandie Avenue and Vermont Avenue between Fountain Avenue and Franklin Avenue. The complete failure of this land use alternative to function on the build-out network is significant, since it implies that the land usage and recommended street network as established in the 1973 Community Plan are not compatible.


TABLE 15

TRAFFIC IMPACT INDICATORS FOR EVENING PEAK PERIOD

| Land Use Alternative | VMT | | Average Speed | | Delay | |
|--|-----------|----------|---------------|----------|-----------|----------|
| | Veh-Miles | % Change | MPH | % Change | Veh-Hours | % Change |
| Existing Conditions (estimated) | 1,524,800 | n/a | 12.9 | n/a | 78,300 | n/a |
| 1973 CP Buildout with Buildout of Street Network | 2,428,500 | 59.3% | 4.2 | -67.4% | 508,400 | 549.3% |
| Alternative 1 on Existing Network | 2,064,600 | 35.4% | 6.0 | -53.5% | 288,800 | 268.8% |
| Proposed Plan on Existing Network | 1,929,500 | 26.5% | 8.4 | -34.9% | 178,900 | 128.5% |

Notes:

- o Data indicates aggregate values from Hollywood Community Plan travel demand model.
- o "% Change" indicates percent change from estimated existing conditions.



Source: Kaku Associates





Figure 11
 SEGMENTS OVER CAPACITY:
 ALTERNATIVE 1/
 EXISTING STREET SYSTEM
**HOLLYWOOD
 COMMUNITY
 PLAN REVISION**

0 800 1600 3200

↑ GRUEN ASSOCIATES

CITY OF LOS ANGELES

Source: Kaku Associates



Volume / Capacity

10 - 12

> 12

Figure 12
**SEGMENTS OVER CAPACITY:
 PROPOSED PLAN/
 EXISTING STREET SYSTEM**
**HOLLYWOOD
 COMMUNITY
 PLAN REVISION**

0 500 1000 1500

GRUIEN ASSOCIATES CITY OF LOS ANGELES

Source: Kaku Associates

57

BEVERLY HILLS

Sherman Oaks -
 Studio City District

UNIVERSAL CITY

BURBANK

GLENDAL E

Northeast District

Silver Lake -
 Echo Park District

Wilshire District

TABLE 16

PM PEAK HOUR INTERSECTION LEVEL OF SERVICE ANALYSIS
FOR COMMUNITY PLAN LAND USE ALTERNATIVES

| Map Num | Intersection | Existing Conditions | | 1973 CP Buildout with Buildout of Street Network | | Alternative 1 on Existing Network | | Proposed Plan 0 Existing Network | |
|------------|---------------------------------------|------------------------|-----|--|-----|--------------------------------------|-----|-------------------------------------|-----|
| | | V/C | LOS | V/C | LOS | V/C | LOS | V/C | LOS |
| 1 | Melrose Ave & Fairfax Ave | 0.87 | D | 1.12 | F | 1.15 | F | 1.00 | E/F |
| 2 | Melrose Ave & La Brea Ave | 0.93 | E | 1.52 | F | 1.40 | F | 1.14 | F |
| 3 | Melrose Ave & Highland Ave | 1.03 | F | 1.67 | F | 1.29 | F | 1.11 | F |
| 4 | Melrose Ave & Western Ave | 0.99 | E | 1.50 | F | 1.31 | F | 1.10 | F |
| 5 | Santa Monica Bl & Highland Ave | 1.00 | E/F | 1.74 | F | 2.09 | F | 1.80 | F |
| 6 | Santa Monica Bl & Vine St | 0.97 | E | 1.68 | F | 1.80 | F | 1.62 | F |
| 7 | Santa Monica Bl & Western Ave | 0.89 | D | 1.35 | F | 1.34 | F | 1.22 | F |
| 8 | Santa Monica Bl & Vermont Ave | 0.65 | B | 1.27 | F | 0.92 | E | 0.87 | D |
| 9 | Santa Monica Bl & Myra Ave/Hoover St | 0.79 | C | 1.41 | F | 0.96 | E | 0.89 | D |
| 10 | Santa Monica Bl & Sunset Bl | 0.69 | B | 0.61 | B | 0.69 | B | 0.68 | B |
| 11 | Fountain Ave & Highland Ave | 1.07 | F | 1.74 | F | 1.97 | F | 1.38 | F |
| 12 | Fountain Ave & Vine St | 0.84 | D | 2.46 | F | 1.62 | F | 1.08 | F |
| 13 | Fountain Ave & Western Ave | 0.78 | C | 2.08 | F | 1.66 | F | 1.43 | F |
| 14 | Fountain Ave & Vermont Ave | 0.65 | B | 2.29 | F | 1.24 | F | 0.97 | E |
| 15 | Sunset Bl & Crescent Hgts/Laurel Cyn | 0.94 | E | 1.34 | F | 1.15 | F | 1.07 | F |
| 16 | Sunset Bl & Fairfax Ave | 0.87 | D | 1.17 | F | 1.10 | F | 1.09 | F |
| 17 | Sunset Bl & La Brea Ave | 0.87 | D | 1.29 | F | 1.58 | F | 1.28 | F |
| 18 | Sunset Bl & Highland Ave | 0.83 | D | 1.44 | F | 1.19 | F | 1.29 | F |
| 19 | Sunset Bl & Vine St | 0.82 | D | 1.49 | F | 1.22 | F | 1.02 | F |
| 20 | Sunset Bl & Gower St | 0.87 | D | 1.78 | F | 1.79 | F | 1.47 | F |
| 21 | Sunset Bl & Western Ave | 0.97 | E | 2.47 | F | 1.77 | F | 1.34 | F |
| 22 | Sunset Bl & Normandie Ave | 0.82 | D | 2.46 | F | 1.52 | F | 1.15 | F |
| 23 | Sunset Bl & Vermont Ave | 0.85 | D | 2.17 | F | 1.16 | F | 1.07 | F |
| 24 | Sunset Bl & Hollywood Bl/Hillhurst St | 0.99 | E | 2.01 | F | 1.22 | F | 1.12 | F |
| 25 | Hollywood Bl & Fairfax Ave | 0.67 | B | 0.75 | C | 0.75 | C | 0.90 | D/E |
| 26 | Hollywood Bl & La Brea Ave | 0.76 | C | 1.11 | F | 1.44 | F | 1.29 | F |
| 27 | Hollywood Bl & Highland Ave | 0.74 | C | 1.64 | F | 1.40 | F | 1.27 | F |
| 28 | Hollywood Bl & Cahuenga Bl | 0.87 | D | 1.97 | F | 2.18 | F | 2.07 | F |
| 29 | Hollywood Bl & Vine St | 0.74 | C | 1.90 | F | 1.05 | F | 1.08 | F |
| 30 | Hollywood Bl & Bronson Ave | 0.69 | B | 2.03 | F | 1.16 | F | 1.16 | F |
| 31 | Hollywood Bl & Western Ave | 0.75 | C | 1.12 | F | 1.07 | F | 0.92 | E |
| 32 | Hollywood Bl & Vermont Ave | 0.57 | A | 1.32 | F | 0.88 | D | 0.81 | D |
| 33 | Franklin Ave (West) & Highland Ave | 1.03 | F | * | * | 1.34 | F | 1.26 | F |
| 34 | Franklin Ave (East) & Highland Ave | 0.76 | C | 2.12 | F | 1.06 | F | 0.99 | E |
| 35 | Franklin Ave & Western Ave | 0.72 | C | 2.09 | F | 1.40 | F | 1.12 | F |
| 36 | Franklin Ave & Vermont Ave | 0.92 | E | 1.72 | F | 1.48 | F | 1.33 | F |
| 37 | Los Feliz Bl & Vermont Ave | 0.89 | D | 1.16 | F | 1.09 | F | 1.05 | F |
| 38 | Los Feliz Bl & Hillhurst Ave | 0.83 | D | 1.17 | F | 1.01 | F | 0.95 | E |
| 39 | Los Feliz Bl & Riverside Dr | 0.77 | C | 1.52 | F | 1.02 | F | 0.87 | D |

* Realignment of Franklin under buildout of 1973 CP street network would eliminate conflicting movements at this location.

Proposed Plan Revision on Existing Network: While 28 of the 39 intersections are projected to operate at LOS F during the evening peak hour for this alternative, the v/c ratios are much lower than the v/c ratios for Alternative 1. Similarly, the street segments are not expected to be as congested as for the increased non-residential development alternative discussed below. While there are segments which have v/c ratios greater than 1.20, they are isolated cases immediately adjacent to the Hollywood Freeway and the Cahuenga Pass. As can be seen in Figure 12, the street segments which are expected to experience extreme congestion, with v/c ratios greater than 1.20, include portions of Franklin Avenue, Sunset Boulevard, Fountain Avenue, Cahuenga Boulevard, Vine Street, Gower Street, and segments in the vicinity of Hollywood Freeway ramps.

Increased Non-Residential Development Alternative on Existing Network: As indicated in Table 16, 34 of the 39 analyzed intersections are projected to operate at LOS F during the evening peak hour for this land use alternative. While street segment congestion is fairly widespread, the segments which are projected to have a v/c ratio greater than 1.20 are primarily concentrated near the Hollywood Freeway and the Cahuenga Pass.

As can be seen in Figure 11, the street segments that are expected to experience extreme congestion, with v/c ratios greater than 1.20, include the Highland Avenue/Franklin Avenue vicinity; portions of Hollywood Boulevard, Sunset Boulevard, Fountain Avenue and Santa Monica Boulevard; portions of Wilcox Avenue, Cahuenga Boulevard, Vine Street, Gower Street, Bronson Avenue and Western Avenue between Santa Monica Boulevard and Franklin Avenue; and street segments in the vicinity of the Hollywood Freeway ramps.

Mitigation Measures

In reaction to the high levels of traffic congestion and poor levels of service which either already exist or have been projected for many locations within the Hollywood Community Plan area, a variety of alternative street and intersection improvements have been evaluated. Development of the conceptual improvements for this analysis included a review of previous recommendations for the Hollywood area and discussions with staff of the Los Angeles Department of Transportation (LADOT).

As a result of this process, two different sets of street system improvements have been developed for further analysis in this study. The first set, hereafter referred to as the "Constrained Improvement Scenario," incorporates improvements which can generally be accommodated within the existing street system. The intent of this scenario is to assess the level of land use development which could be accommodated, and the traffic operating conditions which would result, if improvements are limited to those which do not require substantial right-of-way acquisition (which is likely to prove difficult, if not impossible, throughout most of the Hollywood area).

The second improvement scenario, hereafter referred to as the "Build-out Improvement Scenario," presumes that each of the streets within the Hollywood area is eventually widened to provide capacity commensurate with the street's classification in the Community Plan. Many of the streets within Hollywood are not currently constructed to the highway classification standards established by the City of Los Angeles. This scenario represents build-out of the Community Plan street network over an extremely long-term period, since it is likely that acquisition of the right-of-way necessary to implement these widenings would depend upon right-of-way dedications from redevelopment of adjacent parcels. As such, the full level of improvements implicit in this scenario may not ever be achieved. However, the scenario is useful for analyzing the impact of build-out of the Community Plan street system, if it were to be implemented.

Constrained Improvement Scenario:

As noted previously, the improvements included in the Constrained Improvement Scenario were developed in an attempt to maximize the potential capacity of the existing street system in the Hollywood area. They are therefore based on the following general guidelines:

- Any improvements must either fit within the existing right-of-way or require only a minimal amount of new right-of-way. In the latter case, any new right-of-way must be available without requiring demolition of existing buildings.
- A level of service of D or better during peak periods was the desired target. However, as will be seen, even with the potential improvements, it was not possible to achieve this level of operation at all locations.
- The improvements were developed in relation to the projected traffic volumes under the Proposed Plan growth scenario.

It should be noted that these improvements are intended to be indicative of the extent to which impacts of future growth can be mitigated by street system improvements, and are conceptual in nature. They are not intended as hard recommendations for specific improvements. The most appropriate improvements for locations throughout the Hollywood area must ultimately be developed in conjunction with more precise knowledge of the specific developments which may ultimately occur.

Potential Street System Improvements

Table 17 lists the various conceptual street system improvements included in the Constrained Improvement Scenario. As can be seen, these improvements tend to fall into one of two types: operational improvements such as implementation of an automated traffic surveillance and control (ATSAC) system, peak period parking restrictions, one-way couplets, or reversible operations; and physical improvements such as street widenings, jog eliminations, or localized intersection improvements.

TABLE 17

CONCEPTUAL STREET SYSTEM IMPROVEMENTS FOR HOLLYWOOD COMMUNITY PLAN
(CONSTRAINED IMPROVEMENT SCENARIO)

| Street | Location | Pavement | Number of Lanes | | Time Period | Direction | Comments | Previous Recommendation |
|--|-------------------------|--------------|-----------------|----------|-------------|-----------|--|-------------------------|
| | | Width (feet) | Existing | Improved | | | | |
| SIGNAL SYSTEM IMPROVEMENTS | | | | | | | | |
| Installation of ATSAC system throughout Hollywood area | | | | | | | | |
| PEAK PERIOD PARKING RESTRICTIONS | | | | | | | | |
| La Cienega | Santa Monica to Olympic | 70 | 4 | 6 | PM Pk | both | requires coordination with Beverly Hills & West Hollywood | LAD |
| Crescent Heights | s/o Santa Monica | varies | 3 | 4 | PM Pk | NB | expand existing restrictions to include NB during PM peak; requires coordination with West Hollywood | |
| Fairfax | Sunset to Pico | varies | 4 | 6 | PM Pk | both | requires coordination with West Hollywood | LAD |
| Cahuenga | Franklin to freeway | na | 4 | 6 | PM Pk | both | in conjunction w/1-way couplet | |
| Cahuenga | freeway to Odin | na | 4 | 5 | PM Pk | NB | could be reversible operation instead of parking restriction | |
| Vine | Franklin to Melrose | 70 | 4 | 6 | PM Pk | both | | PBQ |
| Western | Franklin to Venice | 60 | 4 | 6 | PM Pk | both | 10-foot lanes; would need spot widening for left-turn pockets | LAD |
| Normandie | s/o freeway | na | 3 | 4 | PM Pk | SB | expand existing restrictions to include SB during PM peak | |
| Sunset | Wilton to Hollywood | 70 | 4 | 6 | PM Pk | both | extension of existing restrictions eastward | |
| Santa Monica | La Cienega to Hoover | 60 | 4 | 6 | PM Pk | both | 10-foot lanes; would need spot widening for left-turn pockets; requires coordination with West Hollywood | PBC |

TABLE 17 (continued)

CONCEPTUAL STREET SYSTEM IMPROVEMENTS FOR HOLLYWOOD COMMUNITY PLAN
(CONSTRAINED IMPROVEMENT SCENARIO)

| Street | Location | Pavement Width (feet) | Number of Lanes | | Time Period | Direction | Comments | Previous Recommendation |
|------------------------------|--|-----------------------|-----------------|---------------|----------------|-----------|---|-------------------------|
| | | | Existing | Improved | | | | |
| ONE-WAY COUPLETS | | | | | | | | |
| Cahuenga/ Wilcox | Franklin to Melrose | Ca: 56 Wc: 35 | Ca: 4 Wc: 2 | 4 NB, 3 SB | All Day | na | requires parking restrictions on Wilcox (one side) | LADOT |
| Wilton/ Van Ness | freeway to 3rd | Wt: 40 VN: na | Wt: 4 VN: 2 | 4 NB, 4 SB | All Day | na | requires parking restrictions on Van Ness; continuation of parking restrictions on Wilton | LADOT |
| REVERSIBLE OPERATIONS | | | | | | | | |
| Highland | Sunset to Santa Monica | 70 | 6 | 7 | AM Pk PM Pk | SB NB | extension of existing reversible operations southward; use left-turn lane for additional through lane in peak direction | |
| STREET WIDENINGS | | | | | | | | |
| Fountain | Highland to Bronson, & Western to Sunset | varies | 2 | 4 | All Day | both | | |
| Franklin | Highland to Wilcox | 38 | 2 | 4 | AM & PM | both | widen to 40 to 44 feet; implement parking restrictions during AM & PM peaks | |
| Cahuenga East | Odin to Barham | varies | 1-3 | 2-4 | All Day | NB | | |
| Barham | Cahuenga to Forest Lawn | na | 4 | 6 | All Day | both | includes widening US 101 overpass to 7 lanes as per LA 5 year CIP | |

TABLE 17 (continued)

CONCEPTUAL STREET SYSTEM IMPROVEMENTS FOR HOLLYWOOD COMMUNITY PLAN
(CONSTRAINED IMPROVEMENT SCENARIO)

| Street | Location | Pavement | Number of Lanes | | Time Period | Direction | Comments | Previous Recommendation * |
|----------------------------------|---------------------|--------------------|------------------|----------|-------------|-----------|---|---------------------------|
| | | Width (feet) | Existing | Improved | | | | |
| JOG IMPROVEMENTS OR ELIMINATIONS | | | | | | | | |
| Franklin | at Highland | Hi: 70 Fr:38/44 | Hi: 7 Fr: 2/4 | na na | All Day | na | 1. widen Franklin approaches & Highland through jog area; 2. realign Franklin to eliminate jog; 3. grade-separation (depress Highland under Franklin)** | LADOT 1973 CP |
| Fountain | Bronson to Van Ness | 40 | 2 | 4 | All Day | both | realign Fountain between Bronson & St Andrews to eliminate jog; included in LA 5 year CIP | LADOT & 1973 CP |

LOCALIZED INTERSECTION IMPROVEMENTS

(see Table 10)

Notes:

Ca = Cahuenga Boulevard
 Wc = Wilcox Avenue
 Wt = Wilton Place
 Vn = Van Ness Avenue
 Hi = Highland Avenue
 Fr = Franklin Avenue

AM Pk = AM peak period
 PM Pk = PM peak period
 NB = northbound
 SB = southbound

* Previous recommendation:

- o LADOT indicates recommended by memorandum from Donald R. Howery, General Manager, Department of Transportation, to Councilman Mike Woo, June 2, 1987.
- o PBOD indicates recommended in Hollywood Circulation Study (Parsons Brinckerhoff Quade & Douglas, 1985).
- o 1973 CP indicates included in 1973 Hollywood Community Plan.

** The grade-separation alternative for the Highland/Franklin intersection was used for the Constrained Improvement Scenario since traffic projections indicate this alternative is needed to provide sufficient capacity through the intersection.

- ATSAC. At present, LADOT is beginning to install ATSAC systems in various areas throughout the City. Implementation of an ATSAC system in Hollywood would provide more efficient and flexible control of traffic, thereby increasing the carrying capacity of signalized intersections. LADOT estimates that ATSAC systems may provide a seven percent increase in traffic capacity or throughput when compared to conventional traffic signal controls, as are currently in place in Hollywood. ATSAC also improves reliability and safety through surveillance and responsiveness of control.
- Peak Period Parking Restrictions. New or expanded peak period parking restrictions are indicated for segments of La Cienega Boulevard, Crescent Heights Boulevard, Fairfax Avenue, Cahuenga Boulevard, Vine Street, Western Avenue; Normandie Avenue, Sunset Boulevard and Santa Monica Boulevard. The intent of these restrictions are to provide additional through lanes during peak periods (similar to current restrictions along sections of La Brea Avenue, Highland Avenue and Sunset Boulevard, among others). Potential implementation issues would relate to the need to either accept the loss of on-street parking spaces or replace the displaced spaces. Furthermore, inadequate street widths along Western and Santa Monica would necessitate spot widenings in order to continue to provide left-turn lanes at major intersections.
- One-Way Couplets. Two pairs of potential one-way couplets, Cahuenga Boulevard/Wilcox Avenue and Wilton Place/Van Ness Avenue, would improve north-south circulation within the Hollywood core area.
- Reversible Operations. At present, traffic cones are used along Highland Avenue between Odin Street and Sunset Boulevard to provide reversible lane operations during peak periods. Basically, the center left-turn lane is used as an additional through lane in the peak direction (southbound in the morning and northbound in the evening), with left-turns prohibited. This concept could be extended along Highland from its present terminus at Sunset Boulevard south to Santa Monica Boulevard, in order to more adequately accommodate the projected heavy traffic flows along this section of Highland.
- Street Widenings. In conjunction with the potential jog realignment discussed below, Fountain Avenue could be further developed as an alternative east-west route by widening the existing two-lane segments to provide four lanes. The two-lane section of Franklin Avenue between Highland Avenue and Wilcox Avenue is both a current and future bottleneck, and could be widened to provide four travel lanes by widening the pavement approximately 4 to 8 feet and restricting parking during peak periods.

Furthermore, Cahuenga Boulevard East could be widened by one lane between Odin Street and Barham Boulevard in order to provide much-needed additional street capacity northbound over the Cahuenga Pass. Barham Boulevard could be widened to provide six through lanes from Cahuenga to Forest Lawn Drive. These widenings, along with the Cahuenga/Wilcox one-way couplet and the potential parking restrictions on Cahuenga Boulevard described previously, and the planned widening of the Barham Boulevard bridge over U.S. 101 to seven lanes (included in the City of Los Angeles 5

Year Capital Improvement Program', would combine to provide additional capacity along an entire corridor from Melrose Avenue on the south to the Universal City area and Burbank to the north.

- Jog Eliminations. The existing Fountain Avenue jog around Le Conte Junior High School could be eliminated by realigning Fountain between Bronson Avenue and St. Andrews Place (as included in the City of Los Angeles 5 Year Capital Improvement Program). In combination with widening the existing two-lane sections of Fountain as described above, this improvement would improve east-west capacity throughout the Hollywood area.

A variety of alternatives are possible to eliminate or alleviate the existing Franklin Avenue jog at Highland Avenue, ranging from: (1) widening the Franklin Avenue intersection approaches and Highland Avenue itself through the jog area (as included in the City of Los Angeles 5 Year Capital Improvement Program); to (2) realigning Franklin to eliminate the jog (as included in the 1973 Community Plan); to (3) grade-separation by either depressing Highland Avenue through traffic below the jog area or constructing a flyover for eastbound Franklin to northbound Highland left-turning traffic.

- Localized Intersection Improvements. A series of potential intersection improvements were evaluated for the 39 analyzed intersections and are summarized in Table 18. As can be seen, these improvements typically consist of the provision of additional turning lanes. The potential intersection improvements also incorporate the various street system improvements described previously.

Effectiveness of Improvements

Projected traffic volumes for the Proposed Plan were reassigned to the street system assuming implementation of the various conceptual improvements described above. Table 19 presents the resulting levels of service at the 39 analyzed intersections, while Figure 13 illustrates the projected levels of service along street segments.

As can be seen, implementation of these (or similar) improvements would significantly improve projected operating conditions in many areas from those forecast for The Proposed Plan without improvements. However, a number of streets would still experience traffic demands far in excess of the capacity. Eleven of the 39 intersections are projected to operate at LOS F during the evening peak hour (as opposed to 28 intersections for The Proposed Plan on the existing network), while an additional 11 intersections are projected to operate at LOS E. As indicated on Figure 13, a number of street segments would still experience extreme congestion. However, sections of Vermont Avenue, Western Avenue, Vine Street, Gower Street, Cahuenga Boulevard, Sunset Boulevard, Fountain Avenue, Santa Monica Boulevard and Melrose Avenue are projected to operate at much better conditions than under The Proposed Plan without improvements (Figure 12).

TABLE 18

CONCEPTUAL INTERSECTION IMPROVEMENTS FOR HOLLYWOOD COMMUNITY PLAN
(CONSTRAINED IMPROVEMENT SCENARIO)

| P m | Intersection | Improvement | Note: |
|--------|--------------------------------------|---|-------|
| | Melrose Ave & Fairfax Ave | no improvements suggested | |
| | Melrose Ave & La Brea Ave | no improvements suggested | |
| | Melrose Ave & Highland Ave | no improvements suggested | |
| | Melrose Ave & Western Ave | restrict parking on Western for additional through lanes during peak periods (spot widen Western for left-turn pockets) | (1) |
| | Santa Monica Bl & Highland Ave | restrict parking on Santa Monica for additional through lanes during peaks (spot widen Santa Monica for left-turn pockets) | (1) |
| | | extend reversible lane operations on Highland to Santa Monica | (1) |
| | Santa Monica Bl & Vine St | restrict parking on Santa Monica for additional through lanes during peaks (spot widen Santa Monica for left-turn pockets) | (1) |
| | | additionally widen eastbound Santa Monica to provide dual left-turn lanes | |
| | | restrict parking on Vine for additional through lanes during peak periods | (1) |
| | Santa Monica Bl & Western Ave | restrict parking on Santa Monica for additional through lanes during peaks (spot widen Santa Monica for left-turn pockets) | (1) |
| | | restrict parking on Western for additional through lanes during peak periods (spot widen Western for left-turn pockets) | (1) |
| | Santa Monica Bl & Vermont Ave | restrict parking on Santa Monica for additional through lanes during peaks (spot widen Santa Monica for left-turn pockets) | (1) |
| | Santa Monica Bl & Myra Ave/Hoover St | terminate peak parking restrictions on Santa Monica at Myra/Hoover restripe eastbound Santa Monica to provide dual left-turn lanes | (1) |
| | Santa Monica Bl & Sunset Bl | no improvements suggested | |
| | Fountain Ave & Highland Ave | widen Fountain to provide four through lanes plus left-turn lanes | (1) |
| | | extend reversible lane operations on Highland to Santa Monica | (1) |
| | Fountain Ave & Vine St | widen Fountain to provide four through lanes plus left-turn lanes | (1) |
| | | restrict parking on Vine for additional through lanes during peak periods | (1) |
| | Fountain Ave & Western Ave | widen Fountain to provide four through lanes plus left-turn lanes | (1) |
| | | restrict parking on Western for additional through lanes during peak periods (spot widen Western for left-turn pockets) | (1) |

TABLE 18 (continued)

CONCEPTUAL INTERSECTION IMPROVEMENTS FOR HOLLYWOOD COMMUNITY PLAN
(CONSTRAINED IMPROVEMENT SCENARIO)

| Map Num | Intersection | Improvement | Notes |
|------------|---------------------------------------|---|------------|
| 14 | Fountain Ave & Vermont Ave | widen Fountain to provide four through lanes plus left-turn lanes | (1) |
| 15 | Sunset Bl & Crescent Hgts/Laurel Cyn | spot widen/restripe eastbound Sunset to provide dual left-turn lanes | |
| 16 | Sunset Bl & Fairfax Ave | terminate peak parking restrictions on Fairfax at Sunset spot widen/restripe westbound Sunset to provide dual left-turn lanes | (1) (2) |
| 17 | Sunset Bl & La Brea Ave | no improvements suggested | |
| 18 | Sunset Bl & Highland Ave | spot widen southbound Highland to provide exclusive right-turn lane | (2) |
| 19 | Sunset Bl & Vine St | restrict parking on Vine for additional through lanes during peak periods | (1) |
| 20 | Sunset Bl & Gower St | no improvements suggested | |
| 21 | Sunset Bl & Western Ave | restrict parking on Sunset for additional through lanes during peak periods restrict parking on Western for additional through lanes during peak periods (spot widen Western for left-turn pockets) | (1) (1) |
| 22 | Sunset Bl & Normandie Ave | restrict parking on Sunset for additional through lanes during peak periods | (1) |
| 23 | Sunset Bl & Vermont Ave | restrict parking on Sunset for additional through lanes during peak periods spot widen/restripe northbound Vermont to provide dual left-turn lanes | (1) |
| 24 | Sunset Bl & Hollywood Bl/Hillhurst St | restripe eastbound Hollywood to allow through movements from right-turn lane | |
| 25 | Hollywood Bl & Fairfax Ave | no improvements suggested | |
| 26 | Hollywood Bl & La Brea Ave | spot widen westbound Hollywood to provide dual left-turn lanes | (2) |
| 27 | Hollywood Bl & Highland Ave | restripe eastbound Hollywood to provide dual left-turn lanes restripe westbound Hollywood to provide exclusive right-turn lane | (2) (2) |
| 28 | Hollywood Bl & Cahuenga Bl | Cahuenga converted to one-way northbound operation (Cahuenga/Wilcox couplet) restripe eastbound Hollywood to provide dual left-turn lanes | (1) (2) |
| 29 | Hollywood Bl & Vine St | restrict parking on Vine for additional through lanes during peak periods | (1) |
| 30 | Hollywood Bl & Bronson Ave | no improvements suggested | |

TABLE 18 (continued)

CONCEPTUAL INTERSECTION IMPROVEMENTS FOR HOLLYWOOD COMMUNITY PLAN
(CONSTRAINED IMPROVEMENT SCENARIO)

| Intersection | Improvement | Notes |
|------------------------------------|---|-------|
| Hollywood Bl & Western Ave | restrict parking on Western for additional through lanes during peak periods (spot widen Western for left-turn pockets) | (1) |
| Hollywood Bl & Vermont Ave | no improvements suggested | |
| Franklin Ave (West) & Highland Ave | grade-separate Highland through traffic | (1) |
| Franklin Ave (East) & Highland Ave | grade-separate Highland through traffic | (1) |
| Franklin Ave & Western Ave | terminate peak parking restrictions on Western at Franklin restripe eastbound Franklin to provide dual left-turn lanes | (1) |
| Franklin Ave & Vermont Ave | restripe eastbound Franklin to provide exclusive left-turn lane | |
| Los Feliz Bl & Vermont Ave | no improvements suggested | |
| Los Feliz Bl & Hillhurst Ave | no improvements suggested | |
| Los Feliz Bl & Riverside Dr | no improvements suggested | |

Notes:


- 1. Improvement in conjunction with street improvement listed on Table 9.
- 2. Improvement not justified under Alternative 2A with additional reductions in office employee trips (as described in text).

TABLE 19

PM PEAK HOUR INTERSECTION LEVEL OF SERVICE ANALYSIS
 PROPOSED PLAN WITH STREET SYSTEM IMPROVEMENT SCENARIOS

| Map Num | Intersection | Proposed Plan on Existing Network | | Proposed Plan with Constrained Imprvmt Scenario | | Proposed Plan w/ Reduced Office Trips/Constrained Imprvmt Scenario | | Proposed Plan with Buildout Imprvmt Scenario | |
|------------|---------------------------------------|--------------------------------------|-----|---|-----|---|-----|--|-----|
| | | V/C | LOS | V/C | LOS | V/C | LOS | V/C | LOS |
| 1 | Melrose Ave & Fairfax Ave | 1.00 | E/F | 0.97 | E | 0.90 | D/E | 0.82 | D |
| 2 | Melrose Ave & La Brea Ave | 1.14 | F | 1.00 | E/F | 0.96 | E | 1.01 | F |
| 3 | Melrose Ave & Highland Ave | 1.11 | F | 1.05 | F | 1.01 | F | 1.06 | F |
| 4 | Melrose Ave & Western Ave | 1.10 | F | 0.84 | D | 0.83 | D | 1.01 | F |
| 5 | Santa Monica Bl & Highland Ave | 1.80 | F | 1.07 | F | 1.07 | F | 1.22 | F |
| 6 | Santa Monica Bl & Vine St | 1.62 | F | 1.03 | F | 0.93 | E | 1.03 | F |
| 7 | Santa Monica Bl & Western Ave | 1.22 | F | 1.06 | F | 0.79 | C | 1.19 | F |
| 8 | Santa Monica Bl & Vermont Ave | 0.87 | D | 0.78 | C | 0.64 | B | 0.73 | C |
| 9 | Santa Monica Bl & Myra Ave/Hoover St | 0.89 | D | 0.72 | C | 0.62 | B | 0.61 | B |
| 10 | Santa Monica Bl & Sunset Bl | 0.68 | B | 0.67 | B | 0.66 | B | 0.51 | A |
| 11 | Fountain Ave & Highland Ave | 1.38 | F | 0.98 | E | 0.81 | D | 1.11 | F |
| 12 | Fountain Ave & Vine St | 1.08 | F | 0.81 | D | 0.63 | B | 0.97 | E |
| 13 | Fountain Ave & Western Ave | 1.43 | F | 0.91 | E | 0.76 | C | 0.80 | C/D |
| 14 | Fountain Ave & Vermont Ave | 0.97 | E | 0.71 | C | 0.52 | A | 0.66 | B |
| 15 | Sunset Bl & Crescent Hgts/Laurel Cyn | 1.07 | F | 0.82 | D | 0.88 | D | 0.98 | E |
| 16 | Sunset Bl & Fairfax Ave | 1.09 | F | 0.93 | E | 0.73 | C | 0.88 | D |
| 17 | Sunset Bl & La Brea Ave | 1.28 | F | 1.37 | F | 0.89 | D | 1.08 | F |
| 18 | Sunset Bl & Highland Ave | 1.29 | F | 0.97 | E | 0.88 | D | 1.01 | F |
| 19 | Sunset Bl & Vine St | 1.02 | F | 1.04 | F | 0.86 | D | 1.15 | F |
| 20 | Sunset Bl & Gower St | 1.47 | F | 1.19 | F | 1.16 | F | 0.87 | D |
| 21 | Sunset Bl & Western Ave | 1.34 | F | 0.93 | E | 0.81 | D | 0.83 | D |
| 22 | Sunset Bl & Normandie Ave | 1.15 | F | 0.93 | E | 0.81 | D | 0.70 | B/C |
| 23 | Sunset Bl & Vermont Ave | 1.07 | F | 0.88 | D | 0.88 | D | 0.86 | D |
| 24 | Sunset Bl & Hollywood Bl/Hillhurst St | 1.12 | F | 0.85 | D | 0.90 | D/E | 0.86 | D |
| 25 | Hollywood Bl & Fairfax Ave | 0.90 | D/E | 0.69 | B | 0.79 | C | 0.68 | B |
| 26 | Hollywood Bl & La Brea Ave | 1.29 | F | 1.29 | F | 1.07 | F | 0.94 | E |
| 27 | Hollywood Bl & Highland Ave | 1.27 | F | 1.00 | E/F | 0.93 | E | 1.10 | F |
| 28 | Hollywood Bl & Cahuenga Bl | 2.07 | F | 1.14 | F | 1.02 | F | 1.17 | F |
| 29 | Hollywood Bl & Vine St | 1.08 | F | 1.07 | F | 1.01 | F | 0.88 | D |
| 30 | Hollywood Bl & Bronson Ave | 1.16 | F | 0.90 | D/E | 0.72 | C | 0.87 | D |
| 31 | Hollywood Bl & Western Ave | 0.92 | E | 0.79 | C | 0.78 | C | 0.92 | E |
| 32 | Hollywood Bl & Vermont Ave | 0.81 | D | 0.70 | B/C | 0.55 | A | 0.64 | B |
| 33 | Franklin Ave (West) & Highland Ave | 1.26 | F | 0.93 | E | 0.60 | A/B | * | * |
| 34 | Franklin Ave (East) & Highland Ave | 0.99 | E | 0.55 | A | 0.50 | A | 1.62 | F |
| 35 | Franklin Ave & Western Ave | 1.12 | F | 0.68 | B | 0.74 | C | 0.72 | C |
| 36 | Franklin Ave & Vermont Ave | 1.33 | F | 1.09 | F | 0.85 | D | 0.66 | B |
| 37 | Los Feliz Bl & Vermont Ave | 1.05 | F | 0.94 | E | 0.89 | D | 0.86 | D |
| 38 | Los Feliz Bl & Hillhurst Ave | 0.95 | E | 0.87 | D | 0.76 | C | 0.80 | C/D |
| 39 | Los Feliz Bl & Riverside Dr | 0.87 | D | 0.79 | C | 0.80 | C/D | 0.79 | C |

* Realignment of Franklin under buildout of 1973 CP street network would eliminate conflicting movements at this location.



Volume / Capacity
 1.0 - 1.2
 > 1.2

Figure 13
 SEGMENTS OVER CAPACITY:
 PROPOSED PLAN/SUGGESTED
 TRANSPORTATION
 IMPROVEMENTS ONLY
**HOLLYWOOD
 COMMUNITY
 PLAN REVISION**

0 500 1000 2000
 ↑
 GRUIEN
 ASSOCIATES

CITY OF
 LOS ANGELES

Wilshire District Source: Kaku Associates

70

Reduction in Office Employee Trips

These results indicate that constraining improvements to those feasible within the existing street system would not provide sufficient capacity to accommodate full build-out of both the Hollywood Redevelopment Plan and the Proposed Plan. Significant reductions in the number of vehicle trips generated by the projected land uses would also be required. Two means of reducing future vehicle trips are possible: (1) implementation of effective Transportation Systems Management/Transportation Demand Management (TSM/TDM) plans to achieve reductions in trips generated by various land uses; and (2) further reductions in allowable land use densities.

Many of the locations which are projected to continue to experience severe operating conditions are locations which would be significantly impacted by projected development within the Hollywood Redevelopment area. Furthermore, the greatest amount of new trips in the area are projected to result from build-out of potential office development, particularly that allowed under the Hollywood Redevelopment Plan.

If reductions of about 10 to 15 percent could be achieved through successful implementation of TSM/TDM programs for both existing and future office and industrial development throughout the Community Plan and Redevelopment Plan areas, it is estimated that new office development would have to be limited to only about 15 to 20 percent of that allowable under build-out of the Hollywood Redevelopment Plan. Note, however, that recent forecasts prepared for the Hollywood Redevelopment area indicate that the actual level of additional office development anticipated to occur over the next 20 years under market conditions would only be about 15 to 20 percent of the new development allowed under build-out of the Redevelopment Plan. As a result, it is estimated that, although full build-out of the Redevelopment Plan could not be accommodated, overall densities equivalent to those of the 20-year market-based forecasts could be accommodated.

Table 19 also indicates the projected levels of service at the 39 analyzed intersections assuming reductions in tripmaking and land use intensities equivalent to those discussed above were to be realized, while Figure 14 illustrates the resulting levels of service along street segments. As can be seen, the number of intersections which are projected to still operate at LOS F is reduced to six, with no v/c ratio greater than 1.16. Only three intersections are projected to operate at LOS E, while each of the remaining 30 intersections is projected to operate at LOS D or better.

As indicated on Figure 14, a few street segments would still experience extreme congestion. These consist mainly of sections of Franklin Avenue, Cahuenga Boulevard, Highland Avenue, and Normandie Avenue immediately adjacent to the Hollywood Freeway. The remaining street sections throughout the Hollywood area, including most of Vermont Avenue, Western Avenue, Vine Street, Bronson Avenue, Cahuenga Boulevard, Sunset Boulevard, Fountain Avenue, Santa Monica Boulevard and Melrose Avenue, are projected to operate at much improved conditions than under the Proposed Plan.




Figure 14
 SEGMENTS OVER CAPACITY:
 PROPOSED PLAN/SUGGESTED
 TRANSPORTATION
 IMPROVEMENTS OVER TRIP
 REDUCTION

HOLLYWOOD COMMUNITY PLAN REVISION



CITY OF
 LOS ANGELES

Source: Kaku Associates

72 Bel Air - Beverly Crest

Sherman Oaks -
 Studio City District

Northeast District

Volume / Capacity
 1.0 - 1.2
 > 1.2

BURBANK

GLENDALE

UNIVERSAL CITY

BEVERLY HILLS

Wilshire District

Build-out Improvement Scenario


As discussed previously, the Build-out Improvement Scenario presumes that each of the streets within the Hollywood area is eventually widened to provide capacity equivalent with that of the street's classification in the Community Plan (Figure 15). Generally, highway classification standards established by the City of Los Angeles call for six through lanes on major highways, four through lanes on secondary highways, and two travel lanes on collector streets (see Table 14). Many of the streets within Hollywood currently do not have sufficient right-of-way or pavement width to provide the number of lanes for which they are classified. Figure 16 schematically illustrates the street segments which would require widening in order to be built out to the street standards.

Projected traffic volumes for the Proposed Plan were reassigned to the street system assuming full widening of all streets to their classification standards. The final column of Table 19 presents the resulting levels of service at the 39 analyzed intersections, while Figure 15 illustrates the projected levels of service along street segments.

As can be seen, full build-out of the Community Plan street network would significantly improve projected operating conditions throughout most of the Hollywood area from the conditions projected for the Proposed Plan without improvements. Thirteen of the 39 analyzed intersections are projected to operate at LOS F during the evening peak hour (as opposed to 28 intersections for the Proposed Plan on the existing network), while an additional 4 intersections are projected to operate at LOS E.

Furthermore, in certain areas (particularly along sections of Hollywood Boulevard, Fountain Avenue, Gower Street, Bronson Avenue, Normandie Avenue, Vermont Avenue, and La Cienega Boulevard), conditions are expected to be better than those projected for The Proposed Plan with the Constrained Improvement Scenario. In other areas, however, conditions are projected to be essentially equivalent to, or in some cases worse than, those projected for the Constrained Improvement Scenario. This is due to a variety of reasons, such as:

- o Under the Constrained Improvement Scenario, some streets would already provide capacity equivalent to their build-out number of lanes due to operational improvements such as parking restrictions, and, thus, their capacity would not be significantly increased with further widening to build-out standards (i.e., Santa Monica Boulevard, Western Avenue, Vine Street).
- o The Build-out Improvement Scenario basically consists of widenings only, and does not include operational improvements such as extension of reversible operations on Highland or implementation of one-way couplets. For example, under the Constrained Improvement Scenario, the Wilton/Van Ness one-way couplet would increase north-south capacity and shift traffic away from parallel streets such as Western Avenue (thereby improving conditions along Western), an effect which would not be realized under the Build-out Improvement Scenario.








-  Freeway
-  Major Highway
-  Secondary Highway
-  Collector Street
-  Local Street

Figure 15
CIRCULATION ELEMENT
**HOLLYWOOD
COMMUNITY
PLAN REVISION**



 GRUEN
ASSOCIATES

CITY OF
LOS ANGELES




Figure 16
 IMPROVEMENTS NEEDED
 TO IMPLEMENT
 CIRCULATION ELEMENTS
**HOLLYWOOD
 COMMUNITY
 PLAN REVISION**

Source: Kaku Associates

0 500 1000 1500
 ↑ GRUEN ASSOCIATES CITY OF LOS ANGELES

Thus, it is projected that full build-out of the Proposed Plan and the Hollywood Redevelopment Plan could not be fully accommodated, even if all the streets within the area were to be widened to the standards for their respective classifications. Additional improvements, such as one-way couplets, reversible lanes, or spot intersection improvements, would also be required. Significant problems are projected to remain along portions of Highland Avenue, Western Avenue, Franklin Avenue, Cahuenga Boulevard and Sunset Boulevard adjacent to the freeway.

Recommendations

The land use and street system improvement scenarios analyzed above indicate that mitigation of significant traffic impacts could take the form of one of a range of combinations of allowable land use densities and levels of improvements.

For example, at one extreme, it appears that full build-out of the Proposed Plan and the Hollywood Redevelopment Plan could be accommodated throughout most of the study area if all streets within the area were to be widened to the standards for their respective classifications and additional operational improvements were to be implemented (although significant congestion problems would remain, particularly along Highland and Franklin Avenues). Although developers can be required to dedicate right-of-way at the time new developments are constructed, so much additional right-of-way would be necessary to implement these widenings that it is likely to never become available without major purchases of new right-of-way and demolition of existing development. Potential implementation costs associated with buildout of the street system would likely be prohibitive. Therefore, although new development should continue to dedicate right-of-way as appropriate, it is felt that the widening of all streets to Community Plan standards cannot necessarily be relied upon to accommodate future development.

On the other hand, land use densities would have to be significantly scaled down in order to be accommodated by implementation of street improvements similar in size and scope to those described in the Constrained Improvement Scenario. Basically, it is projected that buildout of the Proposed Plan (including the limitations on density inherent within that alternative) could generally be accommodated. However, buildout of the high intensity uses allowed in the Hollywood Redevelopment Plan could not be accommodated without significant reductions in the projected generation of vehicle trips. As discussed previously, it is estimated that development intensities within the Hollywood Redevelopment Area would have to be on the order of those currently anticipated in the 20-year market-based forecast, rather than full buildout of the Redevelopment Plan, to be accommodated by the level of improvements inherent in the Constrained Improvement Scenario. In addition, a reduction in non-retail employee trips of about 10 to 15% would have to be achieved through successful implementation of TSM/TDM plans for large office and industrial developments and employers within the area.

Therefore, it is recommended that the following steps be undertaken in order to mitigate transportation impacts associated with bulldout of the Hollywood Community and Redevelopment Plans:

- As the next step in the Hollywood Community Plan process, the City of Los Angeles should initiate preparation of a Transportation Specific Plan (TSP) for the entire Community Plan area. The TSP would be similar in nature to TSPs recently completed or currently being prepared for such areas as the Coastal Corridor, the Hollywood Redevelopment Area, and the Ventura/Cahuenga Corridor. The purpose of the TSP would be to fully identify transportation improvement options and costs for the Community Plan area, prepare a specific implementation plan for improvements, and develop a mechanism with which to fund the plan.
- TSM/TDM plans should be developed and implemented for large scale commercial developments and employers in the Hollywood Community Plan and Redevelopment Plan areas. The recently-approved Regulation XV of the South Coast Air Quality Management District (AQMD) requires that, by mid-1990, all existing and future employers with more than 100 employees will have prepared and submitted ridesharing plans to the AQMD, with the intent of increasing the regional average automobile occupancy for employee trips from 1.13 to 1.5 (an increase of about 33%). This requirement should be supplemented through the development and implementation of specific plans not only for larger employers, but also, to the degree possible, for small employers acting together.
- Future land use densities in the Community Plan area should be limited through the implementation of development standards similar in scope to those contained in the Proposed Plan. Future office development in the Redevelopment Plan area should be limited to a level similar to that contained in the 20-Year Market-Based forecasts, at least until steps are taken to implement major street system improvements in excess of the conceptual improvements feasible within existing rights-of-way.

5.4 AESTHETICS AND URBAN DESIGN¹

Existing Conditions

"Urban design" encompasses the overall environmental quality of a community: how well it functions, what it looks like and what it is like to live and work in. Therefore, urban design concerns range from the function of the community-wide transportation system and the commercial service system, to building and landscape design, and the liveability of neighborhoods.

Hollywood is an old, architecturally rich community. Many of today's residential and commercial buildings and the neighborhoods they comprise were built in the period from 1910 to 1940 in response to the rapid growth of the motion picture industry.

Residential Neighborhoods. Many residential neighborhoods were built to house industry employees and have unique "period revival" or California architectural styles. Because of their distinguishable architectural styles, neighborhoods that have not experienced wholesale redevelopment in the last 25 years are well-defined. Figure 17 shows some of the neighborhood associations which have developed to maintain and enhance their unique neighborhoods and which provided input to the Plan Revision process.

Many of Hollywood's original neighborhoods have been replaced by, or include, a large number of high-density apartment buildings. Even relatively stable lower density neighborhoods often contain a few high-density apartments. This happened because, in 1946, much of Hollywood was zoned for very high density housing (i.e., R4 zoning which permits densities of up to 108 units per net acre, characterized by up to four stories of housing over two levels of parking), resulting in a development capacity which could not begin to be accommodated even by the aggressive transportation improvement program defined by the current Circulation Element of the General Plan.

Commercial Districts. The original commercial districts in the Plan Revision area were characterized by one to three story buildings, which had storefronts along the street, with office or residential space above and limited parking behind. In recent years, these have been replaced by "mini-malls" with parking along the street. Mini-malls were made possible in large part because of the city's minimal parking requirement for commercial development (i.e., one space per 500 square feet of floor space). Because there are no standards concerning architecture or landscaping, many new commercial buildings were much less attractive than the buildings they replaced, and because the stores are set back from the street they discourage pedestrian street activity.

In areas where the original pedestrian-oriented commercial districts are intact, like Melrose Avenue, parking is inadequate and shoppers spill over into the residential neighborhoods. When permit parking is imposed in residential areas to restrict spill-over parking, businesses suffer: this creates pressure to tear down the existing buildings and replace them with mini-malls.

¹ This section summarizes an assessment and recommendations prepared by Gruen Associates.


Input Received

No Input Received to Date

Sherman Oaks -
Studio City District

Figure 17
INTEREST GROUPS

- 1 Hollywood Crescent
- 2 Laurel Canyon Residents Associat
- 3 Franklin West
- 4 Mount Olympus
- 5 Nichols Canyon
- 6 Friends of Runyon Canyr
- 7 Outpost
- 8 Hollywood Heights
- 9 Whitley Heights
- 10 Hollywood Knolls
- 11 Lake Hollywood
- 12 Hollywood Dell
- 13 Hollywoodland
- 14 Hollywood Homeowners
- 15 Friends of Griffith Park
- 16 Los Feliz Improvement Association
- 17 South Los Feliz
- 18 ABC Studio
- 19 Franklin Hills
- 20 Hospitals' Area of Interest
- 21 Hollywood Western
- 22 Melrose Hill
- 23 Paramount Studio
- 24 Melrose Neighborhood
- 25 Sunset Plaza Association
- 26 Hilltop Associates
- 27 Lookout Mountain Association
- 28 Wonderland Park Associates



HOLLYWOOD COMMUNITY PLAN REVISION

0 500 1000 2000

↑ GRUEN
ASSOCIATES

CITY OF
LOS ANGELES

Parks and Open Space. As indicated in the discussion of public facilities and services, there is a severe shortage of neighborhood and community parks in Hollywood. In addition, there is often little or no on-site usable and landscaped open space in new residential development.

Transportation System. As has been discussed in other sections, Hollywood's transportation system is approaching capacity and traffic from major and secondary streets to local residential streets has begun to spill over into residential neighborhoods.

Community Concerns. Throughout the Plan Revision process, the functional and visual quality of new development in Hollywood has been a central concern of residents, second only to their concern about development capacity and its impact on the transportation system. Until recently little attention has been given to urban design considerations in Los Angeles. It is typically addressed only when a small area, like Palisades Village or Westwood Village, receives special attention through a Specific Plan. However, in response to growing community concerns, interim measures like the "mini-mall moratorium" and a Pedestrian Overlay Zone ordinance (Ordinance No. 162570) have been established. The intent is that these interim standards be replaced by a more comprehensive set of standards.

Environmental Effects

The Proposed Plan takes the first step toward maintaining and improving environmental quality by defining a development capacity that:

- Can be supported by feasible transportation system improvements, i.e., improvements that can, for the most part, be made within existing rights-of-way with minimal displacement of existing houses, businesses and street trees.
- Facilitates cohesive residential neighborhoods by zoning them consistent with their predominant existing character, except in a few neighborhoods where slightly higher densities are needed to replace substandard, severely deteriorated housing.

However, because the Proposed Plan Revision directly regulates only general land use, residential density and nonresidential development intensity, it can, at best, make recommendations about what development looks like, how it functions and is maintained, and, in the case of commercial development, the particular kinds of shops and services it provides.

If development occurs consistent with the uses, densities and intensities permitted by the Plan but with no additional development standard or means of implementing transportation system improvements, future development, while at lower development intensities, will look much like recent development. The visual and functional quality (particularly the transportation function) of the Hollywood environment will continue to decline. Similarly, if private property and public streets and facilities are not well-maintained, that environmental quality will decline further.

Preservation of Historically and Architecturally Significant Buildings and Neighborhoods. While the Plan discourages destruction of existing neighborhoods, especially those with unique architectural styles, through downzoning to current densities, it does not identify significant neighborhoods or establish standards for their preservation. Therefore, important cultural resources could be destroyed through the replacement of and additions to significant buildings and infill housing that is not compatible with them.

Residential Development. The Proposed Plan Revision eliminates high and very high density (R4) housing in most of the Plan Revision area. Heights are restricted to 45 feet or, where the predominant height is currently 30 feet or less, to 30 feet.

The Plan does not address landscaping, amount of on-site open space, design of parking structures or minimal architectural standards. Therefore, while residential buildings will be less dense than recent apartment construction in Hollywood, they will not necessarily look more attractive.

Commercial Development. Because of the Zoning Code's lack of specificity, all commercial development in Hollywood could end up looking much the same, with little difference in the types of uses provided. There is currently no way to implement the Proposed Plan Revision's objectives of providing a mix of:

- A limited amount of highway-oriented uses along major highways that carry high volumes of local and through traffic with adequate parking and landscaping, and
- Concentrations of neighborhood-oriented uses along secondary highways which carry less traffic and are surrounded by residential neighborhoods and which would provide primarily neighborhood-serving uses and could become the focus for pedestrian-oriented neighborhood activity.
- Isolated pockets of "limited commercial" uses in residential neighborhoods limited exclusively to neighborhood-serving use.

In addition, because there are few mechanisms available to assist existing businesses without parking to build centralized off-street parking facilities, inadequate parking will continue to:

- Hinder the success of businesses in older commercial buildings.
- Produce "spill over" parking that ends up in residential neighborhoods.
- Create localized congestion, and
- Create pressure to replace these older buildings with mini-malls.

Transportation System. The discussion of Transportation Impacts and Mitigation Measures identifies a transportation improvement program that should be linked to future development in both the Plan Revision and Redevelopment Areas through a "Transportation Specific Plan" to ensure that the transportation system can continue to function.

In addition, the Proposed Plan Revision establishes some basic land use patterns which encourage the use of public transportation, ride-sharing and non-automobile access. It concentrates major employment in the center of Hollywood which is well-served by buses, will be served by Metro Rail, and is surrounded by relatively high density housing. Conversely, it discourages office development along commercial strips where it is difficult to implement ride-sharing programs, which will not be served by Metro Rail, and which are not as well-served as central Hollywood by public transportation. However, unless a Transportation Specific Plan and development standards are implemented, service provided by the transportation component of the urban system will continue to decline.

"Alternatives" to Parks and Open Space. A frequently expressed concern of Hollywood residents is the need for more street trees to compensate in part for the lack of open, green space normally provided by parks. The Proposed Plan Revision itself cannot require the provision of street trees and other streetscape improvements. In addition, the Proposed Plan Revision cannot require provision of on-site usable and landscaped open space in new residential development.

Mitigation Measures

In order to address the urban design impacts expected to occur as a result of development permitted by the Proposed Plan Revision, the following programs and development standards should be implemented through inclusion in the Zoning Code or other enforceable means.

Preservation of Historically and Architecturally Significant Buildings and Neighborhoods. A comprehensive survey of historically and architecturally significant buildings and neighborhoods should be undertaken in the Plan Revision area. Historic Preservation Overlay Zones (HPOZs) or neighborhood-specific development standards (see below) should be adopted for areas that qualify as historically or architecturally significant.

Development Standards for All Land Use Designations. The following standards should be applied to any development project, excluding interior renovation.

- Street trees 25 feet on center (2 per 50-foot wide lot), either 24-inch box or 15 gallon can, with root collars to prevent uplifting of sidewalks shall be provided.
- Property owners in existing residential neighborhoods and commercial areas shall be encouraged to plant street trees on an individual ownership basis or through assessment districts.

To do this, it will be necessary to modify the Department of Public Works' street tree standards and practice:

- Refine the street tree list to identify shade trees (i.e. trees which achieve a mature height and spread of at least 30 feet) appropriate to specific locations and to identify streets where trees are not appropriate.
- Permit street trees to be planted 25 feet on center.

- Require replacement by the City of any trees that are removed from the street right-of-way with a 24-inch boxed street tree that will grow to at least as great a height and spread as the trees that are removed.
- Make it easy to obtain approval for planting trees.
- Make it easy to implement a neighborhood improvement assessment district to plant and maintain street trees and to maintain and repair sidewalks and make other public improvements.

- All utility connections from main lines in the street right-of-way to buildings shall be placed underground.

Commercial Development Standards

All Commercial Categories

- On corner lots, parking shall not be located on the corner facing the street intersection.
- All surface parking adjoining a public street shall be screened by a solid wall three and one-half feet to four feet high, and all surface parking adjoining residential development shall be screened by a solid wall six feet high. Stucco or other finish shall be applied; exposed concrete block is not acceptable except through special design review. Glass block or a partially open pattern in which openings do not exceed 20% of wall area are considered to be solid walls, except adjoining residential development.
- All above-grade parking spaces visible from a public right-of-way shall be architecturally screened or enclosed.
- Trash storage areas shall be screened from view from adjacent lots and from sidewalks.
- No wall shall extend more than 20 feet horizontally or vertically without a visual break created by an articulation in the exterior wall plane or architectural detailing.
- Access to parking shall be on the side or rear property line where feasible.
- One tree with a mature height and spread of at least 25 feet, in at least a 15-gallon can and having at least a caliper of 1-1/2 inches, shall be planted for every 4 surface parking spaces and shall be distributed throughout the surface parking area to provide shade.
- An automatic irrigation system shall be installed and maintained in all landscaped areas, including tree wells, and 100% landscape coverage of all unpaved areas shall be achieved within 1 year of receipt of the first Temporary Certificate of Occupancy on the lot, enforceable through covenants.

Limited Commercial:

- Building area shall be no more than 1 time lot area.
- No building shall exceed 45 feet or 3 stories in height.
- A minimum of 4 parking spaces per 1,000 square feet of building area shall be provided.
- Front yard setbacks shall be consistent with the predominant existing setback in the vicinity of the lot, but in no case shall it be less than the Limited Commercial zoning requirement.

Highway Oriented Commercial

- C2 uses, including automobile sales and servicing, building supply stores, "mini-malls" and other uses which rely on automobile access shall be permitted.
- It is the intent of the plan that sites designated for highway-oriented use be permitted, through zone changes, to achieve lot depths of 130 to 140 feet to accommodate a landscaped buffer between parking lots and sidewalks and a service alley behind the building(s) on the lot.
- Building area shall be no more than 0.5 times lot area.
- No building shall exceed 30 feet or two stories in height.
- Residential development shall be prohibited.
- A minimum of 5 parking spaces per 1,000 square feet of building area shall be provided.
- A landscaped buffer at least 5 feet wide shall be provided between walls and sidewalks.
- Trees, in at least 15-gallon cans and having at least a caliper of 1-1/2 inches, shall be planted a maximum of 25-feet on center in either the landscaped buffer area or along the adjacent sidewalk.

Neighborhood-Oriented Commercial

- C4 uses with the limitations specified below shall be permitted.
- It is the intent of the plan that lots designated Neighborhood-Oriented Commercial be permitted to achieve a depth of at least 120 to 130 feet through conditional use of transitional residential lots for parking to accommodate surface parking and service access behind building(s).
- Building area devoted to commercial use shall be no more than 1 times lot area; additional building area up to a total of 2 times lot area may be devoted to residential use.
- No building shall exceed 45 feet in height or three stories.
- A minimum of 3 parking spaces per 1,000 square feet of building area shall be provided.
- Parking shall be provided between the building and the rear property line.
- At least 75% of the first 2 stories of the building wall along all street frontages shall be located within 15 feet of the property line, and pedestrian access to businesses on the ground floor shall be through the wall along the front property line and within 2 feet of the sidewalk grade.
- At least 50% of the area of the ground floor wall along the front property line shall be devoted to pedestrian entrances and display windows.
- Courtyard and sidewalk cafes within the public rights-of-way are encouraged, provided a minimum of 10 feet of sidewalk width is provided for pedestrian circulation.

- In a multi-tenant building, at least 50% of the uses located on the ground floor shall be neighborhood-serving uses from the following list:

Neighborhood Retail. Retail sale of goods needed by residents on a daily basis, including but not limited to:

- Art supplies;
- Athletic/sporting goods;
- Books or cards;
- Copy sales and repairs;
- Clock or watch sales and/or repair;
- Computer sales and repair;
- Drug store;
- Fabrics or dry goods;
- Florist;
- Food/grocery store, including supermarkets, produce, cheese and meat markets or delicatessens;
- Hardware;
- Household goods and small appliances;
- Infant and children's clothing;
- Newsstand;
- Photographic equipment and repair;
- Stationery;
- Toys;
- Other retail uses determined by the Planning Director to be neighborhood-serving.

Neighborhood Services. Services used by residents and students on a daily basis, including but not limited to:

- Art gallery;
- Barber shop or beauty parlor;
- Blueprinting;
- Child care facility;
- Clubs or lodges, bridge clubs, fraternal or religious associations;
- Copying;
- Custom dressmaking;
- Dry cleaners;
- Financial Services;
- Laundry or self-service laundromat;
- Locksmith;
- Optician;
- Photographer;
- Shoe repair;
- Tailor;
- Other services determined by the Planning Director to be neighborhood-serving.

- Street trees, in at least 15-gallon cans and having a caliper of at least 1-1/2 inches, shall be planted a maximum of 25 feet on center along each street frontage. An automatic irrigation system to provide deep irrigation of each tree shall be installed with all piping below grade.

Community Commercial (Medical Center)

- Building area shall be no more than 3 times lot area, averaged over all lots owned by a single medical facility.
- A minimum of 3 parking spaces per 1,000 square feet of building area shall be provided. If and when a Metro Rail station is built within 1/4 mile of a lot designated Community Commercial, no more and no less than 3 parking spaces per 1,000 square feet of building area shall be permitted. The Zoning Code requires 5 parking spaces per 1,000 square feet for medical office development.

Residential Development Standards

Hillside Areas

- Exemptions from setback, lot coverage, and other requirements in hillside areas shall be eliminated. Appropriate standards shall be established. Exemptions shall be permitted on a variance basis only.
- Dedications to insure adequate street width for fire access (e.g., 30 feet curb-to-curb minimum) shall be required on streets where future widening is feasible without displacing existing houses.

Multifamily Housing

The following should be required for all new construction:

- 100 square feet of usable open space and 100 square feet of landscaped open space for each dwelling unit with a Medium or High Medium designation (i.e. R3 or less restrictive).
- Articulation of any facade greater than 40 feet in length at least every 30 feet.
- Not more than one level of structure parking at or above grade.
- Architectural or landscape treatment of that structure parking:
 - If architectural, design should be compatible with the building above;
 - If landscaped, 75 percent of all openings shall be screened from view.
- In the R3 zone, permit 1 unit for each 1,200 square feet of lot area (the low end of this zone) as the base condition; permit up to 1 unit for each 800 square feet (the high end of the zone) in exchange for additional specified design elements and amenities.

Neighborhood Plans and Improvement Districts

In addition to these community-wide standards, the Plan should allow for the development of more specific standards on a neighborhood basis, for both residential and commercial areas.

Well-maintained and attractive neighborhoods tend to be those that have a unique identity, whether defined by architectural style, street trees, or some other unique feature. Residents should be allowed to cultivate the "sense of place" in their neighborhood by defining some basic development standards and design guidelines that preserve and enhance that unique quality. Moreover, these standards should allow deviations from typical engineering and planning standards, so that older neighborhoods can maintain their existing character, e.g. curb cuts same as existing, setbacks same as existing.

As important as neighborhood-specific development standards is the implementation of physical improvements (street trees, lighting, replacing sidewalks, etc) in existing neighborhoods. This will require a financing mechanism. Commonly an assessment district is used.

Summary of Urban Design Mitigation Measures

A simple approach to implementing the above urban design standards would be to include a set of development standards for each Community or District Plan Area in the Zoning Code. It could be included as a "Development Standards Specific Plan."

5.5 PUBLIC SERVICES

Schools

Figure 18 shows the location of existing schools in the Hollywood Community Plan area and indicates for each school:

- Existing enrollment ("1987 enrollment")
- Existing enrollment capacity ("1987 cap")
- Planned expansion to alleviate over-crowding and busing ("Planned expansion")
- Number of students bused from ("travelers out") or bused to ("travelers in") that school to other schools

This map indicates that in general all schools east of Vine Street and south of Franklin Avenue are currently at, or over, capacity. They all operate year-around, and students from their "catchment areas" must be bused to other schools. To some extent, planned school expansions will alleviate the current over-crowding. However, as recent community response to school expansion where it would intrude into stable low-density neighborhoods indicates, such expansion can undermine the basic Community Plan objective of preserving cohesive neighborhoods.

Parks and Recreational Facilities


Local Parks. The City's adopted standards for local parks and recreational facilities which would provide active recreational facilities include:

- One acre of community parkland per 1,000 people; community parks should be a minimum of 15 acres in size and serve a 3-mile radius;
- One acre of neighborhood parkland per 1,000 people; neighborhood parks should be a minimum of 5 acres and serve a 1-mile radius.

Land devoted to neighborhood and community parks is substantially deficient relative to the City's adopted standards. Excluding Griffith Park, which is a regional park serving the entire city and Southern California region, and Runyon Canyon and Wattles Gardens which do not meet the "active recreation" criterion for local parks, there are currently 20 acres of community and neighborhood parkland in Hollywood. Including Runyon Canyon and Wattles Garden, there is a total of 201 acres of parkland. City standards would require 390 acres to serve the current population of 194,800 people.

Police Protection

The Hollywood station is one of the busiest in the city. Manpower is always a problem. However, crime in Hollywood was down 15 percent in 1987, relative to 1986. Citywide it was down only 4 percent. Reasons for the reduction in crime include the following:



| | | | | | |
|---|---|----|---|----|---|
| 1 | Wonderland 1967 Enrollment: 251 1967 Cap: 424 Planned Expansion: 0 (1967 Transfers In: 161) | 9 | Los Feliz 1967 Enrollment: 493 1967 Cap: 713 Planned Expansion: 0 (1967 Transfers In: 81) | 17 | LaCima Jr. 1967 Enrollment: 2 1967 Cap: 2 Planned Expansion: 0 (1967 Transfers Out: 1) |
| 2 | Valley View 1967 Enrollment: 104 1967 Cap: 161 Planned Expansion: 0 (1967 Transfers In: 61) | 10 | Franklin Avenue 1967 Enrollment: 104 1967 Cap: 161 Planned Expansion: 0 (1967 Transfers In: 61) | 18 | North Hollywood 1967 Enrollment: 104 1967 Cap: 161 Planned Expansion: 0 (1967 Transfers In: 61) |
| 3 | Carder 1967 Enrollment: 451 1967 Cap: 643 Planned Expansion: 0 (1967 Transfers In: 64) | 11 | Marshall High 1967 Enrollment: 1140 1967 Cap: 1713 Planned Expansion: 0 (1967 Transfers In: 81) | 19 | San Diego 1967 Enrollment: 104 1967 Cap: 161 Planned Expansion: 0 (1967 Transfers In: 61) |
| 4 | Millpond High 1967 Enrollment: 2214 1967 Cap: 2713 Planned Expansion: 0 (1967 Transfers Out: 401) | 12 | Franklin 1967 Enrollment: 111 1967 Cap: 161 Planned Expansion: 0 (1967 Transfers Out: 11) | 20 | San Diego 1967 Enrollment: 104 1967 Cap: 161 Planned Expansion: 0 (1967 Transfers In: 61) |
| 5 | Acton 1967 Enrollment: 441 1967 Cap: 641 Planned Expansion: 0 (1967 Transfers Out: 111) | 13 | King Jr. High 1967 Enrollment: 1181 1967 Cap: 1711 Planned Expansion: 0 (1967 Transfers Out: 111) | 21 | Quinn Jr. High 1967 Enrollment: 111 1967 Cap: 11 Planned Expansion: 0 (1967 Transfers In: 10) |
| 6 | Cherry 1967 Enrollment: 111 1967 Cap: 111 Planned Expansion: 0 (1967 Transfers Out: 11) | 14 | Los Angeles 1967 Enrollment: 1111 1967 Cap: 1210 Planned Expansion: 0 (1967 Transfers Out: 111) | 22 | California High 1967 Enrollment: 11 1967 Cap: 11 Planned Expansion: 0 (1967 Transfers Out: 1) |
| 7 | Grant 1967 Enrollment: 711 1967 Cap: 711 Planned Expansion: 0 (1967 Transfers Out: 64) | 15 | Hayden Heights 1967 Enrollment: 641 1967 Cap: 641 Planned Expansion: 0 (1967 Transfers In: 61) | 23 | Laurel 1967 Enrollment: 6 1967 Cap: 6 Planned Expansion: 0 (1967 Transfers In: 4) |
| 8 | Woods 1967 Enrollment: 1040 1967 Cap: 1071 Planned Expansion: 111 (1967 Transfers Out: 151) | 16 | Stansfield 1967 Enrollment: 1041 1967 Cap: 1031 Planned Expansion: 0 (1967 Transfers Out: 41) | 24 | Hollywood 1967 Enrollment: 6 1967 Cap: 6 Planned Expansion: 0 (1967 Transfers In: 11) |
| | | | | 25 | West Hollywood 1967 Enrollment: 11 1967 Cap: 11 Planned Expansion: 0 (1967 Transfers In: 10) |

Figure 18
SCHOOLS
**HOLLYWOOD
COMMUNITY
PLAN REVISION**

0 200 400 600



CITY OF
LOS ANGELES

- Citizens have joined together to protect themselves through neighborhood watch groups, etc.
- The emphasis on revitalization has helped to change the overall attitude toward crime:
- Most importantly, the City Council has allocated more money for overtime pay, so that there are more officers on the street at any given time, especially on weekends and holidays.

The station is relatively new and there are no plans for expansion or renovation.

Fire Protection

Existing fire stations are adequate in number based on the adopted Fire Protection Plan. The adequacy of fire protection for a given area is based on required fire-flow, response distance from existing fire stations, and the Department's judgement for needs in the area. In general, the required fire-flow is closely related to land use. The quantity of water necessary for fire protection varies with the type of development, life hazard, occupancy, and the degree of fire hazard.

Fire-flow requirements vary from 2000 gallons per minute (G.P.M.) in low-density residential areas to 12000 G.P.M. in high-density commercial or industrial areas. A minimum residual water pressure of 20 pounds per square inch is to remain in the water system, with the required gallons per minute flowing.

According to contacts in the Fire Department, that department is understaffed in Hollywood because of two land use characteristics which require more than the typical staff allocation:

- The existing and anticipated increase in the number of mid- and high-rise buildings;
- The potential for brush fire in hillside areas.

In addition to the need for an above-average staff allocation, there are two additional problems associated with hillside development:

- Difficult access due to narrow streets which is frequently exacerbated by illegal parking;
- The inadequacy of 4-inch mains (normally adequate for low-density housing) in fighting brush fires.

The Fire Department has existing fire stations at the following locations for initial response into the Hollywood Community:

- Fire Station 6
Single Engine Company
326 N. Virgil Avenue
- Fire Station 27
Task Force Station -- Engine Company and Truck Company
Additional Equipment -- Paramedic Ambulance
1355 N. Cahuenga Boulevard
- Fire Station 35
Task Force Station -- Engine Company and Truck Company
Additional Equipment -- Paramedic Ambulance
1601 N. Hillhurst Avenue
- Fire Station 41
Single Engine Company
1439 N. Gardner Street
- Fire Station 52
Single Engine Company
1010 N. Van Ness Avenue
- Fire Station 56
Single Engine Company
2838 Rowena Avenue
- Fire Station 61
Task Force Station -- Engine Company and Truck Company
Additional Equipment -- Paramedic Ambulance
5821 W. 3rd Street
- Fire Station 76
Single Engine Company
3111 N. Cahuenga Boulevard
- Fire Station 82
Single Engine Company
Additional Equipment -- Paramedic Ambulance
1800 N. Bronson Avenue
- Fire Station 97
Single Engine Company
8021 Mulholland Drive

Station placement and overall fire protection for a given area are continually evaluated by the Fire Department and updated as fire protection techniques, apparatus needs, and land use patterns change. With the exception of the new station facility at Melrose and Oxford, at present, there are no immediate plans to increase Fire Department staffing or resources in the Hollywood community.

Public Libraries: Five existing public libraries are located in the Hollywood Community Plan area:

- Hollywood branch on Lyar Street in central Hollywood, a new facility which replaced the previous fire-damaged building;
- Los Feliz branch at 1939 1/2 Hillhurst Avenue (at Franklin Avenue) which the Library Plan indicates should be replaced by a new facility on Los Feliz Boulevard;
- Cahuenga branch at 4591 Santa Monica Boulevard (at Madison Avenue), just east of Vermont Avenue and less than one mile from the existing Los Feliz branch;
- West Hollywood branch at 1403 Gardner Street (at De Longpre Avenue);
- John C. Fremont branch at 6121 Melrose (at June Street)

Environmental Effects

Schools: Both the Proposed Plan and the build-out of the Current Plan would put more students into a school system where many area schools are either at or over capacity. Table 20 uses student generation rates and housing unit data to estimate the school population from the Hollywood Community Plan Revision area. It shows that the Current Plan at build-out would more than double the estimated 1987 school-age population in the Community Plan Revision area. The Proposed Plan would result in a more modest increase. Specifically, the build-out of the Current Plan would increase the school population by 114 percent; the Proposed Plan would result in a 13 percent increase.

Under either scenario, the impact of new development in the Redevelopment area would have to be considered. It is estimated that at build-out there will be approximately 13,000 new housing units in the Redevelopment area. This would result in the addition of 7,800 elementary school students, 2,600 junior high students, and 2,600 senior high school students to the student population.

Parks: At a ratio of 2 acres per 1,000 population to provide neighborhood and community parks, the Proposed Plan with a buildout population of 199,000 persons within the revision area and 73,000 persons in the Redevelopment Area would require the development of approximately 540 acres of parkland. This is 2.7 times more parkland that is currently provided. This deficiency would be further worsened by the Current Plan, where more than 900 acres would be needed to meet City standards for a population of 462,000 persons.

TABLE 20
SCHOOL POPULATION IN THE HOLLYWOOD COMMUNITY PLAN REVISION AREA

Elementary:

| Unit Type | Number of Units | | | Number of Students | | |
|---------------|-----------------|-----------------|------------------|--------------------|-----------------|------------------|
| | 1987 Est.** | Current Plan | Proposed Plan | 1987 | Current Plan | Proposed Plan |
| Single Family | 18,000 | 21,000 | 21,000 | 9,000 | 10,500 | 10,500 |
| Multi-family | 63,000 | 151,000 | 72,000 | 37,800 | 90,600 | 43,200 |
| Total: | 81,000 | 172,000 | 93,000 | 46,800 | 101,100 | 53,700 |

Junior High School:

| Unit Type | Number of Units | | | Number of Students | | |
|---------------|-----------------|-----------------|------------------|--------------------|-----------------|------------------|
| | 1987 Est.** | Current Plan | Proposed Plan | 1987 | Current Plan | Proposed Plan |
| Single Family | 18,000 | 21,000 | 21,000 | 4,500 | 5,250 | 5,250 |
| Multi-family | 63,000 | 151,000 | 72,000 | 12,600 | 30,200 | 14,400 |
| | 81,000 | 172,000 | 93,000 | 17,100 | 35,450 | 19,650 |

Senior High School:

| Unit Type | Number of Units | | | Number of Students | | |
|---------------|-----------------|-----------------|------------------|--------------------|-----------------|------------------|
| | 1987 Est.** | Current Plan | Proposed Plan | 1987 | Current Plan | Proposed Plan |
| Single Family | 18,000 | 21,000 | 21,000 | 4,500 | 5,250 | 5,250 |
| Multi-family | 63,000 | 151,000 | 72,000 | 12,600 | 30,200 | 14,400 |
| Total: | 81,000 | 172,000 | 93,000 | 17,100 | 35,450 | 19,650 |

* Generation factors for the single-family units were .5 for elementary school, .25 for junior high, and .25 for high school. For the multi-family units, they were .6 for elementary, .2 for junior high and .2 for high school. The generation factors were based on single family units of three bedrooms or more in a medium-income area, and multiple rented units of three bedrooms or more. The source for the generation factors is the Los Angeles Unified School District.

** Estimate prepared by Gruen Associates based on building permit activity 1980-1987.

Fire Protection - The Fire Department considers that the maintenance of a minimum level of fire service for any given area may require additional personnel, equipment and facilities when population and land densities increase, and when the expansion or relocation of existing facilities or staffing will not meet the minimum fire protection needs of the community. Development within the Hollywood community may result in the need for:

- Increased staffing.
- Additional fire protection facilities.
- Relocation or expansion of present protection facilities.
- The need for sprinkler systems to be required throughout any structures to be built in areas where fire protection is inadequate to the travel distance.

Police Services: According to the City of Los Angeles EIR Manual, 3 police personnel are need for each 1,000 persons. For the existing population of 170,000 in the revision area, this would suggest a need for 510 police personnel. The Proposed Plan (199,000 population capacity) would thus require a personnel base of 597 persons. In comparison the buildout population of the Current Plan (389,000 in the revision area) would require almost 1,200 police personnel.

Public Libraries: According to adopted City standards, the number of facilities is adequate to accommodate current population (170,000) and the Proposed Plan buildout population (199,000).

Mitigation Measures

Schools: Means of accommodating additional students with minimal impact on existing neighborhoods include:

- More intensive development (more than one story) on existing school sites. This requires changes in state legislation which are currently being pursued by the School District.
- Location of new residential development in areas where there is remaining capacity in schools serving those areas. Specifically, schools west of Vine Street, in contrast with those to the east, are under capacity, especially adjacent to and in West Hollywood. Thus, if new family housing was permitted and encouraged by the Plan in under-capacity areas and discouraged in over-capacity areas, existing facilities could be used more efficiently and less expansion would be required.

Parks: Some possible solutions to providing additional recreation and open space, given the limitations on park acquisition, include:

- Provide additional active recreation facilities in a clearly defined, limited portion of Griffith Park, accessible by bus/shuttle to residents;
- Provide vacation recreation programs in those areas for school-aged children, to compensate for the lack of such program in year-around school facilities;

- Keep school yards open in afternoons and weekends, with supervision provided by the Recreation and Parks Department;
- Set up a program to develop pocket parks in residential neighborhoods at the request of residents and subject to land availability; such parks would be monitored and maintained by the residents through an agreement with the Recreation and Parks Department;
- Provide more street and private landscaping throughout the community to give it a more park-like setting overall, through an expanded street tree program and zoning standards to require additional landscaping;
- Require the provision of usable open space in conjunction with residential development like many other communities.

Fire Protection: The Fire Department has indicated that all project-specific development in the Community Plan area would comply with all applicable State and local codes and ordinances, and the guidelines found in the Fire Protection and Fire Prevention Plan, which are elements of the General Plan of the City of Los Angeles (C.P.C. 1978).

Police Services: Over the life of the plan, additional police personnel should be assigned to the Hollywood area. These assignments, however, will be dependent on overall Police Department personnel allocations and funding, or other restrictions that may be imposed by the City Council.

Public Libraries: No mitigation required.

5.6 AIR QUALITY

Existing Conditions

Present levels of air pollution in the area are largely due to local motor vehicle emissions. Air quality in the project vicinity is best represented by air monitoring data collected by the South Coast Air Quality Management District's North Main Street air monitoring station (see Table 21). These data indicate that for 1986 (the most recent year for which information is available) ambient air quality standards were exceeded for Ozone, Carbon Monoxide (8-hour average), Nitrogen Dioxide and Total Suspended Particulates.

Environmental Effects

Short-term Impacts

Short-term impacts would be directly related to construction activities associated with individual projects. Quantification of these types of impacts is more appropriately made for environmental review of specific projects. In general, however, as development occurs incrementally, over the 20-year life of the plan, construction would produce air pollutant emissions from heavy-duty equipment exhaust, and from the generation of dust as a result of project-specific grading activities. In addition, dust from construction may cause a temporary nuisance to persons residing near areas of earth movement, if proper mitigation (e.g., soil dampening) is not applied. These impacts may occur sporadically during construction and would not have a significant adverse effect on the local environment.

Long-term Impacts

The main source of emissions generated from the Plan area will be from motor vehicles. Other emissions will be generated from the residential combustion of natural gas for space heating and the generation of electricity. Emissions will also be generated by the commercial use of natural gas and electricity.

Vehicular Emissions

Estimates of the vehicular emissions generated by the proposed project were made. Emission factors from the April 1987 edition of the "Air Quality Handbook," (South Coast Air Quality Management District) were utilized. The factors are based on the EMFAC6D Program. These factors were applied to the vehicle miles of travel forecast by Kaku Associates as part of the assessment of transportation impacts. As can be seen from Table 22, the Proposed Plan revision would represent substantial emission reductions when compared to the Current Plan. The emissions differences between the alternatives are accentuated by a combination of the slower speeds and greater number of vehicle miles associated with the Current Plan when compared to the Proposed Plan.

TABLE 21
PROJECT AREA AIR POLLUTANT SUMMARY, 1982-1986 /a/

| Pollutants | Standard | 1982 | 1983 | 1984 | 1985 | 1986 |
|---|------------|------|------|------|------|------|
| Ozone (O3) | | | | | | |
| Highest 1-hr average, ppm/b/ | 0.10/c/ | 0.40 | 0.26 | 0.29 | 0.30 | 0.22 |
| Number of standard excesses | | 91 | 114 | 114 | 107 | 99 |
| Carbon Monoxide (CO) | | | | | | |
| Highest 1-hr average, ppm | 20.0/d/ | 15.0 | 17.0 | 15.0 | 14.0 | 13.0 |
| Number of standard excesses | | 0 | 0 | 0 | 0 | 0 |
| Highest 8-hr average, ppm | 9.0/d/ | 11.9 | 13.1 | 9.1 | 9.9 | 11.6 |
| Number of standard excesses | | 11 | 10 | 2 | 2 | 2 |
| Nitrogen Dioxide (NO2) | | | | | | |
| Highest 1-hr average, ppm | 0.25/d/ | 0.41 | 0.33 | 0.23 | 0.27 | 0.33 |
| Number of standard excesses | | 8 | 5 | 0 | 3 | 6 |
| Sulfur Dioxide (SO2) | | | | | | |
| Highest 24-hr average, ppm | 0.05/c, e/ | 0.03 | 0.01 | 0.03 | 0.02 | 0.02 |
| Number of standard excesses | | 0 | 0 | 0 | 0 | 0 |
| Total Suspended Particulates (TSP) | | | | | | |
| Highest 24-hr average, ug/m3/b/ | 100/d, f/ | 177 | 173 | 148 | 208 | 235 |
| Number of standard excesses/g/ | | 17 | 22 | 23 | 31 | 27 |
| Annual Geometric Mean, ug/m3 | 60/d, f/ | 79.0 | 79.2 | 97.5 | 93.0 | 88.6 |
| Violation | Yes | Yes | Yes | Yes | Yes | Yes |
| Lead | | | | | | |
| Highest 30-day average, ug/m3 | 1.5/c/ | 1.05 | 0.98 | 0.89 | 0.61 | 0.42 |
| Number of standard excesses | | 0 | 0 | 0 | 0 | 0 |

/a/ Data are from the SCAQMD monitoring station located at 1630 North Main Street in downtown Los Angeles.

/b/ ppm: parts per million; ug/m3: micrograms per cubic meter.

/c/ State standard, not to be equaled or exceeded.

/d/ State standard, not to be exceeded.

/e/ State standard applies at locations where state 1-hr ozone or TSP standards are violated. Federal standard of 365 ug/m3 applies elsewhere.

/f/ California standards were redefined to apply only to "inhalable" particulates less than 10 microns in diameter (PM10), beginning in 1984. The new 24-hour average standard is 50 ug/m3 and the new annual geometric mean is 30 ug/m3. For consistency, TSP data is presented in the table for all years; the new standards are thought to be "reasonably equivalent" to the old standards shown above (see Bay Area Air Quality Management District, Air Currents, April 1983).

/g/ Measured every six days.

SOURCE: California Air Resources Board, Air Quality Data Summaries, 1982-1986.

TABLE 22
COMPARISON OF VEHICULAR EMISSIONS/a/

| Alternative | Vehicle Miles | Average Speed | Tons per Day | | | | |
|---------------|---------------|---------------|--------------|-----|-----|-----|------|
| | | | CO | TOG | ROG | NOX | PART |
| Existing | 1,524,772/b/ | 12.94 mph | 32.6 | 2.8 | 2.5 | 2.9 | 0.4 |
| Proposed Plan | 1,929,472/b/ | 8.38 | 17.8 | 2.2 | 2.0 | 2.9 | 0.6 |
| Current Plan | 2,428,519/b/ | 4.18 | 41.5 | 3.8 | 3.3 | 4.1 | 0.7 |

/a/ Note: CO = Carbon Monoxide; TOG = Total Organic Gases; ROG = Reactive Organic Gases; NOX = Nitrogen Oxides; PART = Particulates. Emissions factors used are from the SCAQMD 1987 Handbook. Factors were not interpolated. Existing assumes 1988 factors for 15 mph. Proposed Plan and Current Plan assume 2002 factors for 10 and 5 mph, respectively.

/b/ Source: Kaku Associates

Stationary Emissions

Over the long-term, build-out of the Community Plan area would result in increased emissions generated by stationary sources (Table 23). Stationary sources include the use of natural gas on-site for space and water heating, and the generation of electricity off-site. Projected stationary emissions are as follows. Build-out of the Proposed Plan would entail the consumption of approximately 5.8 billion cubic feet of natural gas annually (See Section 5.8). This would represent a 21 percent increase above existing consumption (estimated at 4.8 billion cubic feet). Resulting pollutant emissions would be 0.2 tons of carbon monoxide, 0.6 tons of nitrogen oxides and 0.04 tons of reactive organic gases.

TABLE 23
ON-SITE NATURAL GAS-RELATED EMISSIONS

| Pollutant | Emission Factor* | Tons/Day | |
|-----------------|------------------|----------|----------|
| | | Proposed | Existing |
| Carbon Monoxide | 20lbs/mcf | 0.2 | 0.1 |
| Nitrogen Oxides | 80 lbs/mcf | 0.6 | 0.5 |
| Particulates | .15 lbs/mcf | neg. | neg. |
| ROG | 5.3 lbs/mcf | 0.04 | 0.03 |

mcf = million cubic feet; neg. = negligible

*Source: South Coast Air Quality Management District

In terms of off-site emissions at regional power plants, the Proposed Plan would entail the consumption of approximately 1 billion kilowatt hours of electricity annually (see Section 5.8). This would represent a 42 percent increase above existing consumption (estimated at 710 million kilowatt hours). Daily power plant emissions would be 0.3 tons of carbon monoxide, 1.6 tons of nitrogen oxides, 0.2 tons of sulfur oxides, and 0.1 tons of particulates (Table 24). Reactive organic gases would be negligible.

TABLE 24
OFF-SITE POWER PLANT EMISSIONS

| Pollutant | Emission Rate* | Tons/Day | |
|-----------------|----------------|----------|----------|
| | | Proposed | Existing |
| Carbon Monoxide | 0.21 lbs/mkwh | 0.3 | 0.2 |
| Nitrogen Oxides | 2.10 lbs/mkwh | 1.6 | 1.1 |
| Sulfur Oxides | 1.40 lbs/mkwh | 0.2 | 0.1 |
| Particulates | 0.18 lbs/mkwh | 0.1 | neg. |
| ROG | 0.13 lbs/mkwh | neg. | neg. |

ROG = reactive organic gases; mkwh = million kilowatt hours

neg. = negligible

* Source: South Coast Air Quality Management District.

Consistency with the Air Quality Management Plan (AQMP). The Air Quality Management Plan prepared by the South Coast Air Quality Management District is based on the growth assumptions contained in the SCAG 82-modified population projections. These projections are in turn developed from the presumed build-out of the general and comprehensive plans of the jurisdictions within the SCAG region. As noted above, the Proposed Plan, represents an overall reduction from the adopted General Plan. Thus, while the Proposed Plan may increase emissions over existing levels, this change would be less than that forecast for the currently adopted plan. The downzoning thrust of the Proposed Plan would have a beneficial impact on achieving the objectives of the AQMP.

As noted above, the proposed revision itself, mitigates the potential adverse air quality impacts that would result from buildout of the current Hollywood Community Plan through "downzoning". In addition, the Plan area's population capacity is consistent with SCAG's growth forecast. Most importantly, one of the major objectives of the Proposed Plan is the scaling back of development to be consistent with infrastructure capacity. The Proposed Plan also encourages the development of neighborhood serving uses that would reduce the need for vehicular travel. In this context, implementation of the Plan in concert with a Transportation Specific Plan (to be developed by LADOT) would reduce the potential for delays, congestion and increased air pollutant emissions.

Mitigation Measures

Air quality concerns could be mitigated by implementation of the Transportation Specific Plan for Hollywood. This Plan should address physical improvements, operational improvements, as well as other methods to reduce travel demand, including high occupancy vehicles, completion of the Metro Rail system, carpooling, vanpooling, and preferential parking programs.

5.7 NOISE

Existing Conditions

Noise is defined as unwanted or excessive sound. The principal noise source within the Community Plan area is motor vehicles. The City of Los Angeles has established the Day-Night sound level (Ldn) of 65 decibels as the level above which a residential land use is unacceptable. The commercial land use Ldn threshold criteria is 80 decibels. The day-night sound level represents an average of the A-weighted noise levels occurring during a complete 24-hour period; however, it includes a weighting applied to those noises during nighttime hours, 10 p.m. to 7 a.m.

Ldn levels were estimated from existing traffic volumes on selected arterials and streets with adjacent residential or other sensitive receptors within the Community Plan area, using the Federal Highway Administration Highway Noise Prediction Model (RD-77-108, December 1978). As can be seen from Table 25, noise levels adjacent to the selected roadways are generally below the 65 decibel criteria. Of the 28 street segments evaluated, 3 had adjacent noise equal to or above 65 decibels.

Environmental Effects

Short-term Impacts

Construction activities resulting from development in the Community Plan area would result in increases in ambient noise levels in the vicinity of construction sites on an intermittent basis. These activities may pose a temporary annoyance to residents or employees in the area. The City has a Noise Ordinance that limits the hours of construction activity. Table 26 shows typical outdoor noise levels for commercial and industrial construction. Levels for residential construction would be similar or lower.

Long-term Impacts

Using the Federal Highway Administration Highway Traffic Noise Prediction Model, and future traffic volume estimates developed by Kaku Associates, future noise levels in the Plan area were estimated assuming implementation of the Proposed Plan, as well as implementation of the existing plan. Table 27 indicates that future traffic growth with the revised Plan and with the Current Plan would result in unacceptable noise levels for adjacent residential and/or sensitive uses. For the Proposed Plan, 22 of the 28 locations would have noise levels above 65 decibels. For the Current Plan, 27 out of the 28 locations would have noise levels greater than 65 decibels.

TABLE 25
ESTIMATED EXISTING DAY-NIGHT SOUND LEVELS (Ldn)
(at 50 feet from roadway centerline)

| Roadway Name | Location | Ldn Decibels |
|------------------|------------------------------|--------------|
| Melrose | Gardner - Fairfax | 61 |
| Melrose | Western - Normandie | 63 |
| Santa Monica | Bronson - Van Ness | 66* |
| Santa Monica | Hollywood Fwy - Normandie | 65* |
| Fountain | Crescent Hts - Fairfax | 62 |
| Sunset | West of Vermont | 66* |
| Hollywood | Nichols Cyn - Gardner | 63 |
| Franklin | La Brea - Highland | 62 |
| Los Feliz | Griffin Park - Riverside Dr. | 64 |
| Mulholland | East of Laurel Cyn. | 53 |
| Barham | Hollywood Fwy - Forest Lawn | 63 |
| Crescent Heights | Fountain - Sunset | 61 |
| Fairfax | North of Fountain | 63 |
| Gardner | Fountain - Sunset | 54 |
| Gardner | Hollywood - Franklin | 61 |
| La Brea | Fountain - Franklin | 59 |
| Highland | South of Melrose | 63 |
| Gower | Fountain - Sunset | 52 |
| Wilton Pl | Melrose - Santa Monica | 58 |
| Western | Hollywood - Franklin | 60 |
| Normandie | Hollywood Fwy - Santa Monica | 59 |
| Vermont | Franklin - Los Feliz | 63 |
| Virgil | Melrose - Santa Monica | 57 |
| Hyperion | Griffin - Hollywood | 61 |
| Griffin Park | Los Feliz - Rowena | 58 |
| Rowena | Los Feliz - Griffin | 54 |
| Laurel | South of Mulholland | 60 |
| Outpost | Franklin - Mulholland | 58 |

* Exceeds 65 decibel CNEL standard

Source: Terry A. Hayes Associates

TABLE 26
TYPICAL COMMERCIAL/INDUSTRIAL CONSTRUCTION NOISE LEVELS /a/

| Construction Phase | Noise Level (dBA) |
|--------------------|-------------------|
| Ground Clearing | 84 |
| Excavation | 89 |
| Foundations | 78 |
| Erection | 85 |
| Finishing | 89 |

/a/ Noise levels were measured 50 feet from the source.

SOURCE: Bolt, Beranek, and Newman, 1971, Noise from Construction Equipment and Operations, Building Equipment, and Home Appliances, U.S. EPA.

TABLE 27
ESTIMATED FUTURE DAY-NIGHT SOUND LEVELS (Ldn)
(at 50 feet from roadway centerline)

| | | Ldn (decibels) | |
|------------------|------------------------------|----------------|---------|
| Roadway Name | Location | Proposed | Current |
| Melrose | Gardner - Fairfax | 69* | 69* |
| Melrose | Western - Normandie | 70* | 72* |
| Santa Monica | Bronson - Van Ness | 74* | 75* |
| Santa Monica | Hollywood Fwy - Normandie | 72* | 75* |
| Fountain | Crescent Hts - Fairfax | 71* | 72* |
| Sunset | West of Vermont | 72* | 76* |
| Hollywood | Nichols Cyn - Gardner | 70* | 72* |
| Franklin | La Brea - Highland | 69* | 71* |
| Los Feliz | Griffin Park - Riverside Dr. | 71* | 73* |
| Mulholland | East of Laurel Cyn. | 61 | 66* |
| Barham | Hollywood Fwy - Forest Lawn | 70* | 71* |
| Crescent Heights | Fountain - Sunset | 68* | 71* |
| Fairfax | North of Fountain | 70* | 71* |
| Gardner | Fountain - Sunset | 64 | 67* |
| Gardner | Hollywood - Franklin | 67* | 69* |
| La Brea | Fountain - Franklin | 66* | 65* |
| Highland | South of Melrose | 69* | 71* |
| Gower | Fountain - Sunset | 64 | 70* |
| Wilton Pl | Melrose - Santa Monica | 66* | 67* |
| Western | Hollywood - Franklin | 67* | 69* |
| Normandie | Hollywood Fwy - Santa Monica | 66* | 69* |
| Vermont | Franklin - Los Feliz | 70* | 72* |
| Virgil | Melrose - Santa Monica | 64 | 69* |
| Hyperion | Griffin - Hollywood | 68* | 70* |
| Griffin Park | Los Feliz - Rowena | 65* | 69* |
| Rowena | Los Feliz - Griffin | 61 | 69* |
| Laurel | South of Mulholland | 66* | 69* |
| Outpost | Franklin - Mulholland | 64 | 63 |

Source: Terry A. Hayes Associates

* Exceeds City of Los Angeles threshold criteria.

Mitigation Measures

- Site preparation and construction activities should be limited to daytime weekday hours (7 a.m. to 5 p.m.). Mitigation of demolition and construction-related noise would result from compliance with City Ordinance No. 144,331.
- Construction equipment should be properly fitted with noise attenuation devices.

- On a project-specific basis, noise-generating activities should be adequately buffered from residences. Buffers would include the use of berms, walls and landscaping.
- For existing development as well as potential in-fill development, noise levels may not be mitigatable because of the extreme difficulty in placing noise walls or berms on arterial frontage. Because noise attenuation is not feasible, traffic-related noise impacts would be considered an unavoidable adverse impact of the Proposed Plan.

5.8 ENERGY AND UTILITIES

Existing Conditions

Natural gas, coal and oil are fossil fuels that are finite in quantity. A critical aspect of increasing the level and intensity of development is that these resources are non-renewable.

Storm Drains and Sewers -- According to individuals in the Department of Public Works, local sewers in Hollywood are being replaced, not because they are at or over capacity, but because they have deteriorated. Interceptor sewers, the mains over 15 inches in diameter, which carry sewage to the Hyperion sewage treatment facility, are at capacity in some locations.

Effluent from the Community Plan area is conveyed to the Hyperion Treatment Plant in Playa del Rey. The Plant has a design capacity of 420 million gallons per day (MGD); however, the net treatment capacity is 335 million gallons per day. Its service area includes most of the City of Los Angeles, the cities of Culver City, El Segundo, Santa Monica, San Fernando, Beverly Hills, Burbank, Glendale, and several unincorporated areas of the County of Los Angeles.

The Plant was designed and constructed in the 1950s with the capability to process 420 million gallons per day of wastewater. All flows receive primary treatment and 100 MGD receive secondary treatment through the activated sludge process. The treated effluent is discharged through a 5-mile ocean outfall into Santa Monica Bay. The sludge or solids retained by the primary and secondary treatment processes are biologically digested and until December 31, 1987, were discharged through a 7-mile outfall to the rim of a submarine canyon. Since December 31, 1987, the sludge has been dewatered and processed to recover energy, hauled to a sanitary landfill, used for soil amendment purposes, or handled in a combination of these disposal methods. Methane gas produced in the digestion process is used to power electrical generator and air compressor equipment for plant operations.

The Hyperion service area also includes two inland water reclamation plants, namely, the Los Angeles/Glendale Water Reclamation Plant (LAGWRP) and the Tillman Water Reclamation Plant (TWRP). The LAGWRP was completed in 1976 with the capability to treat 20 MGD of wastewater. The TWRP became operational in 1985 with a design capacity of 40 MGD. These upstream capacities reduce the need for construction of lengthy relief sewers and add potential for beneficial use of reclaimed water. These upstream plants will be expanded as necessary to treat increases in sewage volumes within their tributary area.

Many projects are under way and planned at the Hyperion Treatment Plant to provide a significant improvement in quality of the discharges to Santa Monica Bay. Recently completed and in the start-up/operational stage as of late 1987 is the Hyperion Energy Recovery System (HERS) which was designed to stop discharging sludge into Santa Monica Bay. By the HERS process, the sludge is dehydrated and combusted into ash which then is trucked offsite for reuse as a copperflux replacement. A highly usable byproduct of the HERS is steam which is harnessed to generate electricity for the plant.

The next major series of projects at HTP will provide full secondary treatment by December 31, 1998. Accomplishing full secondary treatment requires new facilities, refurbishing or modernizing others, as well as removing and replacing a number of facilities which have exceeded their useful life. When the projects become operational, only secondary effluent will continue to be discharged to the ocean. However, this effluent is available for appropriate applications.

Solid Waste Disposal -- The Hollywood Community Plan area is severely limited when it comes to available landfills for solid waste. There are no operating landfills within the Community Plan area. According to the Los Angeles County Department of Public Works, all residential pick-up is disposed of at Lopez Canyon. Other sites servicing the Hollywood area include Bradley West and Sunshine Canyon.

Moreover, only 10 landfills service all of Los Angeles County, and none of the surrounding counties, e.g. Orange, Riverside or San Bernardino, permit the importation of solid waste. As of December 1987, there are approximately 152 million tons of remaining capacity in Los Angeles County. However, due to permit inflow limitations and multiple operational constraints only 98 million tons are fully permitted.

Electrical Power -- The Los Angeles Department of Water and Power provides service to the Plan area. The policy of the Department of Water and Power is to provide electricity, as needed. According to department staff, the existing infrastructure is adequate to serve the projected year 2010 population in Hollywood.

Water Supply -- Water is supplied to the Community Plan area by the Los Angeles Department of Water and Power. According to department staff, the existing infrastructure is adequate to serve the projected year 2010 population in Hollywood.

Natural Gas -- The Northwest Division of the Southern California Gas Company provides service to the Community Plan area.

Environmental Effects

Sanitary Sewers -- Based on the level of residential and non-residential development anticipated with the Proposed Plan, wastewater generation would increase by approximately 6 million gallons per day (mgd) over existing levels (a 24 percent increase). In comparison the Current Plan would produce wastewater flows of 35 mgd over existing levels (a 148 percent increase). See Table 28.

The potential production of 30 mgd at buildout of the Proposed Plan would constitute approximately 9 percent of the 335 mgd capacity of the Hyperion Plant, compared to utilization of 18 percent of the plant's capacity if the Current Plan were built out. Furthermore, it should be recognized that the Proposed Plan's population capacity is tied directly to SCAG 82 growth forecast for 2010. This is the same forecast upon which Hyperion planning has been based. This consistency is a marked departure from past land use and zoning-based holding capacity estimates for community plan areas in Los Angeles. Thus, if the remaining community plan areas and jurisdictions within the Hyperion service area were also planned to reflect SCAG projections, then cumulative buildout levels would be consistent with planned and programmed improvements at Hyperion. Nevertheless, under present circumstances, build-out of the Proposed Plan would increase demand on the Hyperion treatment system.

TABLE 28
WASTE WATER GENERATION

| Use | Generation Rate* | Existing | | Proposed Plan | | Current Plan | |
|--------------|------------------|-----------|-------------|---------------|-------------|--------------|-------------|
| | | Units | MGD | Units | MGD | Units | MGD |
| Residential | 250 Gal/DU | 81,000 du | 20.3 | 93,000 du | 23.3 | 154,000 du | 38.5 |
| Non-Res. | 200 Gal/1000 sf | 17 mil sf | 3.4 | 31 mil sf | 6.2 | 101 mil sf | 20.2 |
| Total | | | 23.7 | | 29.5 | | 58.7 |

DU = dwelling unit; sf = square feet; mil = million; MGD = million gallons/day.

*Source: City of Los Angeles, EIR Manual. Non-residential rate assumes that an extensive amount of office space is included in the commercial and industrial categories.

Solid Waste Disposal -- There would also be an increase in the production of solid waste. At build-out for the Proposed Plan, approximately 447 tons per day would be generated within the Community Plan area (Table 29). In comparison, approximately 357 tons/day are generated daily under existing conditions. The resulting increase would be 86 tons daily (a 25 percent increase). Build-out of the Current Plan would generate 767 tons/day (a 115 percent increase over existing production). Nevertheless, buildout of the Proposed Plan would increase demand on existing landfills in Los Angeles County. The Proposed Plan would generate 1.2 million tons of solid waste over the 10-year period (approximately 377 tons per day average) from 1987 to 1997. This would constitute approximately 1 percent of the remaining county landfill capacity. In the year 2000 it is projected that there would be a countywide annual production of 18.6 million tons. Assuming straight-line growth, the Hollywood Community Plan area for that same year would represent approximately 1 percent of that total (127,300 tons/year).

Although the contribution of the Community Plan area is only a small proportion of the total remaining capacity, alternative action is needed because present landfill capacity in Los Angeles County is soon to be exhausted. According to the January 1988 Executive Summary, Solid Waste Management Status and Disposal Options in Los Angeles County, prepared by the staff of the City Bureau of Sanitation and the County Department of Public Works:

- By 1992 if existing sites are not expanded or new sites not developed there will be a countywide shortfall of 6,400 tons per day.
- By 1997, within the City of Los Angeles, there will be no remaining disposal capacity.

TABLE 29
DAILY SOLID WASTE GENERATION

| Use | Generation Rate* | Existing | | Proposed Plan | | Current Plan | |
|-------------|------------------|-----------|------|---------------|------|--------------|------|
| | | Units | Tons | Units | Tons | Units | Tons |
| Single Res. | 20 lbs/du/day | 18,000 du | 180 | 21,000 du | 210 | 21,000 du | 210 |
| Multi Res. | 4 lbs/du/day | 63,000 du | 126 | 72,000 du | 144 | 133,000 du | 266 |
| Non-Res. | 6 lbs/1000sf/day | 17 mil sf | 51 | 31 mil sf | 93 | 97 mil sf | 291 |
| Total | | | 357 | | 447 | | 767 |

DU = dwelling unit; sf = square feet; mil = million;

*Source: City of Los Angeles, EIR Manual. Non-residential rate assumes an extensive amount of office space is included in the commercial and industrial categories.

Electrical Power -- The Proposed Plan would increase electrical energy requirements over existing levels (See Table 30). Based on typical usage factors, it is estimated that currently 710 million kilowatt hours are used in the Plan revision area. The Proposed Plan would increase this demand to approximately 1 billion kilowatt hours (a 41 percent increase). The Current Plan would increase demand to approximately 2.5 billion annual kilowatt hours

(a 260 percent increase). To provide a context for these electricity demand levels, the Los Angeles Department of Water and Power indicates that 20.3 billion kilowatt hours were sold by the Department in the 1985-86 period.⁴ Annual projections for future years from the Department are over 25 billion kilowatt hours. Thus, electrical needs in the Hollywood Community Plan area would constitute 2-3 percent of the demand anticipated by DWP.

⁴. Source: City of Los Angeles, Department of Water and Power, Statistics, Fiscal Year 1985-1986.

TABLE 30
ANNUAL ELECTRICAL CONSUMPTION

| Use | Generation Rate* | Existing | | Proposed Plan | | Current Plan | |
|-------------|------------------|-----------|------|---------------|------|--------------|-------|
| | | Units | MKWH | Units | MKWH | Units | MKWH |
| Residential | 5,172 kwh/du/yr | 81,000 du | 419 | 93,000 du | 471 | 154,000 du | 796 |
| Non-Res. | 17.1 kwh/sf/yr | 17 mil sf | 289 | 31 mil sf | 530 | 97 mil sf | 1,659 |
| Total | | | 708 | | 971 | | 2,555 |

DU = dwelling unit; sf = square feet; mil = million; MKWH = Million kilowatt hours
*Source: South Coast Air Quality Management District, Air Quality Impact Handbook, April 1987. Non-residential rate assumes an extensive amount of office space is included in the commercial and industrial categories.

Water Supply -- There will be an increase in demand for water in the Community Plan area. Total consumption would be approximately 54 million gallons per day (mgd) when the maximum allowed development level is reached under the Current Plan (Table 31). In comparison, the existing consumption level is estimated at 21.5 mgd, and the Proposed Plan would result in consumption of approximately 26 mgd.

The Department of Water and Power estimates current water use in the city at 583.7 million gallons per day. By the year 2010, the Department projects that water use citywide will be approximately 663.8 million gallons daily, a 13 percent increase. The comparable increase in water use for Hollywood during this same period would be 21 percent with build-out of the Proposed Plan. Thus, permitted growth in the Community Plan area would have a disproportionate impact on citywide water resources. Retention of the Current Plan would exacerbate this problem.

TABLE 31
DAILY WATER CONSUMPTION

| Consumption Rate* | Existing | | Proposed Plan | | Current Plan | | |
|-------------------|----------|---------|---------------|---------|--------------|---------|------|
| | Persons | MGD | Persons | MGD | Persons | MGD | |
| Population | 120 gpcd | 170,000 | 20.4 | 199,000 | 23.9 | 389,000 | 46.7 |
| Employment | 30 gpcd | 37,400 | 1.1 | 65,000 | 2.0 | 233,000 | 7.0 |
| Total | | | 21.5 | | 25.9 | | 53.7 |

MGD = million gallons per day; gpcd = gallons per capita per day.

*Source: City of Los Angeles, EIR Manual. Non-residential rate assumes an extensive amount of office space is included in the commercial and industrial categories.

1. See Department of Water and Power, Urban Water Management Plan, December 1985, Exhibit 3.3-2.

Natural Gas -- There will be an increase in demand for natural gas in the Community Plan area. At buildout for the Proposed Plan, approximately 5.8 billion cubic feet of natural gas would be required (Table 32). This would increase existing consumption of natural gas by almost 1 billion cubic feet annually.

TABLE 32
ANNUAL NATURAL GAS CONSUMPTION

| Use | Generation Rate* | Existing | | Proposed Plan | | Current Plan | |
|-------------|------------------|-----------|------|---------------|------|--------------|-------|
| | | Units | MCF | Units | MCF | Units | MCF |
| Single Res. | 6,665 cf/mo/du | 18,000 du | 1440 | 21,000 du | 1680 | 21,000 du | 1680 |
| Multi. Res. | 3,918 cf/mo/du | 63,000 du | 2962 | 72,000 du | 3385 | 133,000 du | 6253 |
| Non-Res. | 2.0 cf/mo/sf | 17 mil sf | 408 | 31 mil sf | 744 | 97 mil sf | 2328 |
| Total | | | 4810 | | 5809 | | 10261 |

DU = dwelling unit; sf = square feet; mil = million; MCF = Million cubic feet

*Source: South Coast Air Quality Management District, Air Quality Impact Handbook, April 1987. Non-residential rate assumes an extensive amount of office space is included in the commercial and industrial categories.

Mitigation Measures

- Energy. On a project-specific basis, compliance with energy conservation requirements contained in the California Administrative Code, Title 24, Building Standards will provide energy conservation benefits.
- Sewer. Development should be permitted when phased with improvements in the local sewer lines, as well as at Hyperion. This phasing should be undertaken for all community plans in the Hyperion service area. Holding capacities in each Plan area should be consistent with SCAG growth forecast.
- Water Supply - The Proposed Plan should encourage the use of water conservation measures consistent with the Department of Water and Power's Urban Water Management Plan.
- Solid Waste. Disposal of solid waste is and will become an increasing problem in Los Angeles County. Potential mitigation measures should include some combination of the following: 1) recycling of residential, landfill and commercial/industrial waste materials, particularly a City-sponsored curbside recycling program, 2) composting, 3) refuse-to-energy projects, 4) expansion of existing landfill sites.
- Electricity and Natural Gas - No mitigation required.

5.9 EARTH

Existing Conditions

The Seismic Safety Plan, which was adopted in 1974, identifies "fault rupture study areas" and "slope stability study areas" and identifies policies and programs to mitigate potential injuries and property damage in these areas. The Santa Monica Fault, a potentially active fault, the precise location of which is not known, is thought to run more-or-less parallel to and south of Los Feliz Boulevard from the vicinity of La Brea/Fountain avenues to the vicinity of Hyperion Avenue/Riverside Drive. Another potentially active fault is thought to run through the northeast portion of Griffith Park. Areas of Hollywood north of Hollywood Boulevard are considered to be slope stability study areas. No Alquist-Priolo Special Studies Areas, designated by the State of California Division of Mines and Geology, are located within the Plan area. In addition to seismic constraints, major community concerns have developed regarding hillside development, and grading and landslide potential.

Environmental Effects

As is common in the Southern California region, there will be continued risks of human injury and property damage because of potential regional earthquakes. Regardless of the land use plan implemented, there will be a continued risk of human injury and property damage because of potential regional earthquakes.

Because there would be a relatively higher degree of risk in densely developed/high-rise areas than in low-rise single-family residential areas. The elimination of high density residential categories in Proposed Plan would contribute to minimizing the degree of risk.

Continued development in the Hollywood Hills will raise concerns regarding grading practices and landslide potential.

Mitigation Measures

- Compliance of all affected projects with the provision of the Seismic Safety element and the requirement to prepare a geologic and soils report, when the project is located in a "detailed study area", when so designated in the Seismic Safety element.
- Adherence to the Standard Grading Specifications provided by the required Geological Report.
- Requirement that all projects satisfy the Department of City Planning's "Planning Guidelines Landform Grading Manual."
- On a project-specific basis, compliance with the Los Angeles City Building Code would minimize adverse grading and earth moving-related impacts. Similarly, compliance with applicable City building codes on a project-specific basis would reduce potential seismic-related impacts to an acceptable level of risk.

5.10 DRAINAGE

Existing Conditions

A large portion of the Hollywood Community Plan area is designated a hillside area, subject to the Flood Hazard Management Ordinance. In addition, Flood Insurance Rate Maps (FIRM) available from the Federal Emergency Management Agency indicate there are scattered locations throughout the Plan area subject to flooding, including:

- La Rocha Drive
- Beachwood Drive (north of Franklin Avenue)
- Greek Theatre vicinity
- Mariposa Avenue (south of Franklin Avenue)
- Griffith Park Boulevard (south of Hyperion Avenue)
- Area north of the Pan Pacific Auditorium (Beverly Blvd at Stanley)
- Myra Avenue south of Effie Street
- Pass Avenue
- Laurel Canyon Boulevard
- Nichols Canyon Road
- Fuller Avenue (north of Hollywood Boulevard)
- El Cerrito/Sycamore (north of Hollywood Boulevard)
- Area generally bounded by Hollywood Boulevard, Laurel Avenue, Fountain Avenue, and Formosa Avenue.

Environmental Effects

Runoff: The Proposed Plan would continue to permit hillside development. As a result, there would be some increase in impervious surface and consequent increase in stormwater runoff.

Flooding: The Proposed Plan would have no discernible effect on existing flooding patterns. With the exception of the canyon drainages, most flood-prone areas identified are in urbanized and developed areas. As noted above, it is not the intent of the Proposed Plan to be a major stimulant for land use change and redevelopment in existing neighborhoods.

Mitigation Measures

On a project-specific basis, all development would comply with the provisions of the Flood Hazard Management Specific Plan and any additional requirements that may be identified by the Bureau of Engineering.

5.11 NATURAL RESOURCES

Existing Conditions

There are no designated sand and gravel districts or oil drilling districts within the Plan area. No urban drill sites are located within the area, and no oil fields are known to exist. There is no agricultural cropland within the Plan area.

Environmental Effects

No adverse impacts on natural and/or mineral resources are anticipated.

Mitigation Measures

None required.

5.12 PLANT AND ANIMAL LIFE

Existing Conditions

The Conservation Element of the City of Los Angeles General Plan identifies Griffith Park as an "Area of Major Wildlife Concentration." No other areas in the Hollywood Community Plan area are identified. Outside of the boundaries of Griffith Park, the remaining undeveloped portions of the Hollywood Hills serve as habitat for a wide variety of plants and animals.

Environmental Effects

The Proposed Plan would not affect the geographic boundaries of Griffith Park, nor would development be permitted in the park. The Proposed Plan would, however, continue to permit hillside development. The development of residences in this area would remove undeveloped and natural areas. Plant and animal habitats would be displaced.

Mitigation Measures

- Compliance with provisions of the Department of Building and Safety to minimize grading.
- On a project-specific basis, all grading should be completed on a "unitized" basis such that grading would occur only at times and in areas where construction is to be undertaken.
- Subsequent environmental review of specific hillside projects, particularly residential subdivisions, should directly consider impacts on habitat and wildlife and the potential occurrence of any state and/or federally listed threatened or endangered species.

5.13 CULTURAL AND HISTORIC RESOURCES

Existing Conditions

Hollywood is recognized throughout the world as the center of the motion picture industry. It was the historic cradle and site of the period of intensive growth within the industry. Between 1915 and 1935, Hollywood underwent rapid residential and commercial development, largely due to the growing film industry. Many architecturally significant structures and neighborhoods remain in the area.

Of the 335 Cultural Historic Monuments recognized by the City, 43 of these are located in the Hollywood Community Plan area. A survey conducted by Hollywood Heritage for the Community Redevelopment Agency within and around the Redevelopment Project area concluded that over 170 structures were eligible or appeared to be eligible for listing on the National Register of Historic Places.

As a result of its high visibility and close association with the motion picture industry, Hollywood is historically significant at the local, state, national and international levels. Neighborhoods and areas of historical and architectural interest include:

- Hollywood Crescent
- Franklin West
- Spaulding Square
- Hollywood Heights
- Ogden Drive
- Hollywoodland
- South Los Feliz
- Melrose Hill (HPOZ adopted 1/20/88)
- Whitley Heights
- Hollywood Boulevard Commercial and Entertainment District

Environmental Effects

The Proposed Plan revision cannot directly address the preservation of cultural resources. The Proposed Plan does, however, scale back development potentials and thus reduces the incentive to redevelop historic and cultural resource properties. Without the enforcement inherent in Specific Plans or in the adoption of an Historic Preservation Overlay Zone, the Plan cannot guarantee the preservation of historic resources.

Mitigation Measures

Prepare a historic and architectural survey of the Plan area outside of the Redevelopment Project. Based on the survey develop specific plans and/or adopt Historic Preservation Overlay Zones. See Section 5.4 (Urban Design) for an additional discussion of possible mitigation steps.

6.0 UNAVOIDABLE ADVERSE EFFECTS

The Proposed Plan would result in environmental impacts which cannot be fully mitigated. In general, these unavoidable impacts consist of:

- The potential for residential and commercial displacement resulting from the redevelopment of properties to higher densities.
- The potential for loss of historically significant buildings or areas resulting from the redevelopment of properties to higher densities.
- Increased demand on schools.
- Inability to satisfy the City's parkland-to-population criteria.
- Traffic delays and congestion.
- Traffic-related noise levels adjacent to major and secondary highways in excess of City standards.
- Continued hillside development, including the removal of natural areas and the alteration of existing views and vistas.
- Increased use of extremely limited landfill resources for solid waste disposal.

7.0 ALTERNATIVES CONSIDERED

7.1 DESCRIPTION OF ALTERNATIVES

The No Project Alternative: Throughout this report, the Proposed Plan has been directly compared to the No Project Alternative (retaining the Current Hollywood Community Plan). As has been noted, the Current Plan would provide for more population, housing and employment capacity than the Proposed Plan. This assessment shows, however, that neither the existing nor a fully improved transportation network can provide acceptable service at the levels of residential and non-residential development contemplated in the Current Plan. From a neighborhood and historic preservation perspective, the Current Plan would raise the potential for redevelopment to higher densities, and, as a result, neighborhood and historic resources would likely be lost. With respect to other public services and facilities, the substantial growth above existing levels permitted by the Current Plan would generate severe demands and pressures.

Non-Residential Alternative 1: The transportation section of this report fully documents an evaluation of the impacts of permitting existing non-residential development to develop to a floor to lot area ratio of 1.5:1 (called Alternative 1). In this regard, the transportation analysis demonstrates that this alternative is also unworkable. Trips generated by this level of development cannot be accommodated by the local street system, even with operational and capacity improvements.

Non-Residential Alternative 3: This alternative would remove non-conforming commercial and industrial uses and would allow residential development in these areas as originally designated in the Current Hollywood Community Plan. This alternative, however, would not reduce the total permitted commercial/industrial development in the Plan area. As a result, it would not substantially reduce traffic and circulation impacts. In addition, this alternative would impose substantial hardships on many businesses that serve the community. Most of the commercial areas that would be eliminated (like the Hillhurst, Fountain, Laurel Canyon and Melrose shopping areas) provide valuable services to nearby residents. The alternative would also be contrary to the objective of providing commercial services that are easily accessible to residents.

Residential Alternatives: Several alternatives for distributing additional residential development were considered, including concentrating development around future Metro Rail stations or adjacent to neighborhood centers. These options were not considered further because the greater amount of residential development could not be reconciled with two basic plan revision objectives: 1) accommodate only year 2010 population growth plus a 10 to 15 percent buffer, and 2) create cohesive neighborhoods by permitting only enough new housing to provide an overall uniformity of building types, compatible with existing residences.

No Growth Alternative: The purpose of the plan revision process was to establish a means to accommodate growth levels projected in the SCAG-82 population forecast. An alternative to consider less growth than the adopted forecast was not considered.

7.2 COMPARISON OF ALTERNATIVES

The No Project Alternative (Current Plan) would allow for a population and housing capacity substantially greater than the Proposed Plan. It should be recognized that the Current Plan would permit development that would greatly exceed the SCAG year 2010 population projections for the Hollywood Community Plan area. Non-residential alternatives 1 and 3 would also permit development of commercial, office and industrial development levels greater than the Proposed Plan. This additional permitted growth must be weighed, however, against the findings of this report that demonstrate that the arterial and street system in Hollywood (even when improved to Community Plan standards) cannot accommodate substantial new trips, particularly commercial/office/industrial-related trips.

The added growth potentials of the Current Plan would also negatively contribute to impacts on public services and facilities, particularly schools, parks, sewer treatment capacity and landfill capacity. The greater number of vehicle trips potentially generated by the Current Plan or the non-residential alternatives along with attendant increases in congestion and delays would result in substantially greater air pollution emissions than the Proposed Plan.

From a land use perspective, any alternative should be accompanied by the adoption of development standards for residential and commercial areas in Hollywood. Without consideration of the mitigation effects of development standards, the Current Plan would continue to allow a level of development, particularly high density residential and office/commercial projects, that could foster land use conflicts and incompatibility, including parking conflicts, height conflicts, shade/shadow effects, obstruction of views and vistas and other potential nuisances. The Proposed Plan which has focused largely on matching existing densities and preserving the existing character of areas would minimize adverse land use impacts. Also the Proposed Plan, by scaling back development levels to match existing levels, reduces the incentive to redevelop. This effect is a particular benefit to historic properties and areas. In contrast, the higher development potential of the Current Plan or the other non-residential alternatives would provide incentives to redevelop historic resources. Thus, from both the perspective of transportation and land use, the Proposed Plan is environmentally superior to alternatives that would allow greater amounts of development.

When compared to a No-Growth option, the Proposed Plan is not environmentally superior due to the fact that there would be some increase in development potential over existing levels. Current environmental problems (traffic-related air pollution, for example) would be exacerbated. It should be recognized, however, that an alternative to limit growth to existing levels, if not enacted citywide, would simply channel development to other parts of the city or county where there is less restriction and any adverse impacts would be shifted to other areas.

8.0 LONG-TERM IMPLICATIONS OF THE PROPOSED PROJECT

8.1 THE RELATIONSHIP BETWEEN LOCAL SHORT-TERM USES OF THE ENVIRONMENT AND THE MAINTENANCE AND ENHANCEMENT OF LONG-TERM PRODUCTIVITY

A significant portion of the Hollywood Community Plan area includes hillside and canyons in the Hollywood Hills. The 4,108-acre Griffith Park area would not be affected by the Proposed Plan. The Plan does, however, anticipate the continued development of residences in hillside areas.

8.2 IRREVERSIBLE ENVIRONMENTAL CHANGES RESULTING FROM IMPLEMENTATION OF THE PROPOSED COMMUNITY PLAN REVISION

Build-out of development consistent with the densities and land uses allowed in the Hollywood Community Plan would ultimately involve the irreversible commitment of limited resources including energy, water, and land. New development would require the commitment of land to residential, commercial, office and industrial uses. The Proposed Plan would permit the continued development of the Hollywood Hills.

8.3 GROWTH-INDUCING IMPACTS OF THE PROPOSED COMMUNITY PLAN REVISION

Comparison to Existing Conditions. The build-out of the Proposed Plan Revision would permit a capacity of approximately 93,000 dwelling units outside of the Redevelopment area, and 31 million square feet of non-residential development. This land use development potential would translate into a population capacity for 199,000 persons and for approximately 65,000 jobs. Compared to existing population and employment (170,000 population and 37,400 employment), this change would represent a 17 percent growth in population and 73 percent growth in employment.

Comparison to the Current Plan. It should be recognized, however, that while the Proposed Plan would allow increases above existing levels, the proposed revision reduces the potential build-out levels permitted by the Current Plan. The population capacity would be reduced from 389,000 persons to 199,000 persons (a reduction of 49 percent) and employment capacity would be reduced from 233,000 jobs to 65,000 jobs (a reduction of 72 percent).

Comparison to Regional Growth Projections. From a regional perspective, the Southern California Association of Governments (SCAG) has indicated that the Hollywood Community Plan area is located within Regional Statistical Area (RSA) No. 17. The 1984 SCAG estimate for the RSA was a population of 1,026,000 persons and 604,500 jobs. Of these totals, the Plan area represents approximately 11 percent of the RSA population and 6 percent of the employment.

SCAG has forecasted that by 2010 there will be 1,181,000 persons in the RSA and 696,600 jobs. The Proposed Plan area population capacity (199,000) would represent 19 percent of the total RSA population, and the Proposed Plan employment capacity of 65,000 jobs would represent 9 percent of the employment in the RSA. These statistics suggest that the population growth in the Plan area is consistent with 2010 regional growth projections and that the employment capacity is slightly higher than the 2010 regional projection.

8.4 CUMULATIVE IMPACTS

This report has evaluated the potential environmental impacts resulting from the maximum build-out of the Hollywood Community Plan Area under the Proposed Revision. No specific projects or development proposals have been considered as part of this analysis; however, evaluation of the Community Plan Revision has been considered in the context of the population, housing, and employment projections prepared by the Southern California Association of Governments for the year 2010. The traffic analysis, in particular, considered the combined effect of locally generated traffic and future regional traffic on the Hollywood Community Plan street network. Specific impacts that would result from the combined effect of the Proposed Plan and growth and development in adjacent community plan areas and jurisdictions would include:

- Negative effect on the Jobs-Housing Balance
- Increased trip making and traffic congestion
- Increased vehicular and stationary emissions
- Increased demand on schools
- Increased demand for parks
- Increased demand for police and fire services
- Increased demand on sewers and treatment capacity at Hyperion.
- Accelerated use of existing landfills
- Increased demand on utilities and energy sources

3.0 ORGANIZATIONS AND PERSONS CONSULTED

1. California Department of Fish and Game, John Hernandez, Warden.
2. California Regional Water Quality Control Board, Los Angeles Region, Michael L. Sowby, Environmental Specialist IV (Letter response to NOP)
3. City of Glendale, Planning Division, Gerald Jamriska, Director of Planning (Letter response to NOP)
4. City of Los Angeles, Bureau of Engineering, Land Development, Edmond Yew (Memo response to NOP)
5. City of Los Angeles, Department of City Planning, Community Planning Division, Michael Davies.
6. City of Los Angeles, Department of Recreation and Parks, Alonzo Carmichael, Planning Officer.
7. City of Los Angeles, Department of Transportation, Allyn Rifkin.
8. City of Los Angeles, Department of Water and Power, Edward Karapetian, Engineer of Environmental and Governmental Affairs (Letter response to NOP)
9. City of Los Angeles, Department of Water and Power, Mr. Collins.
10. City of Los Angeles, Fire Department, Bureau of Fire Prevention, James W. Young, Assistant Bureau Commander (Letter response to NOP)
11. City of Los Angeles, Fire Department, Captain Cooper and Inspector Justice.
12. City of Los Angeles, Police Department, Sergeant Bryan Galbraith.
13. City of Los Angeles, Public Works Department, Storm Drains and Sewers, Mr. Estilban, and Bob Kimora.
14. City of Los Angeles, Public Works Department, Wastewater, Sam Feruta.
15. City of Los Angeles, Robert S. Horii, City Engineer (Letter response to NOP)
16. County of Los Angeles, Department of Public Works, N. C. Datwyler, Assistant Deputy Director, Planning Division (Letter response to NOP)
17. County of Los Angeles, Department of Public Works, Michael Mohajer.
18. Los Angeles Unified School District, Robert J. Niccum, Director of Real Estate (Letter response to NOP)
19. Los Angeles Unified School District: Jean Acosta; Jackie Goldberg, member, Los Angeles City Board of Education; Dominic Shambra, administrator, Special Projects.

20. Nature Center Association

21. Santa Monica Mountains Conservancy, John Diaz, Conservancy Analyst.

22. Southern California Association of Governments, Richard Spicer, Principal Planner (Letter response to NOP)

23. Southern California Rapid Transit District, Gary S. Spivack, Director of Planning (Letter response to NOP)

PREPARERS OF THE PLAN REVISION AND EIR

Plan Preparation

Gruen Associates
6330 San Vicente Boulevard
Los Angeles, CA 90048

Pat Smith
Fran Offenhauser
Jennifer Davis
Sung-Joon Hong

Transportation Analysis

Kaku Associates
1427 Santa Monica Mall
Santa Monica, CA

Dick Kaku
Tom Gaul
Eric Jacobson

EIR Preparation:

Terry A. Hayes Associates
4221 Wilshire Boulevard, Suite 240
Los Angeles, California 90010

Terry A. Hayes
Marian Miller
Pamela Abrams

10.0 REFERENCES

- City of Los Angeles Bureau of Engineering, City of Los Angeles 5 Year Capital Improvement Program, 1986-87.
- City of Los Angeles Bureau of Engineering, City of Los Angeles 5 Year Capital Improvement Program, 1990-91.
- City of Los Angeles Bureau of Engineering, 1986-87 Street Improvement & Storm Drain Program, Volume 1.
- City of Los Angeles Bureau of Engineering, Pictorial Guide.
- City of Los Angeles, Department of City Planning, Environmental Review Section, Environmental Impact Process for Private Projects, August 1975.
- City of Los Angeles, Department of City Planning, Hollywood Community Plan, 1973.
- City of Los Angeles, Department of City Planning, Seismic Safety Plan, September 1975
- City of Los Angeles, Department of Public Works, Bureau of Sanitation; County of Los Angeles, Department of Public Works; and Los Angeles County Sanitation Districts, Solid Waste Management Department, Executive Summary: Solid Waste Management Status and Disposal Options in Los Angeles County, January 1988.
- City of Los Angeles, Department of Water and Power, September 1987 Load Forecast.
- Environmental Science Associates, Hollywood Redevelopment Project Environmental Impact Report, January 1986.
- Gruen Associates, Background Report: Hollywood Community Plan Revision, July 15, 1987.
- Donald R. Howery, General Manager, Department of Transportation, memorandum to Councilman Mike Woo, Chairman, Transportation and Traffic Committee, June 2, 1987. subject "8-Point Transportation Action Plan, Motion No. 5 - Increase Street Capacity, Council File No. 87-0267."
- Kaku Associates, Transportation/Circulation Analysis for the Hollywood Community Plan Revision Environmental Impact Report, January 1986.
- Los Angeles County, Solid Waste Management Plan Triennial Review, Volume I: Nonhazardous Waste, March 1984, and Revision A, August 1985.
- Los Angeles County Department of Public Works, Los Angeles County Hazardous Waste Management Plan, Volume I: The Plan, Draft, December 1987.
- Parsons Brinckerhof Quade & Douglas, Hollywood Circulation Study, December 1985.

Recht Hausrath & Associates, "Hollywood Transportation Study: Detail for Land Use and Employment Projections" (Supplement to Technical Memorandum 2, Real Estate Market Forecasts), September 1987.

South Coast Air Quality Management District, Air Quality Handbook for Environmental Impact Reports, revised December 1983.

Southern California Association of Governments, Facts About Growth

Southern California Association of Governments, Regional Institute of Southern California; SCAG 82 Modified Growth Forecast, 8/13/85

State of California Air Resources Board Aerometric Data Division, California Air Quality Data: Summary of 1986 Air Quality Data, Gaseous and Particulate Pollutants, 1987.

State of California, Air Resources Board, Air Quality Analysis Tools, March 1983

State of California, Air Resources Board, Guidelines for Air Quality Impact Assessments, Report No. RP-83-003, March 14, 1984.

State of California, Department of Mines and Geology, Fault-Rupture Hazard Zones in California, Special Publication 42, Revised 1985.

U.S. Department of Agriculture, Soil Conservation Service, Soil Report for Los Angeles County, California, September 1969

U.S. Department of Transportation, Federal Highway Administration, FHWA Highway Traffic Noise Prediction Model, December 1978.

APPENDIX A
INITIAL STUDY

City of Los Angeles
Office of the City Clerk
Room 395, City Hall
Los Angeles, CA 90012

CALIFORNIA ENVIRONMENTAL QUALITY ACT

NOTICE OF PREPARATION

(Article VI, Section 2 - City CEQA Guidelines)

TO: RESPONSIBLE OR TRUSTEE AGENCY

FROM: LEAD AGENCY

City of Los Angeles
Department of City Planning
Community Planning Division
200 N. Spring Street, Room 505
Los Angeles, CA 90012

SUBJECT: NOTICE OF PREPARATION OF A DRAFT ENVIRONMENTAL IMPACT REPORT

Project Title: Hollywood Community Plan Revision

Project Applicant: City of Los Angeles, Dept. of City Planning

Case Number: 18473

The City of Los Angeles will be the Lead Agency and will prepare an environmental impact report for the project identified above. We need to know the views of your agency as to the scope and content of the environmental information which is germane to your agency's statutory responsibilities in connection with the proposed project. Your agency will need to use the EIR prepared by this City when considering your permit or other approval for the project.


The project description, location and the probable environmental effects are contained in the attached materials.

A copy of the Initial Study is attached.

A copy of the Initial Study is not attached.

Due to the time limits mandated by state law, your response must be sent at the earliest possible date but not later 30 days after receipt of this notice.

Please send your response to Michael Davies at the address of the lead City Agency as shown above. We will need the name of a contact person in your agency.


Signature

City Planner
Title

(213)485-2478
Telephone No.

11-12-87
Date

INITIAL STUDY AND CHECKLIST

LEAD AGENCY: City of Los Angeles, Department of City Planning
 COUNCIL DISTRICT: 4, 5, and 13
 PROJECT TITLE/NO. Hollywood Community Plan Revision
 CASE NO. 18473

PREVIOUS ACTIONS CASE NO. Not applicable
 DOES have significant changes from previous actions.
 DOES NOT have significant changes from previous actions.

PROJECT DESCRIPTION: The proposed revision would modify and reduce residential and commercial development levels allowed under the existing Hollywood Community Plan, adopted in 1973. Objectives of the revision are: 1) to accommodate the year 2010 projected population plus a 10-15% buffer, 2) provide community-serving commercial uses in small centers in areas outside of the Hollywood Redevelopment Plan area, 3) concentrate major commercial development within the redevelopment plan area, 4) define a transportation system that works in conjunction with the land use plan, and 4) establish community-wide development standards.

PROJECT LOCATION: See Figures 1 and 2, attached. The area is located within central portion of the City of Los Angeles, approximately 3 miles northwest of the Los Angeles central business district.

PLANNING DISTRICT: Hollywood

STATUS: Preliminary
 Proposed
 Adopted

| EXISTING ZONING: | MAX DENSITY ZONING | PROJECT DENSITY |
|-------------------------|--------------------|--|
| Various | Various | Various |
| PLANNED LAND USE & ZONE | MAX DENSITY PLAN | <input type="checkbox"/> Does conform to plan |
| Various | Various | <input checked="" type="checkbox"/> Does not conform to plan |
| | | <input type="checkbox"/> No district plan |

DETERMINATION:

I find the proposed project COULD NOT have a significant effect on the environment and a NEGATIVE DECLARATION will be prepared.

I find that although the proposed project could have a significant effect on the environment, there will not be a significant effect in this case because the mitigation measures described on an attached sheet have been added to the project. A MITIGATED NEGATIVE DECLARATION WILL BE PREPARED (See attached conditions).

I find the proposed project MAY have a significant effect on the environment and a ENVIRONMENTAL-IMPACT REPORT is required.



Signature

CITY PLANNER
 Title





Figure 1
Regional Location



INITIAL STUDY CHECKLIST

BACKGROUND

PROPOSER NAME:
City of Los Angeles, Department of City Planning

PHONE:
(213) 485-2478

PROPOSER ADDRESS:
200 N. Spring Street, City Hall, Room 505, Los Angeles, CA 90012

AGENCY REQUIRING CHECKLIST:

DATE SUBMITTED:

PROPOSAL NAME:
Hollywood Community Plan Revision

ENVIRONMENTAL IMPACTS

1. EARTH. Will the proposal result in:
 - a. Unstable earth conditions or in changes in geologic substructures?
 - b. Disruptions, displacements, compaction or overcovering of the soil?
 - c. Change in topography or ground surface relief features?
 - d. The destruction, covering or modification of any unique geologic or physical features?
 - e. Any increase in wind or water erosion of soils, either on or off the site?
 - f. Changes in deposition or erosion of beach sands, or changes in siltation, deposition or erosion which may modify the channel of a river, stream or the bed of the ocean or any bay, inlet or lake?
 - g. Exposure of people or property to geologic hazards such as earthquakes, landslides, mudslides, ground failure or similar hazards?

2. AIR. Will the proposal result in:
 - a. Air emissions or deterioration of ambient air quality?
 - b. The creation of objectionable odors?
 - c. Alteration of air movement, moisture or temperature, or any change in climate, either locally or regionally?
 - d. Expose the project residents to severe air pollution conditions?

3. WATER. Will the proposal result in:
 - a. Changes in currents, or the course or direction of water movements in either marine or fresh waters?
 - b. Changes in absorption rates, drainage patterns, or the rate and the amounts of surface water runoff?
 - c. Alterations to the course or flow of floodwater?
 - d. Change in the amount of surface in any water body?
 - e. Discharge into surface waters, or in any alteration of surface water quality, including but not limited to temperature, dissolved oxygen or turbidity?
 - f. Alteration of the direction or rate of flow of ground waters?
 - g. Change in the quantity of ground waters, either through direct additions or withdrawals, or through interception of an aquifer by cuts or excavations?

| YES | MAYBE | NO |
|-----|-------|----|
| | | X |
| | X | |
| | X | |
| | | X |
| | | X |
| | | X |
| | X | |
| | | X |
| | X | |
| | | X |
| | | X |
| | X | |
| | | X |
| | | X |
| | | X |
| | | X |
| | | X |
| | | X |
| | | X |

11. POPULATION. Will the proposal result in:

- a. The relocation of any persons because of the effects upon housing, commercial or industrial facilities?
- b. Change in the distribution, density or growth rate of the human population of an area?

12. HOUSING. Will the proposal:

- a. Affect existing housing, or create a demand for additional housing?
- b. Have an impact on the available rental housing in the community?
- c. Result in demolition, relocation, or remodeling of residential, commercial, or industrial buildings or other facilities?

13. TRANSPORTATION/CIRCULATION. Will the proposal result in:

- a. Generation of additional vehicular movement?
- b. Effects on existing parking facilities, or demand for new parking?
- c. Impact on existing transportation systems?
- d. Alterations to present patterns of circulation or movement of people and/or goods?
- e. Alterations to waterborne, rail or air traffic?
- f. Increases in traffic hazards to motor vehicles, bicyclists or pedestrians.

14. PUBLIC SERVICES. Will the proposal have an effect upon, or result in a need for new or altered governmental services in any of the following areas:

- a. Fire Protection?
- b. Police Protection?
- c. Schools?
- d. Parks or other recreational facilities?
- e. Maintenance of public facilities, including roads?
- f. Other governmental services?

15. ENERGY. Will the proposal result in:

- a. Use of exceptional amounts of fuel or energy?
- b. Increase in demand upon existing sources of energy, or require the development of new sources of energy?

16. ENERGY. Will the proposal result in:

- a. Use of exceptional amounts of fuel or energy?
- b. Significant increase in demand upon existing sources of energy, or require the development of new sources of energy?

17. UTILITIES. Will the proposal result in a need for new systems, or alterations to the following utilities:

- a. Power or natural gas?
- b. Communications systems?
- c. Water?
- d. Sewer or septic tanks?
- e. Storm water drainage?
- f. Solid waste and disposal?

| YES | MAYBE | NO |
|-----|-------|----|
| | X | |
| X | | |
| X | | |
| | | X |
| | X | |
| X | | |
| X | | |
| X | | |
| | | X |
| | | X |
| X | | |
| X | | |
| X | | |
| X | | |
| | | X |
| | X | |
| | | X |
| | X | |
| | | X |
| | X | |
| | X | |
| | X | |
| | X | |
| | X | |

| | YES | MAYBE | NO |
|--|-----|-------|----|
| 18. HUMAN HEALTH. Will the proposal result in: | | | |
| a. Creation of any health hazard or potential health hazard (excluding mental health)? | | | X |
| b. Exposure of people to health hazards? | | | X |
| 19. AESTHETICS. Will the proposed project result in: | | | |
| a. The construction of any scenic vista or view open to public? | X | | |
| b. The creation of an aesthetically offensive site open to public view? | | | X |
| c. The destruction of a stand of trees, a rock outcropping or other locally recognized desirable aesthetic natural feature? | | | X |
| d. Any negative aesthetic effect? | | | X |
| 21. RECREATION. Will the proposal result in an impact upon the quality or quantity of existing recreational opportunities. | | | X |
| 22. CULTURAL RESOURCES. | | | |
| a. Will the proposal result in the alteration of or the destruction of a prehistoric or historic archaeological site? | X | | |
| b. Will the proposal result in adverse physical or aesthetic effects to prehistoric or historic building, structure or object? | X | | |
| c. Does the proposal have the potential to cause a physical change which would affect unique ethnic cultural values? | | | X |
| d. Will the proposal restrict existing religious or sacred uses within the potential impact area? | | | X |
| 23. MANDATORY FINDINGS OF SIGNIFICANCE. | | | |
| a. Does the project have the potential to degrade the quality of the environment, substantially reduce the habitat of a fish or wildlife species, cause fish or wildlife population to drop below self sustaining levels, threaten to eliminate plant or animal community, reduce the number or restrict the range of rare or endangered plant or animal or eliminate important examples of major periods of California history or prehistory? | | | X |
| b. Does the project have the potential to achieve short-term, to the disadvantage of long-term, environmental goals? | | | X |
| c. Does the project have impacts which are individually limited, but cumulatively considerable? | | | X |
| d. Does the project have environmental effects which cause substantial adverse effects on human beings, either directly or indirectly? | | | X |

DISCUSSION OF ENVIRONMENTAL EVALUATION: See attached.

Prepared by: Michael Davies
 Title: City Planner, City of Los Angeles, Dept of City Planning
 Telephone: (213) 485-2478
 Date: November 12, 1987

DISCUSSION OF ENVIRONMENTAL EVALUATION

1. Earth:
 - b. New development allowed under the proposed plan revision would in most instances require site preparation and grading.
 - c. In the hillside areas, new development allowed under the plan revision could entail cuts and fills as well as modification of land forms.
 - g. Two active faults are located within the plan revision area. Areas of Hollywood north of Hollywood Boulevard are considered to be slope stability study areas according to the City of Los Angeles Seismic Safety Plan.
2. Air:
 - a. Although the proposed plan revision would reduce development levels when compared to the current Hollywood Plan, increases in development and associated increases in vehicular trips would occur. Additional trip generation would increase air pollutant emissions over existing levels.
3. Water:
 - b. New development allowed under the proposed plan revision would, in instances where the land is vacant or undeveloped, increase the amount of impervious surface and alter the rate of stormwater runoff and drainage patterns.
4. Plant Life:
 - a. New development allowed, particularly in the residentially zoned hillside areas would remove vegetation and associated habitats.
5. Animal Life:
 - a. New development allowed, particularly in the residentially zoned hillside areas may affect local wildlife.
6. Noise:
 - a. Construction activity as well as increases in traffic anticipated under the plan revision would likely increase ambient noise levels.

7. Light and Glare

- a. Additional development within the plan revision area could increase illumination sources, particularly in the case of new commercial developments and associated parking areas.
- b. The possibility exists, that in those locations where commercial development is allowed adjacent to residential areas, as well as where multi-family residential buildings are adjacent to single family residences that there could be adverse shade and shadow effects. Development standards considered as part of the plan revision are intended to mitigate these effects. In addition, provisions of the Neighborhood Protection Ordinance would reduce the effects at locations where commercial and single family areas are adjacent.

8. Land Use

The proposed Hollywood Plan Revision would result in an overall reduction in the development levels allowed under the current Hollywood Community Plan. The proposed revision would allow for a total population of 257,600 persons compared to 525,000 persons in the current plan. The existing population in the plan area is 180,996 persons.

Similarly, the proposed revision would allow for 125,000 housing units, compared to 206,100 units in the current plan. For commercial and industrial categories the proposed revision would allow for 114.4 million square feet (maximum build-out) compared to 163.8 million square feet under the current plan.

9. Natural Resources

- a. The rate of growth in the plan revision area is dependent on socioeconomic and market factors. The plan revision itself will not increase the rate of use of natural resources.
- b. In general, additional growth and development allowed under the proposed plan revision would increase use of non-renewable resources, particularly fossil fuel-related.

10. Risk of Upset

- b. Increased traffic and associated congestion could have an adverse affect on emergency response (fire, police, ambulance) during peak travel periods.

11. Population

- a. As is currently the case, the plan revision would allow for increased development levels above existing conditions. Achieving this increase under various circumstances could entail the removal of existing residences.
- b. See item # 8.

12. Housing

- a. See item # 8.
- b. See items # 8 and # 11
- c. See item # 11

13. Transportation/Circulation

- a. The proposed plan revision would result in an increase in trip generation above existing levels. This increase, however, would be less than the trip generation from the current adopted Hollywood Community Plan.
- b. The increase in commercial development as well as multi-family residential development allowed in the proposed plan revision would likely increase parking demand. Development standards established in the plan revision would address parking requirements to avoid or mitigate anticipated adverse impacts.
- c. Circulation improvements to be identified in the plan revision would be designed to meet project traffic volumes and demand. In those locations where additional capacity is added, or where streets are reconfigured, some potential exists to alter existing circulation patterns.

14. Public Services

- a. Proposed increases in development would place additional demands on fire protection services. Additional development in hillside areas would be of particular concern.
- b. Projected population increases in the plan revision area would likely result in increased demand on police services.
- c. Projected population increases would further exacerbate overcrowded school conditions in the plan revision area. Additional capital expenditures and classrooms would be needed.
- d. Projected population increases in the plan revision area would increase the need for accessible passive and active recreational open space within or adjacent to residential areas to achieve city standards.
- e. Increased trip generation and traffic, particularly truck traffic in industrial and commercial areas will likely increase maintenance requirements for local roads.
- f. Projected increases in development and population growth would likely increase the demand for a variety of governmental services.

15. Energy

- b. See item # 7.

16. Energy

- b. See item # 9.

17. Utilities

- a. Increase in development (residential and non-residential) will incrementally increase electricity and natural gas consumption. According to service providers, the supply of these services will be adequate to meet future demand.
- b. Increases in development and population will increase demand for telephone services.
- c. Increases in development (residential and non-residential) will incrementally increase water consumption. According to service providers, the water supply will be adequate to meet future demand.
- d. Increased development will increase wastewater flow. It is likely that increased development will have to be phased to meet the incremental increases in sewage treatment capacity planned for the Hyperion Treatment Plant.
- e. The timing of development may also be constrained by the replacement schedule for inadequate interceptor sewers within the plan revision area.
- f. Increases in development in the plan revision area will incrementally increase the generation of solid waste.

18. Aesthetics

- a. Views to and from the Hollywood Hills/Santa Monica Mountains may be affected by new development. However, development standards will be established to avoid or mitigate significantly adverse visual impacts.

19. Cultural Resources

- a. New development on undeveloped sites, particularly in the hillside areas may affect archaeological resources.
- b. It will be the intent of the proposed plan revision to establish development standards that will increase the possibilities for historic preservation. However, allowable increases in development could under various circumstances entail the removal of existing land uses, some of which may have cultural/historical significance.


23 Mandatory Findings of Significance

- a. Within the plan revision area, the proposed plan would allow for increased residential and non-residential development. This change would increase traffic and pollutant emissions. The change could also entail the development of undeveloped hillside areas and the redevelopment of existing areas. In either case adverse impacts may result.
- b. The intended purpose of the plan revision and "downzoning" is to improve the quality of life in the Hollywood community. In certain instances however, the additional growth allowed by the plan may adversely affect some specific element of the environment, e.g. natural hillside areas, cultural resources, etc.
- c. The proposed plan revision by its nature is cumulative. As indicated in item # 8 the proposal would add approximately 77,000 persons, 32,000 housing units and as much as 88 million square feet of development above existing levels. This growth will be reflected in increased traffic and demand for utilities, services and public facilities.

APPENDIX B

HOLLYWOOD REDEVELOPMENT PLAN

Redevelopment Plan Map



Note

Freeway right of way shall be designated as open space unless otherwise indicated.

The redevelopment plan text will permit recreational and institutional uses within any appropriate portion of the project.

- Public**
- Open Space
 - Recreational and School Site
 - Other Public Land

- Residential**
- Low (Max 7 Units / Gross Acre)
 - Low Medium 2 (Max 24 Units / Gross Acre)
 - Medium (Max 40 Units / Gross Acre)
 - High Medium (Max 60 Units / Gross Acre)
 - High (Max 80 Units / Gross Acre)

- Commercial**
- Neighborhood and Office
 - Highway Oriented Commercial
 - Regional Commercial
- Industrial**
- Commercial Manufacturing
 - Limited Industrial

--- Project Area Boundary


Hollywood Redevelopment Project

Community Redevelopment Agency
City of Los Angeles

Adopted May 1986



Exhibit 4



Los Angeles City Planning Department

Room 561 City Hall

CITY PLAN CASE NOS. 18473 Hollywood Community
83-368 Council District Nos. 4, 5, 13

Decision Date: July 28, 1988

To: City Planning Commission

From: Kenneth C. Topping
Director of Planning

SUBJECT: HOLLYWOOD COMMUNITY PLAN REVISION

PROPERTY INVOLVED: VARIOUS AREAS THROUGHOUT THE HOLLYWOOD
COMMUNITY PLAN AREA (EXHIBIT A1)

TABLE OF CONTENTS

Summary and Recommendations

Staff Report

Request
Background
Existing (1973) Plan
Proposed Plan Changes
Relationship to and Effect upon the General Plan
Environmental Status
Action of the General Plan Advisory Board
Citizen Participation
Conclusion

- EXHIBIT A1 Proposed Hollywood Community Plan Map
A2 Proposed Circulation Element - Hollywood Community
Plan Portion
- EXHIBIT B Proposed Hollywood Community Plan Text
- EXHIBIT C Land Use Statistics - Hollywood Community Plan
- EXHIBIT D Residential Land Use Statistics - Hollywood
Community Plan
- EXHIBIT E Designated Center Study Areas
- EXHIBIT F Final Environmental Impact Report
- APPENDIX I Background Report
- APPENDIX II Hollywood Community Development Standards:
Suggested Guidelines

Summary and Recommendations

The City of Los Angeles is required by Superior Court Order to achieve consistency between its zoning and General Plan by March, 1988 in order to bring the City into compliance with Government Code Section 65860(d). In April 1986, the City Council instructed the Planning Department to revise the Hollywood Community Plan prior to proceeding with the effort to ensure consistency of the zoning ordinance with the Community Plan. The proposed Hollywood Community Plan - land use map, legend, and footnotes; text; and land use statistics - are attached as Exhibits A through D. The Final Environmental Impact Report (SCH No. 87-112504) is attached as Exhibit F. A proposed mapping of Designated Center Study Areas and suggested guidelines for Development Standards are attached as Exhibit E and Appendix II respectively.

Actions Recommended by Staff: That the Planning Commission -

1. Adopt the attached Staff Report.
2. Recommend Approval of the Hollywood Community Plan Revision land use map, legend, and footnotes as depicted in Exhibits A1 and C;
3. Recommend Approval of the revised Hollywood Community Plan text as presented in Exhibits B and D;
4. Recommend Approval of the amendments to the Hollywood portion of the General Plan's Circulation Element as depicted in Exhibit A2;
5. Recommend Approval of the boundaries of the Designated Center Study Areas of Hollywood as depicted in Exhibit E;
6. Consider the Hollywood Community Development Standards suggested guidelines attached as Appendix II;
7. Certify the Environmental Impact Report;
8. Approve and Recommend adoption of the Statement of Overriding Consideration;
9. Recommend that the Director of Planning present the Revised Hollywood Community Plan to the Mayor and City Council.

ADOPT the following findings:

1. The recommended changes to the Hollywood Community Plan are in substantial conformance with the purposes, intent and provisions of the General Plan.
2. Pursuant to and in accordance with Section 21081 of the State of California Public Resources Code, the environmental impact report identifies potential adverse impacts from the proposed action, including impacts on earth, air, noise, land use, population, housing, transportation/circulation, and public services. Some measures have been incorporated into the proposed Plan revision which mitigate or avoid the significant environmental effects thereof to the extent feasible. The facts supporting this finding are set forth below.

Impacts not Reducible to Insignificant Levels:

- a. Transportation and Circulation - with the Proposed Plan and its circulation system, 28 of the 39 intersections studied would operate at Level of Service F during the evening peak hour. Improvement of the highways and freeways in the Community in and of itself will not accommodate the volume of the traffic projected.

Measures cited in the EIR to mitigate the impacts of development on the circulation system include: (1) preparation of a Transportation Specific Plan to implement operational and physical improvements in the Community Plan area; (2) development of and implementation of Transportation Systems Management and Transportation Demand Management plans for large scale commercial and industrial developments/employers in the Community Plan area; and (3) limitation of future office development in the Redevelopment Project area to the 20-year market-based forecast unless or until steps are taken to implement major street system improvements in excess of improvements feasible within existing rights-of-way.
- b. Aesthetics and Urban Design/Historic and Cultural Resources - The Proposed Plan directly regulates general land use and development density/intensity only. Future development may, in the absence of development standards and preservation measures, lead to a further decline in the visual and functional quality of the environment and destruction of historic/cultural resources. Mitigation measures cited in the EIR include: (1) imposition of development standards for all categories of land use; (2) preparation of neighborhood plans and improvement districts; (3) preparation of an historic and architectural resource survey of the Community Plan area as a prelude to processing of Historic Preservation Overlay Zone and individual Cultural Historic monument status applications.
- c. Public Services (Schools and Parks) - With the Proposed Plan a 13% increase in student population and a requirement of an additional 540 acres of parkland to meet City standards can be anticipated. Mitigation measures cited in the EIR include (1) expansion of school facilities on existing sites; (2) limiting residential development to those areas where there is available enrollment capacity; (3) provision of neighborhood-oriented recreation at Griffith Park; (4) use of public school yards for recreational purposes; and (5) development of "pocket parks".
- d. Air Quality - With the Proposed Plan, air quality will worsen from increased emissions due primarily to traffic generation. Mitigation measures cited in the EIR include (1) reduction of construction-related emissions through implementation of dust control measures such as wetting; and (2) implementation of the Transportation Specific Plan discussed in "a" above.
- e. Noise - Potential increases in noise levels are associated with construction-related and traffic-related noise. With the Proposed Plan traffic-related noise levels would exceed City standards at 22 of the 28 locations studied. Mitigation measures cited in the EIR include: (1) limiting construction-related activities to daytime hours and enforcement of Ordinance No. 144,331; (2) preparation of development standards for residential developments to minimize noise

impacts; (3) adequate buffering of projects from stationary noise sources, including use of wall and earth berms; and (4) implementation of the Transportation Specific Plan discussed in "a" above.

- f. Energy and Utilities (Solid Waste and Energy) - Energy and public utilities impacts would be reduced but not eliminated with the Proposed Plan. Mitigation measures cited in the EIR include: (1) compliance with energy conservation requirements contained in the California Administrative Code, Title 24, Building Standards; (2) encouragement of waste reduction techniques such as separation, recycling and composting; (3) preparation of and compliance with, Citywide and Countrywide Waste Management Plan; and (4) study of new landfills or alternatives.
- g. Plant and Animal Life - With the Proposed Plan, hillside development is permitted to continue, with continued removal of natural areas containing local habitat as a result. Mitigation measures cited in the EIR include: (1) compliance with City grading regulations; and (2) use of "unitized" grading procedures to reduce impacts on remaining natural areas.

Adopt the Statement of Overriding Considerations

The EIR identifies the following areas of net unmitigated adverse impacts resulting from the proposed project: transportation and circulation, aesthetics and urban design/historic and cultural resources, public services, air, noise, energy/utilities and Plant and Animal Life. However, the following overriding considerations of social, economic or environmental benefits of the subject project will outweigh its environmental cost and will justify approval of the recommendations:

- a. The proposed Community Plan Revision is a first step toward achievement of consistency between zoning and the General Plan as mandated by State legislation and a Court settlement agreement.
 - b. The proposed Community Plan Revision establishes a more logical arrangement of land uses which will enhance the quality of life for residents and minimize incompatible land uses.
 - c. Failure to implement the Community Plan Revision would allow additional environmental impacts not fully identified or measured by the EIR. The benefits of implementation of the recommendations will (1) outweigh the unavailable environmental effects and (2) limit environmental impact well below that previously identified and deemed acceptable in 1973 (the date of the first Hollywood Community Plan EIR).
- 3. The recommended Revision of the Hollywood Community Plan will relate to and have an effect upon the Highways and Freeways Element of the General Plan. However, because the changes constitute a reduction in the ultimate potential population capacity of the subject properties, the effect on this adopted element will be positive.
 - 4. Other than revising the Community Plan, and except as noted above, the recommended changes will not relate to or have an effect upon other

General Plan elements specific plans or other plans in preparation by the Department of City Planning.

5. Based on the above findings, the recommended Revision of the Hollywood Community Plan is deemed consistent with the public necessity, convenience, general welfare, and good planning practice.

Melanie S. Jaffe
for
Kenneth C. Topping
Director of Planning

KCT:sm
COM791

Staff Report

REQUEST

State legislation requires that zoning in the City of Los Angeles be consistent with the City's General Plan (Government Code Section 65860[d]). Settlement of Superior Court Case No. C526616 requires compliance with the State legislation by March 1, 1988, or as otherwise approved by the Court.

On April 11, 1986 (CF 86-0695) the City Council instructed the Planning Department to prepare a revision of the Hollywood Community Plan prior to proceeding with the zoning consistency program. In its adoption of the Hollywood Redevelopment Plan (May 7, 1986; Ordinance No. 161,202), City Council instructed the Planning Department to proceed with amendments to the Hollywood Community Plan related to the Redevelopment Project area. The present staff report is a compilation of the proposed changes from each action for the entire Community Plan area. Zone and height district changes which accompany this revision are being processed as CPC No. 86-361 GPC and CPC No. 86-365 GPC.

BACKGROUND

The Hollywood Community Plan was approved by the City Planning Commission in November, 1970 and adopted by City Council in September, 1973. Preparation of the Hollywood Community Plan began in September, 1967. It was designed to accommodate "population and activities projected to the year 1990".

On January 12, 1987, a consultant contract was established with Gruen Associates to assist the Planning Department in the preparation of the Hollywood Community Plan Revision and its accompanying Environmental Impact Report as per the City Council instruction of April, 1986.

The present staff report includes land use recommendations for the entire Community Plan area of 15,525 acres. The Redevelopment Project area of Hollywood - approximately 1,100 acres in the geographic center of Hollywood - is discussed in greater detail in CPC No. 83-368. For purposes of environmental review the adopted Redevelopment Plan was utilized in the analysis of impacts of that central area. In the processing of the zone changes for the Redevelopment Project area (CPC 86-835 GPC) the Redevelopment Plan EIR (SCH No. 85 052903) was appended to the Community Plan Revision EIR. Statistical tables (Exhibit C and D) reflect land use designations of the entire Hollywood Community Plan area.

EXISTING (1973) PLAN

In the course of the restudy of the Hollywood Community Plan, and during the period of preparation of two recent Community Plan amendments (Beverly Hills Freeway deletion - CF 81-3528; Highland/Cahuenga Corridor - CF 85-0746), inaccuracies in the land use statistics included in the Plan Map and Text became evident. The population capacity statistics, in particular, did not closely reflect actual capacity. While the population capacity purported in the amended Plan is 238,240 (compared with an estimated 1987 population of 204,000), this calculation is based on unrealistic population per gross acre figures. Using figures updated since the Plan was originally adopted, the Plan population capacity more closely approximates 323,000. That corrected

population capacity exceeds the 1990 population projection cited in the Plan by 55%.

The following table presents the gross acreage of the current Plan by land use category:

| | | | |
|--------------|-----------------|-------|---------------|
| Housing | Single-Family | 6,083 | |
| | Multiple-Family | 2,780 | 8,873 |
| Commerce | | | 1,226 |
| Industry | | | 396 |
| Public Lands | | | 4,498 |
| Open Space | | | 542 |
| TOTAL | | | 15,525 |

In the years since 1973, it has become clear that the transportation system and other public facilities/service in Hollywood are operating at, or are rapidly approaching, full capacity and cannot accommodate the additional development permitted by the 1973 Plan without substantial improvements. This is documented in the Background Report (Appendix I) and the Environmental Impact Report (Exhibit F).

PLAN REVISION OBJECTIVES/METHODOLOGY

The primary objectives of the Plan Revision are:

- (1) To accommodate year 2010 projected population and economic growth plus no more than a 15% buffer;
- (2) to provide commercial uses to serve Hollywood residents in a logical land use pattern which provides a choice of shopping opportunities and reduces automobile trips;
- (3) to provide enough additional industrial capacity to permit the film and television industries to remain and expand;
- (4) to ensure adequate traffic capacity and public improvements/facilities to support the theoretical population capacity of the Plan.

As part of the preliminary study for the Plan Revisions a land use survey covering over 27,000 parcels of land in Hollywood was conducted between September 1986 and February 1987. Information from that survey was updated through review of building permit activity up through July of 1987. This data was used to establish existing development patterns and intensities. Additional data compiled during the preparation of the Hollywood Redevelopment Plan (1983-86) by the Community Redevelopment Agency (CRA) was utilized to analyze development patterns and intensities within the 1100 acre Redevelopment Project area.

As part of consultant contract, a travel forecasting model was developed to analyze circulation impacts. The model incorporated SCAG Year 2010 population, employment and housing forecasts; for modeling purposes, it modified the existing street and highway network to reflect planned improvements contained in the Hollywood Community Plan portion of the Circulation Element of the General Plan. A more thorough discussion of the model is contained in the Environmental Impact Report (Exhibit F) p. 37, footnote 2.

Proposed Plan Changes

In order to reflect current development patterns, rational land use planning and adopted City policy, the following changes are recommended:

Map Legend (Exhibit A1)

Since the adoption of the Hollywood Community Plan in 1973 several land use designations have been added to the Land Use Element of the General Plan. These are reflected in the following additions/modifications to the Community Plan:

Housing

- The Very Low, Low, and Low-Medium designations have been further divided into two gradations each (VLOW I, VLOW II; LOW I, LOW II; LMED I, LMED II).
- In order to differentiate between the High and High-Medium density designations, a corresponding zone of [Q]R4-1VL (restricting maximum density to one dwelling unit per 600 square feet of lot) has been assigned to the HMED designation. This ensures that development in HMED areas more closely conforms to the 60+ to 80 dwelling units/gross acre density defined in the Plan.
- A [Q]R5 zone has been added to the range of corresponding zones for the HIGH density housing designation. This is the enable mixed use (commercial/residential) projects in certain areas of the Hollywood Redevelopment Project designated HIGH density through LAMC 12.24 C1.5(j).
- The VERY HIGH density housing designation (corresponding zone: R5-2) has been eliminated.

Commercial

- The Limited Commercial designation has been added.
- Floor area ratio (FAR) for each commercial land use designation is now stipulated in quantitative terms in addition to referencing a height district.

Industrial

- The Light Industry designation (corresponding zones: MR2, M2) has been eliminated.
- The PB zone has been added to the range of corresponding zones for Limited Industry.
- FAR is stipulated in quantitative terms.

Open Space

- Consistent with current policy, the "Public Land" and "Open Space" Plan categories have been merged into a single Open Space category.

- Designations of Public/Quasi-Public and Open Space have replaced the Recreation and School Site, Other Public Land, and previous Open Space designations within the Open Space category. Public/Quasi-Public includes public schools, libraries, municipal/county/state offices and services and other places of public assembly. Open Space includes all public parks, reservoirs, and cemeteries.

Land Use Map (Exhibit A1)

Extensive changes to the Community Plan map are proposed. Many result from greater precision in mapping permitted land uses as well as publicly owned properties. In general, land use designation boundaries have been drawn to correspond with record lot lines and/or existing zone boundaries.

Of greater significance are proposed changes in permitted residential densities and commercial/industrial development intensities.

Housing

- The population capacity of the Plan has been reduced from approximately 323,000 to approximately 230,560 - a reduction of nearly 29%.
- The LOW MEDIUM density designation have been expanded in coverage from 293 gross acres in the amended 1973 Plan to 1,423 gross acres in the proposed Revision.
- the HIGH and HIGH MEDIUM density designation have been limited in coverage to the Redevelopment Project area and the area immediately north of Franklin Avenue in the Highland/Cahuenga corridor.
- In hillside areas, the proposed Plan designation more accurately reflects record lot size. Slopes generally in excess of 15% have been designated for Minimum density.

Commerce

- Each commercial land use designation has been assigned a corresponding FAR.
- The Community Commercial designation (with permitted FAR up to 3:1) is restricted to the East Hollywood Center Study Area (Exhibit E).
- Residential/commercial General Plan inconsistencies are proposed for resolution through adopted AB283 criteria. Commercial land use designations are thus proposed along Melrose Avenue, Santa Monica Boulevard, and Hillhurst Avenue which the 1973 Plan indicated as residential.
- Regional Center Commercial designation has been reduced in its gross acreage from 357 gross acres (1973 Plan) to 268 gross acres (1988 proposed Revision).

Industry

- The Plan recognizes clusters of existing entertainment industry activities.

- Each industrial land use designation has been assigned a corresponding FAR.
- Commercial Manufacturing coverage is slightly expanded.

Open Space

- Schools and recreation sites are more accurately mapped, as are other publicly owned properties.
- Forest Lawn Cemetery is more accurately mapped.
- Hollywood Freeway right-of-way is more accurately mapped.

Map Footnotes (Exhibit A1)

Because of the extent of the revision of the land use map and legend, the footnotes on the map face of the Plan needed to be completely reworked. This required deletion of some footnotes, rewriting of others, and a net addition of seven footnotes. All relate to clarification of the Map legend.

Community Plan Text (Exhibit B)

Extensive changes to the Community Plan text are proposed. All of these result from the need to update information, delete inaccurate or inoperative statements, and reflect adopted City policy. These changes are limited almost exclusively to the Policies and Programs sections of the text. They include updating the land use statistics tables as presented in Exhibits C and D. Among the significant changes are:

- discussion of the Hollywood Redevelopment Project, with addition of a map of the project area
- discussion of the designated Center Study Areas
- discussion of the State-mandated density bonus program
- deletion of the Hollywood Community Plan-specific (and unenforceable) parking requirements
- brief discussion of the MetroRail system
- reformatting of the "Service Systems" portion of the text to make it similar to that of the Silver Lake/Echo Park District Plan adopted in 1984.
- expanded discussion of "Circulation" in the Programs section
- reworking of the "Specific Plan Studies" section
- elimination of the "Planning Legislation" and "Zoning Actions" portions of the Programs section

Relationship to and Effect Upon the General Plan

The proposed Plan Revision would be consistent with the policies of the General Plan, including the citywide elements and Concept Los Angeles. It

proposes some changes to the Circulation Element and to the configuration of the East Hollywood Center Study Area.

Circulation Element (Exhibit A2)

The Revision incorporates (1) changes in street designation initiated through the subsequent (to 1973) adoption of adjacent community plans and (2) the deletion of the Beverly Hills Freeway right-of-way as adopted by City Council in October 1986 (CF 81-3528). In addition the Plan Revision:

- o eliminates the mapped jog elimination alignment of Martel Avenue and Vista Street between Melrose Avenue and Willoughby. The proposed mapping depicts the existing alignment. A proposed additional reference in the Plan text (Programs, "Circulation" 1h) discusses elimination of the jog.
- o eliminates the mapped Franklin Avenue jog elimination which depicts Franklin Avenue west of Highland passing north of the Methodist Church. A proposed additional reference in the Community Plan text (Programs, "Circulation" 1d) discusses improvements to the Franklin/Highland intersection.

In both cases, the changes are desirable to avoid potential problems with inverse condemnation. Note that while the Circulation Element and the land use map are here presented as separate exhibits for purposes of clarity, the Community Plan continues to incorporate the Highways and Freeways Element of the General Plan; it also continues to indicate collector streets.

Center Concept/Center Study Areas (Exhibit E)

The proposed Plan recognizes the Hollywood Center Study Area and the East Hollywood Center Study Area. It proposes, however, to modify the boundaries of the East Hollywood CSA in order to (1) delete the portion north of Hollywood Boulevard and (2) delete Vermont Avenue commercial frontage south of Fountain Avenue.

ENVIRONMENTAL STATUS

An Environmental Impact Report (State Clearinghouse No. 87112504) has been prepared by Terry A. Hayes Associates, a private consultant (Exhibit F). The circulation period for the Draft EIR commenced February 8, 1988. The EIR addresses primary issues of population and housing, traffic and circulation, land use, and public services.

Action of the General Plan Advisory Board

The General Plan Advisory Board (GPAB) considered the proposed Hollywood Community Plan Revision at its February 17, 1988 and June 15, 1988 meetings. The Traffic and Planning Issues and Implementation Committees of GPAB reviewed the proposed Revision in joint session on February 24, 1988. Modifications of the original proposed Plan recommended by these Committees were incorporated into Exhibit A2 and the Plan text (as indicated in Exhibit B). GPAB approved the Plan Revision proposal as modified at its June 15, 1988 meeting.

CITIZEN PARTICIPATION

Since its initiation in April 1986, preparation of the Hollywood Community Plan Revision has benefitted from the assistance and cooperation of other City agencies, the City Council Offices, and the Los Angeles Unified School District. Individual interest group meetings involving 23 groups were conducted in April of 1987. Community organization-focused workshops (four) were conducted in early June of 1987. Three community meetings with formal presentations (preceded by individual property owner notifications and press releases) were conducted in late September of 1987 with a total attendance of slightly more than 1,200; questionnaires were distributed at each of the presentations.

Public hearings concerning changes to the Community Plan were conducted March 15, March 17 and June 16 of 1988 with substantial written and oral testimony provided by residents and property owners. Detailed reports of those hearings are contained in CPC Nos. 86-831 and 86-835 GPC. The interest group and community workshop sessions are discussed in Appendix I.

COMMUNITY-WIDE DEVELOPMENT STANDARDS


Throughout the citizen participation activities related to this Plan Revision, and through the environmental impact analysis, concern over the quality as well as the quantity of development in Hollywood was widely voiced. Department staff, in collaboration with Gruen Associates, have produced suggested guidelines for development standards which are attached as Appendix II. Direction is sought from the Planning Commission as to the final formulation of these standards and the appropriate means of implementation.

CONCLUSION

The view of the above information, staff recommends that the proposed Hollywood Community Plan Revision as described in Exhibit A - E be approved by the City Planning Commission.

Prepared by:

Approved by:


Lynell Washington
Planning Assistant


Albert J. Landini
Senior City Planner

COM791
sm

Exhibit 5

DEPARTMENT OF
CITY PLANNING
200 N. SPRING STREET, ROOM 525
Los ANGELES, CA 90012-4801
CITY PLANNING COMMISSION

MABEL CHANG
PRESIDENT
DAVID L. BURG
VICE-PRESIDENT
JOY ATKINSON
ERNESTO CARDENAS
SUSAN CLINE
MARY GEORGE
MICHAEL MAHDESIAN
BRADLEY MINOLIN
THOMAS E. SCHIFF

CABRIELE WILLIAMS
COMMISSION EXECUTIVE ASSISTANT
(213) 978-1300

CITY OF LOS ANGELES

CALIFORNIA



JAMES K. HAHN
MAYOR

EXECUTIVE OFFICES

CON HOWE

DIRECTOR
(213) 978-1271
FRANKLIN P. EBERHARD
DEPUTY DIRECTOR
(213) 978-1273
GORDON B. HAMILTON
DEPUTY DIRECTOR
(213) 978-1272
ROBERT H. SUTTON
DEPUTY DIRECTOR
(213) 978-1274
FAX: (213) 978-1275
INFORMATION
1213) 978-1270
www.lacity.opePIN

April 21, 2005

All Interested Parties:

RAS INTERPRETATION TO COMMUNITY PLAN FOOTNOTES DIRECTOR'S INTERPRETATION

Attached is a copy of the Department of City Planning's interpretation of Ordinance 174,999, effective January 15, 2003, which established the RAS Zones. This published interpretation becomes final and effective 20-days from the date of this communication unless an appeal to the City Planning Commission is filed within this time period. Appeals shall be filed in duplicate on forms provided at any of the following public offices of the Department of City Planning, along with the required filing fee:

Planning Department — Public Counter
201 North Figueroa Street, 3rd Floor
Los Angeles, CA 90012
Phone: (213) 482-7077

San Fernando Valley Office
6262 Van Nuys Boulevard
Van Nuys, CA 91401
Phone: (818) 374-5050

If you have any questions regarding this case, please contact Jane Blumenfeld at (213) 978-1372 of myself at (213) 978-1274.

Sincerely,

CON HOWE
Director of Planning



ROBERT H. SUTTON
Deputy Director

CHIRHS:hkt

Attachment

cc: Council Planning Deputies
Ray Chan, Building and Safety Department
David Kabashima, Department of City Planning
Jane Blumenfeld, Department of City Planning

April 21, 2005

**RAS RELATIONSHIP TO COMMUNITY PLAN FOOTNOTES
DIRECTOR'S INTERPRETATION**

All Interested Parties:

SUBJECT:

Inquiries have been made regarding potential conflicts between Footnotes on the Community Plans and the RAS 3 and RAS 4 (hereafter referred to as RAS) Zones.

BACKGROUND:

The Residential/Accessory Services Zones (RAS) allow a greater floor area than commercial zones and greater height than otherwise allowed in height district 1VL.

"An example is:

Where a traditional C2-1VL with a Commercial plan designation is limited to a 1.5:1 FAR and a 45 height limit, the RAS 3-1VL and RAS 4-1VL shall not exceed a 3:1 FAR and 50 feet in height in accordance with the LAMC 12.10.5, 12.11.5 and **12.21.1.**"

The Community Plans as recommend by the City Planning Commission and adopted by City Council are a general guide to development for the community and city as a whole. Rarely do the Community Plans specify special planning rights or restrictions for particular parcels.

Some community plan maps contain footnotes regarding height and floor area. Footnotes appear on the map legend next to the commercial land use categories or in some cases on specific properties or areas. The footnotes that are attached to the commercial land use categories generally relate in a broad-brushed manner to all areas of the plan designated for that particular use. Typically such footnotes are not site specific, and as such, do not relate to specific locations, blocks, or parcels within the community plan area.

"An example of such a footnote which appears in most Community Plans reads:

Footnote 1: 'Height District 1VL'

This means all properties within the commercial land use category that have this footnote are limited to an FAR of 1.5:1 with a 45-foot height limit."

DISCUSSION:

When the City Council adopted the RAS Zones in 2002, their purpose was to promote mixed use development in the city's commercial zones, particularly in the commercial corridors which provide the greatest access to transit. In their adoption of the RAS Zones, the City Council recognized that

the additional floor area and height allowed by the RAS zones are necessary to make such primarily residential projects viable. However to protect the integrity of the Community Plans, the Council limited the residential density permitted in the RAS 3 and RAS 4 Zones to correspond to the residential densities permitted in the R3 and R4 Zones, respectively. Thus, they permitted RAS 3 and RAS 4 Zones in Plans that permit R4 and higher zoning but only permitted the RAS 3 Zone (and not RAS 4) in Plans that previously had R3 as the highest zoning category.

In one particular plan, the Plan Footnote on a Neighborhood Commercial area states:

"Floor Area Ratio 1:1."

In this specific situation it cannot be the intent of Council to allow a 3:1 FAR since they knowingly restricted the property to a 1:1 FAR.

INTERPRETATION:

It is hereby interpreted that the RAS Zones can exceed a Community Plan Footnote when that footnote is general in nature and generally refers to all parcels under that plan category. Where there is a specific footnote that refers to (a) specific parcel(s) that is more restrictive, the RAS Zone would not be permitted without a corresponding Plan Amendment.