

ORDINANCE NO. _____

An ordinance amending Article 2, Chapter IX of the Los Angeles Municipal Code to reflect local administrative changes and incorporate by reference portions of the Elevator Safety Orders of Title 8 and the 2013 Edition of Part 7 of Title 24 of the California Code of Regulations.

THE PEOPLE OF THE CITY OF LOS ANGELES
DO ORDAIN AS FOLLOWS:

Section 1. Subsection (k) of Section 92.0207 of the Los Angeles Municipal Code is amended to read as follows:

(k) **Elevator Controls/Machinery Spaces.** Required workspace clearance for elevator control and/or machinery spaces shall be located entirely within the interior of the building. The elevator controllers shall not be located in the elevator hoistway.

Sec. 2. Section 92.0303 of the Los Angeles Municipal Code is amended to read as follows:

SEC. 92.0303. PRIVATE RESIDENCE VERTICAL PLATFORM LIFTS.

Part 5 of ASME A18.1-2003 is adopted by reference, with the following exceptions: Rule 5.1.4.1, and Rule 5.10.9.1 are not adopted.

92.0303.1. PRIVATE RESIDENCE INCLINED PLATFORM LIFTS. Part 6 of ASME A18.1-2003 is adopted by reference, with the following exceptions: Rule 6.1.6.1, and Rule 6.10.6.1 are not adopted.

92.0303.2. PRIVATE RESIDENCE INCLINED STAIRWAY CHAIRLIFTS. Part 7 of ASME A18.1-2003 is adopted by reference, with the following exceptions: Rule 7.1.3, and Rule 7.10.3.1 are not adopted.

Sec. 3. Subsections (b) through (e) of Section 92.0304 of the Los Angeles Municipal Code are amended to read as follows:

(b) **Glass in Hoistway Landing Doors.** Glass used in hoistway landing doors shall comply with ASME A17.1-2004 2.11.7.

(c) **Landing Sills.** Landing sills shall be of metal and shall comply with ASME A17.1-2004 2.11.10.1.1 except 2.11.10.1.1(c).

(d) **Projections or Setbacks in the Hoistway.** Any projection or setbacks in the hoistway shall comply with ASME A17.1-2004 2.1.6 except 2.1.6.2(b) and 2.1.6.2(d) where projections or setbacks allow four (4) inches, this shall be reduced to two (2) inches.

(e) **Glass used in a Hoistway of a Non-Fire Resistive Construction.**
Glass used in the hoistway shall comply with ASME A17.1-2004 2.1.1.2.1, 2.1.1.2.2(d) and 2.1.1.5 and shall also comply with the following.

1. Entrance into the bottom (below car) of the hoistway or at the top (above car) of the hoistway for cleaning and maintenance purposes shall comply with ASME A17.1-2004 5.2.1.4.2 (Bottom) and 5.2.1.4.4 (top).
2. The cleaning and maintenance of the glass in the hoistway shall comply with the following.
 - A. The cleaning of glass car enclosure and/or hoistway enclosures from inside the hoistway shall be performed by a City of Los Angeles Licensed Journey Level Elevator Mechanic as required by L.A.E.C. 92.0119 and employed by a State of California C11 Licensed Elevator Company.
 - B. A written cleaning procedure shall be developed by the original installation elevator company, and kept on the premises where the elevator controller is located. The procedure shall identify the hazards and shall also detail safety precautions to be utilized.
 - C. A maintenance data plate with lettering a minimum size of 6 mm (0.25 inch) high on a contrasting background shall be fastened in a conspicuous place inside the elevator stating:
"ALL MAINTANCE OF ELEVATOR, INCLUDING THE CLEANING OF GLASS, SHALL BE PERFORMED AS REQUIRED BY L.A.E.C. 92.0119"
 - D. A copy of the glass cleaning procedure from the original elevator installation company, on the original elevator installation company's letterhead, shall be made available on the acceptance inspection to the LADBS Elevator Division.

Sec. 4. The Exceptions under Section 92.0402 of the Los Angeles Municipal Code are amended to read as follows:

EXCEPTIONS: The installation of manlifts in flour mills is not prohibited. The requirement of removal from use not later than May 23, 1984 is not applicable to flour mills, borax silos, parking structures, or electric generating stations, provided that any manlift in such facility is completely enclosed by a fence, and access gates thereto are locked so as to prevent unauthorized and untrained personnel from using the device, and provided further that the City has authority to enter the premises in order to insure that the fence and locked gates are provided and properly maintained.

Sec. 5. The City Clerk shall certify to the passage of this ordinance and have it published in accordance with Council policy, either in a daily newspaper circulated in the City of Los Angeles or by posting for ten days in three public places in the City of Los Angeles: one copy on the bulletin board located at the Main Street entrance to the Los Angeles City Hall; one copy on the bulletin board located at the Main Street entrance to the Los Angeles City Hall East; and one copy on the bulletin board located at the Temple Street entrance to the Los Angeles County Hall of Records.

I hereby certify that this ordinance was passed by the Council of the City of Los Angeles, at its meeting of _____.

JUNE LAGMAY, City Clerk

By _____ Deputy

Approved _____ Mayor

Approved as to Form and Legality
MICHAEL N. FEUER, City Attorney

By _____
KIM RODGERS WESTHOFF
Deputy City Attorney

Date _____

File No. _____