

Filed on 2/14/14

EXHIBIT 4

CITY OF LOS ANGELES  
OFFICE OF THE CITY CLERK  
ROOM 395, CITY HALL  
LOS ANGELES, CALIFORNIA 90012  
CALIFORNIA ENVIRONMENTAL QUALITY ACT  
PROPOSED MITIGATED NEGATIVE DECLARATION

**LEAD CITY AGENCY**  
City of Los Angeles

**COUNCIL DISTRICT**  
CD 6 - NURY MARTINEZ

**PROJECT TITLE**  
ENV-2013-3468-MND

**CASE NO.**  
APCSV-2013-3467-ZC-ZV-ZAA, VTT-72510

**PROJECT LOCATION**  
17320, 17330, and 17344 West Vanowen Street, 6738 North Andasol Avenue

**PROJECT DESCRIPTION**  
The demolition of three single-family residences, associated structures, and removal of 44 trees including six protected trees, for the use and construction of 26 two-story single-family residential dwellings on individual lots, on a combined 107,108 net square-foot site after dedication. Entitlements requested include: 1. A Zone Change from RA-1 (Suburban Zone) to (T)(Q)RD3-1 (Residential Density Multiple Dwelling Zone) and (T)(Q)R1-1.; 2. A Zone Variance to allow access from a less restrictive zone (RD3-1 Zone) to a more restrictive zone (R1-1 Zone) permitting guest parking and common driveway access across the site; 3. Zone Variances, to permit construction of the small lots prior to recordation of the final tract map, to allow zero square feet open space for each dwelling unit in lieu of 175 square feet for dwelling having more than three habitable rooms; 4. To permit construction of the small lots prior to recordation of the final tract map, adjustments: (a.) To allow a minimum separation between buildings of approximately 8 feet in lieu of 10 feet required and (b.) To permit a minimum 5-foot side yards along the east and west property lines in lieu of the 10-foot required; and, 5. A vesting tentative tract map to permit the merger of four lots and resubdivision into 26 lots for the construction of 24 single-family dwellings with 48 resident parking spaces and 7 guest parking spaces in the proposed (T)(Q)RD3-1 Zone on a 89,100 net square-foot site after dedication pursuant to Ordinance No. 176,354 (small lot subdivision) and two single-family dwelling on a 18,008 square-foot flag lot site in the proposed (T)(Q)R1-1 Zone.

**NAME AND ADDRESS OF APPLICANT IF OTHER THAN CITY AGENCY**  
Albor Properties III, LP; attn: Eric Borstein  
12301 Wilshire Boulevard, Suite 302  
Los Angeles, CA 90025


**FINDING:**  
The City Planning Department of the City of Los Angeles has Proposed that a mitigated negative declaration be adopted for this project because the mitigation measure(s) outlined on the attached page(s) will reduce any potential significant adverse effects to a level of insignificance  
(CONTINUED ON PAGE 2)

SEE ATTACHED SHEET(S) FOR ANY MITIGATION MEASURES IMPOSED.

Any written comments received during the public review period are attached together with the response of the Lead City Agency. The project decision-maker may adopt the mitigated negative declaration, amend it, or require preparation of an EIR. Any changes made should be supported by substantial evidence in the record and appropriate findings made.

THE INITIAL STUDY PREPARED FOR THIS PROJECT IS ATTACHED.

NAME OF PERSON PREPARING THIS FORM	TITLE	TELEPHONE NUMBER
SARAH HOUNSELL	City Planning Associate	(818) 374-9909

ADDRESS	SIGNATURE (Official)	DATE
200 N. SPRING STREET, 7th FLOOR LOS ANGELES, CA. 90012		3/12/2014

**I-20. Aesthetics (Landscape Buffer)**

- Environmental impacts to adjacent residential properties may result due to the proposed use on the site. However, the potential impact will be mitigated to a less than significant level by the following measures:
- A minimum five-foot wide landscape buffer shall be planted adjacent to the residential use.

**I-110. Aesthetics (Signage on Construction Barriers)**

- Environmental impacts may result from project implementation due to on-site signage in excess of that allowed under the Los Angeles Municipal Code Section 91.6205. However, the potential impact will be mitigated to a less than significant level by the following measures:
- The applicant shall affix or paint a plainly visible sign, on publically accessible portions of the construction barriers, with the following language: "POST NO BILLS".
- Such language shall appear at intervals of no less than 25 feet along the length of the publically accessible portions of the barrier.
- The applicant shall be responsible for maintaining the visibility of the required signage and for maintaining the construction barrier free and clear of any unauthorized signs within 48 hours of occurrence.

**I-120. Aesthetics (Light)**

- Environmental impacts to the adjacent residential properties may result due to excessive illumination on the project site. However, the potential impacts will be mitigated to a less than significant level by the following measure:
- Outdoor lighting shall be designed and installed with shielding, such that the light source cannot be seen from adjacent residential properties or the public right-of-way.

**III-10. Air Pollution (Demolition, Grading, and Construction Activities)**

- 
- All unpaved demolition and construction areas shall be wetted at least twice daily during excavation and construction, and temporary dust covers shall be used to reduce dust emissions and meet SCAQMD District Rule 403. Wetting could reduce fugitive dust by as much as 50 percent.
- The construction area shall be kept sufficiently dampened to control dust caused by grading and hauling, and at all times provide reasonable control of dust caused by wind.
- All clearing, earth moving, or excavation activities shall be discontinued during periods of high winds (i.e., greater than 15 mph), so as to prevent excessive amounts of dust.
- All dirt/soil loads shall be secured by trimming, watering or other appropriate means to prevent spillage and dust.
- All dirt/soil materials transported off-site shall be either sufficiently watered or securely covered to prevent excessive amount of dust.
- General contractors shall maintain and operate construction equipment so as to minimize exhaust emissions.
- Trucks having no current hauling activity shall not idle but be turned off.

**IV-20. Habitat Modification (Nesting Native Birds, Non-Hillside or Urban Areas)**

- The project will result in the removal of vegetation and disturbances to the ground and therefore may result in take of nesting native bird species. Migratory nongame native bird species are protected by international treaty under the Federal Migratory Bird Treaty Act (MBTA) of 1918 (50 C.F.R Section 10.13). Sections 3503, 3503.5 and 3513 of the California Fish and Game Code prohibit take of all birds and their active nests including raptors and other migratory nongame birds (as listed under the Federal MBTA).
- Proposed project activities (including disturbances to native and non-native vegetation, structures and substrates) should take place outside of the breeding bird season which generally runs from March 1- August 31 (as early as February 1 for raptors) to avoid take (including disturbances which would cause abandonment of active nests containing eggs and/or young). Take means to hunt, pursue, catch, capture, or kill, or attempt to hunt, pursue, catch, capture or kill (Fish and Game Code Section 86).
- If project activities cannot feasibly avoid the breeding bird season, beginning thirty days prior to the disturbance of suitable nesting habitat, the applicant shall:
- Arrange for weekly bird surveys to detect any protected native birds in the habitat to be removed and any other such habitat within properties adjacent to the project site, as access to adjacent areas allows. The surveys shall be conducted by a qualified biologist with experience in conducting breeding bird surveys. The surveys shall continue on a weekly basis with the last survey being conducted no more than 3 days prior to the initiation of clearance/construction work.
- If a protected native bird is found, the applicant shall delay all clearance/construction disturbance activities within 300 feet of suitable nesting habitat for the observed protected bird species until August 31.

- Alternatively, the Qualified Biologist could continue the surveys in order to locate any nests. If an active nest is located, clearing and construction within 300 feet of the nest or as determined by a qualified biological monitor, shall be postponed until the nest is vacated and juveniles have fledged and when there is no evidence of a second attempt at nesting. The buffer zone from the nest shall be established in the field with flagging and stakes. Construction personnel shall be instructed on the sensitivity of the area.
- The applicant shall record the results of the recommended protective measures described above to document compliance with applicable State and Federal laws pertaining to the protection of native birds. Such record shall be submitted and received into the case file for the associated discretionary action permitting the project.

**IV-70. Tree Removal (Non-Protected Trees)**

- Environmental impacts from project implementation may result due to the loss of significant trees on the site. However, the potential impacts will be mitigated to a less than significant level by the following measures:
- Prior to the issuance of any permit, a plot plan shall be prepared indicating the location, size, type, and general condition of all existing trees on the site and within the adjacent public right(s)-of-way.
- All significant (8-inch or greater trunk diameter, or cumulative trunk diameter if multi-trunked, as measured 54 inches above the ground) non-protected trees on the site proposed for removal shall be replaced at a 1:1 ratio with a minimum 24-inch box tree. Net, new trees, located within the parkway of the adjacent public right(s)-of-way, may be counted toward replacement tree requirements.
- Removal or planting of any tree in the public right-of-way requires approval of the Board of Public Works. Contact Urban Forestry Division at: 213-847-3077. All trees in the public right-of-way shall be provided per the current standards of the Urban Forestry Division the Department of Public Works, Bureau of Street Services.

**IV-80. Tree Removal (Locally Protected Species)**

- Environmental impacts may result due to the loss of protected trees on the site. However, these potential impacts will be mitigated to less than significant level by the following measures:
- All protected tree removals require approval from the Board of Public Works.
- A Tree Report shall be submitted to the Urban Forestry Division of the Bureau of Street Services, Department of Public Works, for review and approval (213-847-3077), prior to implementation of the Report's recommended measures.
- A minimum of two trees (a minimum of 48-inch box in size if available) shall be planted for each protected tree that is removed. The canopy of the replacement trees, at the time they are planted, shall be in proportion to the canopies of the protected tree(s) removed and shall be to the satisfaction of the Urban Forestry Division.
- The location of trees planted for the purposes of replacing a removed protected tree shall be clearly indicated on the required landscape plan, which shall also indicate the replacement tree species and further contain the phrase "Replacement Tree" in its description.
- Bonding (Tree Survival):
  - a. The applicant shall post a cash bond or other assurances acceptable to the Bureau of Engineering in consultation with the Urban Forestry Division and the decision maker guaranteeing the survival of trees required to be maintained, replaced or relocated in such a fashion as to assure the existence of continuously living trees for a minimum of three years from the date that the bond is posted or from the date such trees are replaced or relocated, whichever is longer. Any change of ownership shall require that the new owner post a new oak tree bond to the satisfaction of the Bureau of Engineering. Subsequently, the original owner's oak tree bond may be exonerated.
  - b. The City Engineer shall use the provisions of Section 17.08 as its procedural guide in satisfaction of said bond requirements and processing. Prior to exoneration of the bond, the owner of the property shall provide evidence satisfactory to the City Engineer and Urban Forestry Division that the oak trees were properly replaced, the date of the replacement and the survival of the replacement trees for a period of three years.

**VI-10. Seismic**

- Environmental impacts to the safety of future occupants may result due to the project's location in an area of potential seismic activity. However, this potential impact will be mitigated to a less than significant level by the following measure:
- The design and construction of the project shall conform to the California Building Code seismic standards as approved by the Department of Building and Safety.

**VI-20. Erosion/Grading/Short-Term Construction Impacts**

- Short-term erosion impacts may result from the construction of the proposed project. However, these impacts can be mitigated to a less than significant level by the following measures:

- The applicant shall provide a staked signage at the site with a minimum of 3-inch lettering containing contact information for the Senior Street Use Inspector (Department of Public Works), the Senior Grading Inspector (LADBS) and the hauling or general contractor.
- Chapter IX, Division 70 of the Los Angeles Municipal Code addresses grading, excavations, and fills. All grading activities require grading permits from the Department of Building and Safety. Additional provisions are required for grading activities within Hillside areas. The application of BMPs includes but is not limited to the following mitigation measures:
  - a. Excavation and grading activities shall be scheduled during dry weather periods. If grading occurs during the rainy season (October 15 through April 1), diversion dikes shall be constructed to channel runoff around the site. Channels shall be lined with grass or roughened pavement to reduce runoff velocity.
  - b. Stockpiles, excavated, and exposed soil shall be covered with secured tarps, plastic sheeting, erosion control fabrics, or treated with a bio-degradable soil stabilizer.

**VI-70. Liquefaction Area**

- Environmental impacts may result due to the proposed project's location in an area with liquefaction potential. However, these potential impacts will be mitigated to a less than significant level by the following measures:
- Prior to the issuance of grading or building permits, the applicant shall submit a geotechnical report, prepared by a registered civil engineer or certified engineering geologist, to the Department of Building and Safety, for review and approval. The project shall comply with the Uniform Building Code Chapter 18, Division 1 Section 1804.5 Liquefaction Potential and Soil Strength Loss. The geotechnical report shall assess potential consequences of any liquefaction and soil strength loss, estimation of settlement, lateral movement or reduction in foundation soil-bearing capacity, and discuss mitigation measures that may include building design consideration. Building design considerations shall include, but are not limited to: ground stabilization, selection of appropriate foundation type and depths, selection of appropriate structural systems to accommodate anticipated displacements or any combination of these measures.
- The project shall comply with the conditions contained within the Department of Building and Safety's Geology and Soils Report Approval Letter for the proposed project, and as it may be subsequently amended or modified.

**VII-10. Green House Gas Emissions**

- The project will result in impacts resulting in increased green house gas emissions. However, the impact can be reduced to a less than significant level through compliance with the following measure(s):
- Only low- and non-VOC-containing paints, sealants, adhesives, and solvents shall be utilized in the construction of the project.

**VIII-10. Explosion/Release (Existing Toxic/Hazardous Construction Materials)**

- Due to the age of the building(s) being demolished, toxic and/or hazardous construction materials may be located in the structure(s). Exposure to such materials during demolition or construction activities could be hazardous to the health of the demolition workers, as well as area residents, employees, and future occupants. However, these impacts can be mitigated to a less than significant level by the following measure:
- **(Asbestos)** Prior to the issuance of any permit for the demolition or alteration of the existing structure(s), the applicant shall provide a letter to the Department of Building and Safety from a qualified asbestos abatement consultant indicating that no Asbestos-Containing Materials (ACM) are present in the building. If ACMs are found to be present, it will need to be abated in compliance with the South Coast Air Quality Management District's Rule 1403 as well as all other applicable State and Federal rules and regulations.
- **(Lead Paint)** Prior to issuance of any permit for the demolition or alteration of the existing structure(s), a lead-based paint survey shall be performed to the written satisfaction of the Department of Building and Safety. Should lead-based paint materials be identified, standard handling and disposal practices shall be implemented pursuant to OSHA regulations.

**X-60. Land Use/Planning**

- The project will result in land use and/or planning impact(s). However, the impact(s) can be reduced to a less than significant level through compliance with the following measure(s):
- An air filtration system shall be installed and maintained with filters meeting or exceeding the ASHRAE Standard 52.2 Minimum Efficiency Reporting Value (MERV) of 11, to the satisfaction of the Department of Building and Safety.
- An air filtration system shall be installed and maintained with filters meeting or exceeding the ASHRAE Standard 52.2 Minimum Efficiency Reporting Value (MERV) of 12, to the satisfaction of the Department of Building and Safety.
- An air filtration system shall be installed and maintained with filters meeting or exceeding the ASHRAE Standard 52.2 Minimum Efficiency Reporting Value (MERV) of 13, to the satisfaction of the Department of Building and Safety.

**XII-10. Increased Noise Levels (Landscape Buffer)**

- Environmental impacts to the adjacent residential properties may result due to the project. However, the potential impact will be mitigated to a less than significant level by the following measures:
- A minimum five-foot wide landscape buffer shall be planted adjacent to the residential use.
- A 6-foot high solid decorative masonry wall adjacent to abutting residential use and/or zones shall be constructed if no such wall exists.

**XII-20. Increased Noise Levels (Demolition, Grading, and Construction Activities)**

- 
- The project shall comply with the City of Los Angeles Noise Ordinance No. 144,331 and 161,574, and any subsequent ordinances, which prohibit the emission or creation of noise beyond certain levels at adjacent uses unless technically infeasible.
- Construction and demolition shall be restricted to the hours of 7:00 am to 6:00 pm Monday through Friday, and 8:00 am to 6:00 pm on Saturday.
- Demolition and construction activities shall be scheduled so as to avoid operating several pieces of equipment simultaneously, which causes high noise levels.
- The project contractor shall use power construction equipment with state-of-the-art noise shielding and muffling devices.

**XII-170. Severe Noise Levels (Residential Fronting on Major or Secondary Highway, or adjacent to a Freeway)**

- Environmental impacts to future occupants may result from this project's implementation due to mobile noise. However, these impacts will be mitigated to a less than significant level by the following measures:
- All exterior windows having a line of sight of a Major or Secondary Highway shall be constructed with double-pane glass and use exterior wall construction which provides a Sound Transmission Coefficient (STC) value of 50, as determined in accordance with ASTM E90 and ASTM E413, or any amendment thereto.
- The applicant, as an alternative, may retain an acoustical engineer to submit evidence, along with the application for a building permit, any alternative means of sound insulation sufficient to mitigate interior noise levels below a CNEL of 45 dBA in any habitable room.

**XII-210. Severe Noise Levels (Aircraft Noise - Residential)**

- Environmental impacts to future occupants may result from project implementation due to aircraft noise. However, this potential impact will be mitigated to a less than significant level by the following measures:
- All exterior windows shall be constructed with double-pane glass, having a Sound Transmission Classification (STC) of at least 30, as determined in accordance with ASTM E90 and ASTM E413, or any amendment thereto.

**XIV-30. Public Services (Police)**

- Environmental impacts may result from project implementation due to the location of the project in an area having marginal police services. However, this potential impact will be mitigated to a less than significant level by the following measure:
- The walls located along the west and east property lines shall be setback a minimum 24-inches from the property line to provide landscaping along the wall, which will deter from graffiti.

**XIV-40. Public Services (Construction Activity Near Schools)**

- Environmental impacts may result from project implementation due to the close proximity of the project to a school. However, the potential impact will be mitigated to a less than significant level by the following measures:
- The developer and contractors shall maintain ongoing contact with administrator of \_\_\_\_\_ school. The administrative offices shall be contacted when demolition, grading and construction activity begin on the project site so that students and their parents will know when such activities are to occur. The developer shall obtain school walk and bus routes to the schools from either the administrators or from the LAUSD's Transportation Branch (323)342-1400 and guarantee that safe and convenient pedestrian and bus routes to the school be maintained.
- The developer shall install appropriate traffic signs around the site to ensure pedestrian and vehicle safety.
- There shall be no staging or parking of construction vehicles, including vehicles to transport workers on any of the streets adjacent to the school.
- Due to noise impacts on the schools, no construction vehicles or haul trucks shall be staged or idled on these streets during school hours.

**XIV-60. Public Services (Schools)**

- Environmental impacts may result from project implementation due to the location of the project in an area with insufficient school capacity. However, the potential impact will be mitigated to a less than significant level by the following measure: