

NOISE RECEPTOR LOCATION MAP
1050 La Cienega Project
Imagery via Google

Construction Noise Impact Analysis

noah tanski environmental consulting

South Alfred Street Residences - Ground Level: BULK EXCAVATION

Ambient Noise Level:	62.1 dBA Leq
----------------------	--------------

Unmitigated

Equipment Noise Levels

Equipment	Noise Level - dBA		Workday Noise Level
	Leq	Usage %	- dBA Leq
Excavator at 25ft	81.9	0.4	77.9
Excavator at 25ft	81.9	0.4	77.9
-	0	1	0.0
-	0	1	0.0
-	0	1	0.0
Combined dBA Leq:			80.9

Unmitigated Construction Noise Impact

Combined Equipment Noise Level	80.9 dBA Leq
Existing Shielding	0 dBA
Ground Factor	0
Unmitigated Construction Noise Level	80.9 dBA Leq
Ambient Noise Level	62.1 dBA
New Noise Level	81.0 dBA Leq
Unmitigated Noise Increase	18.9 dBA

Mitigated

Equipment Noise Levels

Equipment	Noise Level - dBA		Total Shielding in dBA (Sound Barrier)	Workday Noise Level - dBA Leq
	Leq	Usage %		
Excavator at 25ft	81.9	0.4	-15.0	62.9
Excavator at 50ft	75.9	0.4	-15.0	56.9
-	0	1	0.0	0.0
-	0	1	0.0	0.0
-	0	1	0.0	0.0
Combined dBA Leq:				63.9

Mitigated Construction Noise Impact

Combined Equipment Noise Level	63.9 dBA Leq
Ground Factor	0
Mitigated Construction Noise Level	63.9 dBA Leq
Ambient Noise Level	62.1 dBA
New Noise Level	66.1 dBA Leq
Mitigated Noise Increase	4.0 dBA

Construction Noise Impact Analysis

noah tanski environmental consulting

South Alfred Street Residences - 2nd Level: BULK EXCAVATION

Ambient Noise Level:	62.1 dBA Leq
----------------------	--------------

Unmitigated

Equipment Noise Levels

Equipment	Noise Level - dBA		Workday Noise Level
	Leq	Usage %	- dBA Leq
Excavator at 75ft	72.4	0.4	68.4
Excavator at 75ft	72.4	0.4	68.4
-	0	1	0.0
-	0	1	0.0
-	0	1	0.0
Combined dBA Leq:			71.4

Unmitigated Construction Noise Impact

Combined Equipment Noise Level	71.4 dBA Leq
Existing Shielding	0 dBA
Ground Factor	0
Unmitigated Construction Noise Level	71.4 dBA Leq
Ambient Noise Level	62.1 dBA
New Noise Level	71.9 dBA Leq
Unmitigated Noise Increase	9.8 dBA

Mitigated

Equipment Noise Levels

Equipment	Noise Level - dBA		Total Shielding in dBA (Sound Barrier)	Workday Noise Level - dBA Leq
	Leq	Usage %		
Excavator at 75ft	72.4	0.4	-12.2	56.2
Excavator at 100ft	69.9	0.4	-8.1	57.8
-	0	1	0.0	0.0
-	0	1	0.0	0.0
-	0	1	0.0	0.0
Combined dBA Leq:				60.1

Mitigated Construction Noise Impact

Combined Equipment Noise Level	60.1 dBA Leq
Ground Factor	0
Mitigated Construction Noise Level	60.1 dBA Leq
Ambient Noise Level	62.1 dBA
New Noise Level	64.2 dBA Leq
Mitigated Noise Increase	2.1 dBA

Construction Noise Impact Analysis

noah tanski environmental consulting

South Alfred Street Residences - 3rd Level: BULK EXCAVATION

Ambient Noise Level:	62.1 dBA Leq
----------------------	--------------

Unmitigated

Equipment Noise Levels

Equipment	Noise Level - dBA		Workday Noise Level - dBA Leq
	Leq	Usage %	
Excavator at 75ft	72.4	0.4	68.4
Excavator at 75ft	72.4	0.4	68.4
-	0	1	0.0
-	0	1	0.0
-	0	1	0.0
Combined dBA Leq:			71.4

Unmitigated Construction Noise Impact

Combined Equipment Noise Level	71.4 dBA Leq
Existing Shielding	0 dBA
Ground Factor	0
Unmitigated Construction Noise Level	71.4 dBA Leq
Ambient Noise Level	62.1 dBA
New Noise Level	71.9 dBA Leq
Unmitigated Noise Increase	9.8 dBA

Mitigated

Equipment Noise Levels

Equipment	Noise Level - dBA		Total Shielding in dBA (Sound Barrier)	Workday Noise Level - dBA Leq
	Leq	Usage %		
Excavator at 75ft	72.4	0.4	-14.1	54.3
Excavator at 100ft	69.9	0.4	-8.0	57.9
-	0	1	0.0	0.0
-	0	1	0.0	0.0
-	0	1	0.0	0.0
Combined dBA Leq:				59.5

Mitigated Construction Noise Impact

Combined Equipment Noise Level	59.5 dBA Leq
Ground Factor	0
Mitigated Construction Noise Level	59.5 dBA Leq
Ambient Noise Level	62.1 dBA
New Noise Level	64.0 dBA Leq
Mitigated Noise Increase	1.9 dBA

Construction Noise Impact Analysis

noah tanski environmental consulting

Temple Beth Am: BULK EXCAVATION

Ambient Noise Level:	69.2 dBA Leq
----------------------	--------------

Unmitigated

Equipment Noise Levels

Equipment	Noise Level - 50ft dBA Leq	Usage %	Workday Noise Level - 50ft dBA Leq
Excavator	75.9	0.4	71.9
Excavator	75.9	0.4	71.9
-	0	1	0.0
-	0	1	0.0
-	0	1	0.0
Combined dBA Leq:			74.9

Unmitigated Construction Noise Impact

Combined Equipment Noise Level	74.9 dBA Leq
Existing Shielding	0 dBA
Ground Factor	0
Distance - Equipment to Receptor	110 ft
Unmitigated Construction Noise Level	68.1 dBA Leq
Ambient Noise Level	69.2 dBA
New Noise Level	71.7 dBA Leq
Unmitigated Noise Increase	2.5 dBA

Construction Noise Impact Analysis

noah tanski environmental consulting

Pressman Academy: BULK EXCAVATION

Ambient Noise Level:	69.2 dBA Leq
----------------------	--------------

Unmitigated

Equipment Noise Levels

Equipment	Noise Level - 50ft dBA Leq	Usage %	Workday Noise Level - 50ft dBA Leq
Excavator	75.9	0.4	71.9
Excavator	75.9	0.4	71.9
-	0	1	0.0
-	0	1	0.0
-	0	1	0.0
Combined dBA Leq:			74.9

Unmitigated Construction Noise Impact

Combined Equipment Noise Level	74.9 dBA Leq
Existing Shielding	0 dBA
Ground Factor	0
Distance - Equipment to Receptor	110
Unmitigated Construction Noise Level	68.1 dBA Leq
Ambient Noise Level	69.2 dBA
New Noise Level	71.7 dBA Leq
Unmitigated Noise Increase	2.5 dBA

Construction Noise Impact Analysis

noah tanski environmental consulting

Beverly Park Senior Apartments: BULK EXCAVATION

Ambient Noise Level:	65.7 dBA Leq
----------------------	--------------

Unmitigated

Equipment Noise Levels

Equipment	Noise Level - 50ft dBA Leq	Usage %	Workday Noise Level - 50ft dBA Leq
Excavator	75.9	0.4	71.9
Excavator	75.9	0.4	71.9
-	0	1	0.0
-	0	1	0.0
-	0	1	0.0
Combined dBA Leq:			74.9

Unmitigated Construction Noise Impact

Combined Equipment Noise Level	74.9 dBA Leq
Existing Shielding	0 dBA
Ground Factor	0
Distance - Equipment to Receptor	110 ft
Unmitigated Construction Noise Level	68.1 dBA Leq
Ambient Noise Level	65.7 dBA
New Noise Level	70.1 dBA Leq
Unmitigated Noise Increase	4.4 dBA

Construction Noise Impact Analysis

noah tanski environmental consulting

La Cienega Park: BULK EXCAVATION

Ambient Noise Level:	69.2 dBA Leq
----------------------	--------------

Unmitigated

Equipment Noise Levels

Equipment	Noise Level - 50ft	Usage %	Workday Noise Level
	dBA Leq		- 50ft dBA Leq
Excavator	75.9	0.4	71.9
Excavator	75.9	0.4	71.9
-	0	1	0.0
-	0	1	0.0
-	0	1	0.0
Combined dBA Leq:			74.9

Unmitigated Construction Noise Impact

Combined Equipment Noise Level	74.9 dBA Leq
Existing Shielding	0 dBA
Ground Factor	0
Distance - Equipment to Receptor	340 ft
Unmitigated Construction Noise Level	58.3 dBA Leq
Ambient Noise Level	69.2 dBA
New Noise Level	69.5 dBA Leq
Unmitigated Noise Increase	0.3 dBA

Construction Noise Impact Analysis

noah tanski environmental consulting

South Alfred Street Residences - Ground Level: Auger-Cast Pile Installation

Ambient Noise Level:	62.1 dBA Leq
----------------------	--------------

Unmitigated

Equipment Noise Levels

Equipment	Noise Level - dBA		Workday Noise Level - dBA Leq
	Leq	Usage %	
Auger Drill	83.4	0.2	76.4
Skid Steer Loader	70.1	0.2	63.1
Concrete Mixer Truck at 160ft	71.0	0.2	64.0
Pump at 160ft	62.7	0.2	55.7
Crane at 80ft	70.1	0.16	62.1
Combined dBA Leq:			77.0

Unmitigated Construction Noise Impact

Combined Equipment Noise Level	77.0 dBA Leq
Existing Shielding	0 dBA
Ground Factor	0
Unmitigated Construction Noise Level	77.0 dBA Leq
Ambient Noise Level	62.1 dBA
New Noise Level	77.2 dBA Leq
Unmitigated Noise Increase	15.1 dBA

Mitigated

Equipment Noise Levels

Equipment	Noise Level - dBA		Total Shielding in dBA (Sound Barrier)	Workday Noise Level - dBA Leq
	Leq	Usage %		
Auger Drill	83.4	0.2	-15.0	61.4
Skid Steer Loader	70.1	0.2	-15.0	48.1
Concrete Mixer Truck at 160ft	71.0	0.2	-15.0	49.0
Pump at 160ft	62.7	0.2	-15.0	40.7
Crane at 80ft	70.1	0.16	-15.0	47.1
Combined dBA Leq:				62.0

Mitigated Construction Noise Impact

Combined Equipment Noise Level	62.0 dBA Leq
Ground Factor	0
Mitigated Construction Noise Level	62.0 dBA Leq
Ambient Noise Level	62.1 dBA
New Noise Level	65.1 dBA Leq
Mitigated Noise Increase	3.0 dBA

Construction Noise Impact Analysis

noah tanski environmental consulting

South Alfred Street Residences - Second Level: Auger-Cast Pile Installation

Ambient Noise Level:	62.1 dBA Leq
----------------------	--------------

Unmitigated

Equipment Noise Levels

Equipment	Noise Level - dBA		Workday Noise Level
	Leq	Usage %	- dBA Leq
Auger Drill	79.5	0.2	72.5
Skid Steer Loader	64.4	0.2	57.4
Concrete Mixer Truck at 210ft	68.6	0.2	61.6
Pump at 210ft	60.3	0.2	53.3
Crane at 80ft	70.1	0.16	62.1
Combined dBA Leq:			73.4

Unmitigated Construction Noise Impact

Combined Equipment Noise Level	73.4 dBA Leq
Existing Shielding	0 dBA
Ground Factor	0
Unmitigated Construction Noise Level	73.4 dBA Leq
Ambient Noise Level	62.1 dBA
New Noise Level	73.7 dBA Leq
Unmitigated Noise Increase	11.6 dBA

Mitigated

Equipment Noise Levels

Equipment	Noise Level - dBA		Total Shielding in dBA (Sound Barrier)	Workday Noise Level - dBA Leq
	Leq	Usage %		
Auger Drill	79.5	0.2	-15.0	57.5
Skid Steer Loader	64.4	0.2	-15.0	42.4
Concrete Mixer Truck at 210ft	68.6	0.2	-15.0	46.6
Pump at 210ft	60.3	0.2	-15.0	38.3
Crane at 80ft	70.1	0.16	-15.0	47.1
Combined dBA Leq:				58.4

Mitigated Construction Noise Impact

Combined Equipment Noise Level	58.4 dBA Leq
Ground Factor	0
Mitigated Construction Noise Level	58.4 dBA Leq
Ambient Noise Level	62.1 dBA
New Noise Level	63.6 dBA Leq
Mitigated Noise Increase	1.5 dBA

Construction Noise Impact Analysis

noah tanski environmental consulting

South Alfred Street Residences - 3rd Level: Auger-Cast Pile Installation

Ambient Noise Level:	62.1 dBA Leq
----------------------	--------------

Unmitigated

Equipment Noise Levels

Equipment	Noise Level - dBA		Workday Noise Level
	Leq	Usage %	- dBA Leq
Auger Drill	79.5	0.2	72.5
Skid Steer Loader	64.4	0.2	57.4
Concrete Mixer Truck at 210ft	68.6	0.2	61.6
Pump at 210ft	60.3	0.2	53.3
Crane at 80ft	70.1	0.16	62.1
Combined dBA Leq:			73.4

Unmitigated Construction Noise Impact

Combined Equipment Noise Level	73.4 dBA Leq
Existing Shielding	0 dBA
Ground Factor	0
Unmitigated Construction Noise Level	73.4 dBA Leq
Ambient Noise Level	62.1 dBA
New Noise Level	73.7 dBA Leq
Unmitigated Noise Increase	11.6 dBA

Mitigated

Equipment Noise Levels

Equipment	Noise Level - dBA		Total Shielding in dBA (Sound Barrier)	Workday Noise Level - dBA Leq
	Leq	Usage %		
Auger Drill	79.5	0.2	-14.4	58.1
Skid Steer Loader	64.4	0.2	-14.4	43.0
Concrete Mixer Truck at 210ft	68.6	0.2	-15.0	46.6
Pump at 210ft	60.3	0.2	-15.0	38.3
Crane at 80ft	70.1	0.16	-15.0	47.1
Combined dBA Leq:				58.9

Mitigated Construction Noise Impact

Combined Equipment Noise Level	58.9 dBA Leq
Ground Factor	0
Mitigated Construction Noise Level	58.9 dBA Leq
Ambient Noise Level	62.1 dBA
New Noise Level	63.8 dBA Leq
Mitigated Noise Increase	1.7 dBA

Construction Noise Impact Analysis

noah tanski environmental consulting

Temple Beth Am - Ground Level: Auger-Cast Pile Installation

Ambient Noise Level:	69.2 dBA Leq
----------------------	--------------

Unmitigated

Equipment Noise Levels

Equipment	Noise Level - dBA		Workday Noise Level - dBA Leq
	Leq	Usage %	
Auger Drill at 110ft	80.7	0.2	73.7
Skid Steer Loader at 110ft	65.6	0.2	58.6
Concrete Mixer Truck at 95ft	75.5	0.2	68.5
Pump at 95ft	67.2	0.2	60.2
Crane at 180ft	63.1	0.16	55.1
Combined dBA Leq:			75.1

Unmitigated Construction Noise Impact

Combined Equipment Noise Level	75.1 dBA Leq
Existing Shielding	0 dBA
Ground Factor	0
Unmitigated Construction Noise Level	75.1 dBA Leq
Ambient Noise Level	69.2 dBA
New Noise Level	76.1 dBA Leq
Unmitigated Noise Increase	6.9 dBA

Mitigated

Equipment Noise Levels

Equipment	Noise Level - dBA		Total Shielding in dBA (Sound Barrier)	Workday Noise Level - dBA Leq
	Leq	Usage %		
Auger Drill at 110ft	80.7	0.2	-15.0	58.7
Skid Steer Loader at 110ft	65.6	0.2	-15.0	43.6
Concrete Mixer Truck at 95ft	75.5	0.2	-5.0	63.5
Pump at 95ft	67.2	0.2	-5.0	55.2
Crane at 180ft	63.1	0.16	-15.0	40.1
Combined dBA Leq:				65.3

Mitigated Construction Noise Impact

Combined Equipment Noise Level	65.3 dBA Leq
Ground Factor	0
Mitigated Construction Noise Level	65.3 dBA Leq
Ambient Noise Level	69.2 dBA
New Noise Level	70.7 dBA Leq
Mitigated Noise Increase	1.5 dBA

Construction Noise Impact Analysis

noah tanski environmental consulting

Temple Beth Am - Upper Level: Auger-Cast Pile Installation

Ambient Noise Level:	69.2 dBA Leq
----------------------	--------------

Unmitigated

Equipment Noise Levels

Equipment	Noise Level - dBA		Workday Noise Level - dBA Leq
	Leq	Usage %	
Auger Drill at 110ft	80.7	0.2	73.7
Skid Steer Loader at 110ft	65.6	0.2	58.6
Concrete Mixer Truck at 95ft	75.5	0.2	68.5
Pump at 95ft	67.2	0.2	60.2
Crane at 180ft	63.1	0.16	55.1
Combined dBA Leq:			75.1

Unmitigated Construction Noise Impact

Combined Equipment Noise Level	75.1 dBA Leq
Existing Shielding	0 dBA
Ground Factor	0
Unmitigated Construction Noise Level	75.1 dBA Leq
Ambient Noise Level	69.2 dBA
New Noise Level	76.1 dBA Leq
Unmitigated Noise Increase	6.9 dBA

Mitigated

Equipment Noise Levels

Equipment	Noise Level - dBA		Total Shielding in dBA (Sound Barrier)	Workday Noise Level - dBA Leq
	Leq	Usage %		
Auger Drill at 110ft	80.7	0.2	-15.0	58.7
Skid Steer Loader at 110ft	65.6	0.2	-15.0	43.6
Concrete Mixer Truck at 95ft	75.5	0.2	-5.0	63.5
Pump at 95ft	67.2	0.2	-5.0	55.2
Crane at 180ft	63.1	0.16	-15.0	40.1
Combined dBA Leq:				65.3

Mitigated Construction Noise Impact

Combined Equipment Noise Level	65.3 dBA Leq
Ground Factor	0
Mitigated Construction Noise Level	65.3 dBA Leq
Ambient Noise Level	69.2 dBA
New Noise Level	70.7 dBA Leq
Mitigated Noise Increase	1.5 dBA

Construction Noise Impact Analysis

noah tanski environmental consulting

Pressman Academy - Ground Level: Auger-Cast Pile Installation

Ambient Noise Level:	69.2 dBA Leq
----------------------	--------------

Unmitigated

Equipment Noise Levels

Equipment	Noise Level - dBA		Workday Noise Level
	Leq	Usage %	- dBA Leq
Auger Drill at 110ft	80.7	0.2	73.7
Skid Steer Loader at 110ft	65.6	0.2	58.6
Concrete Mixer Truck at 95ft	75.5	0.2	68.5
Pump at 95ft	67.2	0.2	60.2
Crane at 180ft	63.1	0.16	55.1
Combined dBA Leq:			75.1

Unmitigated Construction Noise Impact

Combined Equipment Noise Level	75.1 dBA Leq
Existing Shielding	0 dBA
Ground Factor	0
Unmitigated Construction Noise Level	75.1 dBA Leq
Ambient Noise Level	69.2 dBA
New Noise Level	76.1 dBA Leq
Unmitigated Noise Increase	6.9 dBA

Mitigated

Equipment Noise Levels

Equipment	Noise Level - dBA		Total Shielding in dBA (Sound Barrier)	Workday Noise Level - dBA Leq
	Leq	Usage %		
Auger Drill at 110ft	80.7	0.2	-15.0	58.7
Skid Steer Loader at 110ft	65.6	0.2	-15.0	43.6
Concrete Mixer Truck at 95ft	75.5	0.2	-5.0	63.5
Pump at 95ft	67.2	0.2	-5.0	55.2
Crane at 180ft	63.1	0.16	-15.0	40.1
Combined dBA Leq:				65.3

Mitigated Construction Noise Impact

Combined Equipment Noise Level	65.3 dBA Leq
Ground Factor	0
Mitigated Construction Noise Level	65.3 dBA Leq
Ambient Noise Level	69.2 dBA
New Noise Level	70.7 dBA Leq
Mitigated Noise Increase	1.5 dBA

Construction Noise Impact Analysis

noah tanski environmental consulting

Pressman Academy - Upper Level: Auger-Cast Pile Installation

Ambient Noise Level:	69.2 dBA Leq
----------------------	--------------

Unmitigated

Equipment Noise Levels

Equipment	Noise Level - dBA		Workday Noise Level - dBA Leq
	Leq	Usage %	
Auger Drill at 110ft	80.7	0.2	73.7
Skid Steer Loader at 110ft	65.6	0.2	58.6
Concrete Mixer Truck at 95ft	75.5	0.2	68.5
Pump at 95ft	67.2	0.2	60.2
Crane at 180ft	63.1	0.16	55.1
Combined dBA Leq:			75.1

Unmitigated Construction Noise Impact

Combined Equipment Noise Level	75.1 dBA Leq
Existing Shielding	0 dBA
Ground Factor	0
Unmitigated Construction Noise Level	75.1 dBA Leq
Ambient Noise Level	69.2 dBA
New Noise Level	76.1 dBA Leq
Unmitigated Noise Increase	6.9 dBA

Mitigated

Equipment Noise Levels

Equipment	Noise Level - dBA		Total Shielding in dBA (Sound Barrier)	Workday Noise Level - dBA Leq
	Leq	Usage %		
Auger Drill at 110ft	80.7	0.2	-15.0	58.7
Skid Steer Loader at 110ft	65.6	0.2	-15.0	43.6
Concrete Mixer Truck at 95ft	75.5	0.2	-5.0	63.5
Pump at 95ft	67.2	0.2	-5.0	55.2
Crane at 180ft	63.1	0.16	-15.0	40.1
Combined dBA Leq:				65.3

Mitigated Construction Noise Impact

Combined Equipment Noise Level	65.3 dBA Leq
Ground Factor	0
Mitigated Construction Noise Level	65.3 dBA Leq
Ambient Noise Level	69.2 dBA
New Noise Level	70.7 dBA Leq
Mitigated Noise Increase	1.5 dBA

Construction Noise Impact Analysis

noah tanski environmental consulting

Beverly Park Senior Apartments - Ground Level: Auger-Cast Pile Installation

Ambient Noise Level:	65.7 dBA Leq
----------------------	--------------

Unmitigated

Equipment Noise Levels

Equipment	Noise Level - dBA		Workday Noise Level - dBA Leq
	Leq	Usage %	
Auger Drill at 205ft	75.2	0.2	68.2
Skid Steer Loader at 205ft	60.1	0.2	53.1
Concrete Mixer Truck at 195ft	69.3	0.2	62.3
Pump at 195ft	61	0.2	54.0
Crane at 245ft	60.4	0.16	52.4
Combined dBA Leq:			69.5

Unmitigated Construction Noise Impact

Combined Equipment Noise Level	69.5 dBA Leq
Existing Shielding	0 dBA
Ground Factor	0
Unmitigated Construction Noise Level	69.5 dBA Leq
Ambient Noise Level	65.7 dBA
New Noise Level	71.0 dBA Leq
Unmitigated Noise Increase	5.3 dBA

Mitigated

Equipment Noise Levels

Equipment	Noise Level - dBA		Total Shielding in dBA (Sound Barrier)	Workday Noise Level - dBA Leq
	Leq	Usage %		
Auger Drill at 205ft	75.2	0.2	-15.0	53.2
Skid Steer Loader at 205ft	60.1	0.2	-15.0	38.1
Concrete Mixer Truck at 195ft	69.3	0.2	-5.0	57.3
Pump at 195ft	61	0.2	-5.0	49.0
Crane at 245ft	60.4	0.16	-15.0	37.4
Combined dBA Leq:				59.2

Mitigated Construction Noise Impact

Combined Equipment Noise Level	59.2 dBA Leq
Ground Factor	0
Mitigated Construction Noise Level	59.2 dBA Leq
Ambient Noise Level	65.7 dBA
New Noise Level	66.6 dBA Leq
Mitigated Noise Increase	0.9 dBA

Construction Noise Impact Analysis

noah tanski environmental consulting

Beverly Park Senior Apartments - Upper Level: Auger-Cast Pile Installation

Ambient Noise Level:	65.7 dBA Leq
----------------------	--------------

Unmitigated

Equipment Noise Levels

Equipment	Noise Level - dBA		Workday Noise Level - dBA Leq
	Leq	Usage %	
Auger Drill at 205ft	75.2	0.2	68.2
Skid Steer Loader at 205ft	60.1	0.2	53.1
Concrete Mixer Truck at 195ft	69.3	0.2	62.3
Pump at 195ft	61	0.2	54.0
Crane at 245ft	60.4	0.16	52.4
Combined dBA Leq:			69.5

Unmitigated Construction Noise Impact

Combined Equipment Noise Level	69.5 dBA Leq
Existing Shielding	0 dBA
Ground Factor	0
Unmitigated Construction Noise Level	69.5 dBA Leq
Ambient Noise Level	65.7 dBA
New Noise Level	71.0 dBA Leq
Unmitigated Noise Increase	5.3 dBA

Mitigated

Equipment Noise Levels

Equipment	Noise Level - dBA		Total Shielding in dBA (Sound Barrier)	Workday Noise Level - dBA Leq
	Leq	Usage %		
Auger Drill at 205ft	75.2	0.2	-15.0	53.2
Skid Steer Loader at 205ft	60.1	0.2	-15.0	38.1
Concrete Mixer Truck at 195ft	69.3	0.2	-5.0	57.3
Pump at 195ft	61	0.2	-5.0	49.0
Crane at 245ft	60.4	0.16	-15.0	37.4
Combined dBA Leq:				59.2

Mitigated Construction Noise Impact

Combined Equipment Noise Level	59.2 dBA Leq
Ground Factor	0
Mitigated Construction Noise Level	59.2 dBA Leq
Ambient Noise Level	65.7 dBA
New Noise Level	66.6 dBA Leq
Mitigated Noise Increase	0.9 dBA

Construction Noise Impact Analysis

noah tanski environmental consulting

La Cienega Park: Auger-Cast Pile Installation

Ambient Noise Level:	69.2 dBA Leq
----------------------	--------------

Unmitigated

Equipment Noise Levels

Equipment	Noise Level - dBA		Workday Noise Level - dBA Leq
	Leq	Usage %	
Auger Drill at 370ft	70.1	0.2	63.1
Skid Steer Loader at 370ft	55.0	0.2	48.0
Concrete Mixer Truck at 370ft	63.7	0.2	56.7
Pump at 370ft	55.4	0.2	48.4
Crane at 370ft	56.8	0.16	48.8
Combined dBA Leq:			64.4

Unmitigated Construction Noise Impact

Combined Equipment Noise Level	64.4 dBA Leq
Existing Shielding	0 dBA
Ground Factor	0
Unmitigated Construction Noise Level	64.4 dBA Leq
Ambient Noise Level	69.2 dBA
New Noise Level	70.4 dBA Leq
Unmitigated Noise Increase	1.2 dBA

Construction Noise Impact Analysis

noah tanski environmental consulting

South Alfred Street Residences - Ground Level: DSM Column Installation

Ambient Noise Level:	62.1 dBA Leq
----------------------	--------------

Unmitigated

Equipment Noise Levels

Equipment	Noise Level - dBA		Workday Noise Level
	Leq	Usage %	- dBA Leq
Auger Drill	83.4	0.2	76.4
Loader	68.3	0.2	61.3
Excavator	71.8	0.2	64.8
Batch Plant at 80ft	82.5	0.15	74.3
Pump at 80ft	68.7	0.2	61.7
Combined dBA Leq:			78.8

Unmitigated Construction Noise Impact

Combined Equipment Noise Level	78.8 dBA Leq
Existing Shielding	0 dBA
Ground Factor	0
Unmitigated Construction Noise Level	78.8 dBA Leq
Ambient Noise Level	62.1 dBA
New Noise Level	78.9 dBA Leq
Unmitigated Noise Increase	16.8 dBA

Mitigated

Equipment Noise Levels

Equipment	Noise Level - dBA		Total Shielding in dBA (Sound Barrier)	Workday Noise Level - dBA Leq
	Leq	Usage %		
Auger Drill	83.4	0.2	-15.0	61.4
Loader	68.3	0.2	-15.0	46.3
Excavator	71.8	0.2	-15.0	49.8
Batch Plant at 80ft	82.5	0.15	-15.0	59.3
Pump at 80ft	68.7	0.2	-15.0	46.7
Combined dBA Leq:				63.8

Mitigated Construction Noise Impact

Combined Equipment Noise Level	63.8 dBA Leq
Ground Factor	0
Mitigated Construction Noise Level	63.8 dBA Leq
Ambient Noise Level	62.1 dBA
New Noise Level	66.1 dBA Leq
Mitigated Noise Increase	4.0 dBA

Construction Noise Impact Analysis

noah tanski environmental consulting

South Alfred Street Residences - Second Level: DSM Column Installation

Ambient Noise Level:	62.1 dBA Leq
----------------------	--------------

Unmitigated

Equipment Noise Levels

Equipment	Noise Level - dBA		Workday Noise Level
	Leq	Usage %	- dBA Leq
Auger Drill	79.5	0.2	72.5
Loader	64.4	0.2	57.4
Excavator	67.9	0.2	60.9
Batch Plant at 130ft	78.3	0.15	70.1
Pump at 130ft	64.5	0.2	57.5
Combined dBA Leq:			74.8

Unmitigated Construction Noise Impact

Combined Equipment Noise Level	74.8 dBA Leq
Existing Shielding	0 dBA
Ground Factor	0
Unmitigated Construction Noise Level	74.8 dBA Leq
Ambient Noise Level	62.1 dBA
New Noise Level	75.0 dBA Leq
Unmitigated Noise Increase	12.9 dBA

Mitigated

Equipment Noise Levels

Equipment	Noise Level - dBA		Total Shielding in dBA (Sound Barrier)	Workday Noise Level - dBA Leq
	Leq	Usage %		
Auger Drill	79.5	0.2	-15.0	57.5
Loader	64.4	0.2	-15.0	42.4
Excavator	67.9	0.2	-15.0	45.9
Batch Plant at 130ft	78.3	0.15	-14.3	55.8
Pump at 130ft	64.5	0.2	-14.3	43.2
Combined dBA Leq:				60.1

Mitigated Construction Noise Impact

Combined Equipment Noise Level	60.1 dBA Leq
Ground Factor	0
Mitigated Construction Noise Level	60.1 dBA Leq
Ambient Noise Level	62.1 dBA
New Noise Level	64.2 dBA Leq
Mitigated Noise Increase	2.1 dBA

Construction Noise Impact Analysis

noah tanski environmental consulting

South Alfred Street Residences - 3rd Level: DSM Column Installation

Ambient Noise Level:	62.1 dBA Leq
----------------------	--------------

Unmitigated

Equipment Noise Levels

Equipment	Noise Level - dBA		Workday Noise Level
	Leq	Usage %	- dBA Leq
Auger Drill	79.5	0.2	72.5
Loader	64.4	0.2	57.4
Excavator	67.9	0.2	60.9
Batch Plant at 130ft	78.3	0.15	70.1
Pump at 130ft	64.5	0.2	57.5
Combined dBA Leq:			74.8

Unmitigated Construction Noise Impact

Combined Equipment Noise Level	74.8 dBA Leq
Existing Shielding	0 dBA
Ground Factor	0
Unmitigated Construction Noise Level	74.8 dBA Leq
Ambient Noise Level	62.1 dBA
New Noise Level	75.0 dBA Leq
Unmitigated Noise Increase	12.9 dBA

Mitigated

Equipment Noise Levels

Equipment	Noise Level - dBA		Total Shielding in dBA (Sound Barrier)	Workday Noise Level - dBA Leq
	Leq	Usage %		
Auger Drill	79.5	0.2	-14.4	58.1
Loader	64.4	0.2	-14.4	43.0
Excavator	67.9	0.2	-14.4	46.5
Batch Plant at 130ft	78.3	0.15	-13.1	57.0
Pump at 130ft	64.5	0.2	-13.1	44.4
Combined dBA Leq:				60.9

Mitigated Construction Noise Impact

Combined Equipment Noise Level	60.9 dBA Leq
Ground Factor	0
Mitigated Construction Noise Level	60.9 dBA Leq
Ambient Noise Level	62.1 dBA
New Noise Level	64.6 dBA Leq
Mitigated Noise Increase	2.5 dBA

Construction Noise Impact Analysis

noah tanski environmental consulting

Temple Beth Am - Ground Level: DSM Column Installation

Ambient Noise Level:	69.2 dBA Leq
----------------------	--------------

Unmitigated

Equipment Noise Levels

Equipment	Noise Level - dBA		Workday Noise Level
	Leq	Usage %	- dBA Leq
Auger Drill at 110ft	80.7	0.2	73.7
Loader at 110ft	65.6	0.2	58.6
Excavator at 110ft	69.1	0.2	62.1
Batch Plant at 180ft	75.5	0.15	67.3
Pump at 180ft	61.7	0.2	54.7
Combined dBA Leq:			75.0

Unmitigated Construction Noise Impact

Combined Equipment Noise Level	75.0 dBA Leq
Existing Shielding	0 dBA
Ground Factor	0
Unmitigated Construction Noise Level	75.0 dBA Leq
Ambient Noise Level	69.2 dBA
New Noise Level	76.0 dBA Leq
Unmitigated Noise Increase	6.8 dBA

Mitigated

Equipment Noise Levels

Equipment	Noise Level - dBA		Total Shielding in dBA (Sound Barrier)	Workday Noise Level - dBA Leq
	Leq	Usage %		
Auger Drill at 110ft	80.7	0.2	-15.0	58.7
Skid Steer Loader at 110ft	65.6	0.2	-15.0	43.6
Excavator at 110ft	69.1	0.2	-15.0	47.1
Batch Plant at 180ft	75.5	0.15	-15.0	52.3
Pump at 180ft	61.7	0.2	-15.0	39.7
Combined dBA Leq:				60.0

Mitigated Construction Noise Impact

Combined Equipment Noise Level	60.0 dBA Leq
Ground Factor	0
Mitigated Construction Noise Level	60.0 dBA Leq
Ambient Noise Level	69.2 dBA
New Noise Level	69.7 dBA Leq
Mitigated Noise Increase	0.5 dBA

Construction Noise Impact Analysis

noah tanski environmental consulting

Temple Beth Am - Upper Level: DSM Column Installation

Ambient Noise Level:	69.2 dBA Leq
----------------------	--------------

Unmitigated

Equipment Noise Levels

Equipment	Noise Level - dBA		Workday Noise Level
	Leq	Usage %	- dBA Leq
Auger Drill at 110ft	80.7	0.2	73.7
Skid Steer Loader at 110ft	65.6	0.2	58.6
Excavator at 110ft	69.1	0.2	62.1
Batch Plant at 180ft	75.5	0.15	67.3
Pump at 180ft	61.7	0.2	54.7
Combined dBA Leq:			75.0

Unmitigated Construction Noise Impact

Combined Equipment Noise Level	75.0 dBA Leq
Existing Shielding	0 dBA
Ground Factor	0
Unmitigated Construction Noise Level	75.0 dBA Leq
Ambient Noise Level	69.2 dBA
New Noise Level	76.0 dBA Leq
Unmitigated Noise Increase	6.8 dBA

Mitigated

Equipment Noise Levels

Equipment	Noise Level - dBA		Total Shielding in dBA (Sound Barrier)	Workday Noise Level - dBA Leq
	Leq	Usage %		
Auger Drill at 110ft	80.7	0.2	-15.0	58.7
Skid Steer Loader at 110ft	65.6	0.2	-15.0	43.6
Excavator at 110ft	69.1	0.2	-15.0	47.1
Batch Plant at 180ft	75.5	0.15	-15.0	52.3
Pump at 180ft	61.7	0.2	-15.0	39.7
Combined dBA Leq:				60.0

Mitigated Construction Noise Impact

Combined Equipment Noise Level	60.0 dBA Leq
Ground Factor	0
Mitigated Construction Noise Level	60.0 dBA Leq
Ambient Noise Level	69.2 dBA
New Noise Level	69.7 dBA Leq
Mitigated Noise Increase	0.5 dBA

Construction Noise Impact Analysis

noah tanski environmental consulting

Pressman Academy - Ground Level: DSM Column Installation

Ambient Noise Level:	69.2 dBA Leq
----------------------	--------------

Unmitigated

Equipment Noise Levels

Equipment	Noise Level - dBA		Workday Noise Level
	Leq	Usage %	- dBA Leq
Auger Drill at 110ft	80.7	0.2	73.7
Loader at 110ft	65.6	0.2	58.6
Excavator at 110ft	69.1	0.2	62.1
Batch Plant at 180ft	75.5	0.15	67.3
Pump at 180ft	61.7	0.2	54.7
Combined dBA Leq:			75.0

Unmitigated Construction Noise Impact

Combined Equipment Noise Level	75.0 dBA Leq
Existing Shielding	0 dBA
Ground Factor	0
Unmitigated Construction Noise Level	75.0 dBA Leq
Ambient Noise Level	69.2 dBA
New Noise Level	76.0 dBA Leq
Unmitigated Noise Increase	6.8 dBA

Mitigated

Equipment Noise Levels

Equipment	Noise Level - dBA		Total Shielding in dBA (Sound Barrier)	Workday Noise Level - dBA Leq
	Leq	Usage %		
Auger Drill at 110ft	80.7	0.2	-15.0	58.7
Loader at 110ft	65.6	0.2	-15.0	43.6
Excavator at 110ft	69.1	0.2	-15.0	47.1
Batch Plant at 180ft	75.5	0.15	-15.0	52.3
Pump at 180ft	61.7	0.2	-15.0	39.7
Combined dBA Leq:				60.0

Mitigated Construction Noise Impact

Combined Equipment Noise Level	60.0 dBA Leq
Ground Factor	0
Mitigated Construction Noise Level	60.0 dBA Leq
Ambient Noise Level	69.2 dBA
New Noise Level	69.7 dBA Leq
Mitigated Noise Increase	0.5 dBA

Construction Noise Impact Analysis

noah tanski environmental consulting

Pressman Academy - Upper Level: DSM Column Installation

Ambient Noise Level:	69.2 dBA Leq
----------------------	--------------

Unmitigated

Equipment Noise Levels

Equipment	Noise Level - dBA		Workday Noise Level
	Leq	Usage %	- dBA Leq
Auger Drill at 110ft	80.7	0.2	73.7
Loader at 110ft	65.6	0.2	58.6
Excavator at 110ft	69.1	0.2	62.1
Batch Plant at 180ft	75.5	0.15	67.3
Pump at 180ft	61.7	0.2	54.7
Combined dBA Leq:			75.0

Unmitigated Construction Noise Impact

Combined Equipment Noise Level	75.0 dBA Leq
Existing Shielding	0 dBA
Ground Factor	0
Unmitigated Construction Noise Level	75.0 dBA Leq
Ambient Noise Level	69.2 dBA
New Noise Level	76.0 dBA Leq
Unmitigated Noise Increase	6.8 dBA

Mitigated

Equipment Noise Levels

Equipment	Noise Level - dBA		Total Shielding in dBA (Sound Barrier)	Workday Noise Level - dBA Leq
	Leq	Usage %		
Auger Drill at 110ft	80.7	0.2	-15.0	58.7
Loader at 110ft	65.6	0.2	-15.0	43.6
Excavator at 110ft	69.1	0.2	-15.0	47.1
Batch Plant at 180ft	75.5	0.15	-15.0	52.3
Pump at 180ft	61.7	0.2	-15.0	39.7
Combined dBA Leq:				60.0

Mitigated Construction Noise Impact

Combined Equipment Noise Level	60.0 dBA Leq
Ground Factor	0
Mitigated Construction Noise Level	60.0 dBA Leq
Ambient Noise Level	69.2 dBA
New Noise Level	69.7 dBA Leq
Mitigated Noise Increase	0.5 dBA

Construction Noise Impact Analysis

noah tanski environmental consulting

Beverly Park Senior Apartments - Ground Level: DSM Column Installation

Ambient Noise Level:	65.7 dBA Leq
----------------------	--------------

Unmitigated

Equipment Noise Levels

Equipment	Noise Level - dBA		Workday Noise Level
	Leq	Usage %	- dBA Leq
Auger Drill at 205ft	75.2	0.2	68.2
Loader at 205ft	60.1	0.2	53.1
Excavator at 205ft	63.6	0.2	56.6
Batch Plant at 180ft	75.5	0.15	67.3
Pump at 180ft	61.7	0.2	54.7
Combined dBA Leq:			71.1

Unmitigated Construction Noise Impact

Combined Equipment Noise Level	71.1 dBA Leq
Existing Shielding	0 dBA
Ground Factor	0
Unmitigated Construction Noise Level	71.1 dBA Leq
Ambient Noise Level	65.7 dBA
New Noise Level	72.2 dBA Leq
Unmitigated Noise Increase	6.5 dBA

Mitigated

Equipment Noise Levels

Equipment	Noise Level - dBA		Total Shielding in dBA (Sound Barrier)	Workday Noise Level - dBA Leq
	Leq	Usage %		
Auger Drill at 205ft	75.2	0.2	-15.0	53.2
Loader at 205ft	60.1	0.2	-15.0	38.1
Excavator at 205ft	63.6	0.2	-15.0	41.6
Batch Plant at 180ft	75.5	0.15	-15.0	52.3
Pump at 180ft	61.7	0.2	-15.0	39.7
Combined dBA Leq:				56.1

Mitigated Construction Noise Impact

Combined Equipment Noise Level	56.1 dBA Leq
Ground Factor	0
Mitigated Construction Noise Level	56.1 dBA Leq
Ambient Noise Level	65.7 dBA
New Noise Level	66.2 dBA Leq
Mitigated Noise Increase	0.5 dBA

Construction Noise Impact Analysis

noah tanski environmental consulting

Beverly Park Senior Apartments - Upper Level: DSM Column Installation

Ambient Noise Level:	65.7 dBA Leq
----------------------	--------------

Unmitigated

Equipment Noise Levels

Equipment	Noise Level - dBA		Workday Noise Level
	Leq	Usage %	- dBA Leq
Auger Drill at 205ft	75.2	0.2	68.2
Loader at 205ft	60.1	0.2	53.1
Excavator at 205ft	63.6	0.2	56.6
Batch Plant at 180ft	75.5	0.15	67.3
Pump at 180ft	61.7	0.2	54.7
Combined dBA Leq:			71.1

Unmitigated Construction Noise Impact

Combined Equipment Noise Level	71.1 dBA Leq
Existing Shielding	0 dBA
Ground Factor	0
Unmitigated Construction Noise Level	71.1 dBA Leq
Ambient Noise Level	65.7 dBA
New Noise Level	72.2 dBA Leq
Unmitigated Noise Increase	6.5 dBA

Mitigated

Equipment Noise Levels

Equipment	Noise Level - dBA		Total Shielding in dBA (Sound Barrier)	Workday Noise Level - dBA Leq
	Leq	Usage %		
Auger Drill at 205ft	75.2	0.2	-15.0	53.2
Loader at 205ft	60.1	0.2	-15.0	38.1
Excavator at 205ft	63.6	0.2	-15.0	41.6
Batch Plant at 180ft	75.5	0.15	-15.0	52.3
Pump at 180ft	61.7	0.2	-15.0	39.7
Combined dBA Leq:				56.1

Mitigated Construction Noise Impact

Combined Equipment Noise Level	56.1 dBA Leq
Ground Factor	0
Mitigated Construction Noise Level	56.1 dBA Leq
Ambient Noise Level	65.7 dBA
New Noise Level	66.2 dBA Leq
Mitigated Noise Increase	0.5 dBA

Construction Noise Impact Analysis

noah tanski environmental consulting

La Cienega Park: DSM Column Installation

Ambient Noise Level:	69.2 dBA Leq
----------------------	--------------

Unmitigated

Equipment Noise Levels

Equipment	Noise Level - dBA		Workday Noise Level
	Leq	Usage %	- dBA Leq
Auger Drill at 330ft	71.1	0.2	64.1
Loader at 330ft	56.0	0.2	49.0
Excavator at 330ft	59.5	0.2	52.5
Pump at 330ft	56.4	0.2	49.4
Batch Plant at 330ft	70.2	0.15	62.0
Combined dBA Leq:			66.5

Unmitigated Construction Noise Impact

Combined Equipment Noise Level	66.5 dBA Leq
Existing Shielding	0 dBA
Ground Factor	0
Unmitigated Construction Noise Level	66.5 dBA Leq
Ambient Noise Level	69.2 dBA
New Noise Level	71.1 dBA Leq
Unmitigated Noise Increase	1.9 dBA

Sound Barrier Analysis

noah tanski environmental consulting

South Alfred Street Residences: Ground Level Only


Construction Phase: Bulk Excavation

Barrier Height: 15 feet

Receiver/Floor
Height (ft)

-
-
-
-
-
-
-
5
-
-

D:	10 ft	F:	7 ft
E:	See Below ft	G:	15 ft



Equipment Noise Source to Barrier - "E" value (feet)

Receiver/Floor Height (ft)	25	50	75	100	125	150	160	-
-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-
5	15.0	15.0	15.0	15.0	15.0	15.0	15.0	-
-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-

Sound Barrier Analysis

noah tanski environmental consulting

South Alfred Street Residences: 2nd Level


Construction Phase: Bulk Excavation

Barrier Height: 15 feet

Receiver/Floor
Height (ft)

-
-
-
-
-
-
15
-
-
-

D:	50 ft	F:	7 ft
E:	See Below ft	G:	15 ft



Equipment Noise Source to Barrier - "E" value (feet)

Receiver/Floor Height (ft)	25	50	75	100	125	150	160	-
-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-
15	12.2	8.1	5.7	5.0	5.0	5.0	5.0	-
-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-

Sound Barrier Analysis

noah tanski environmental consulting

South Alfred Street Residences: 3rd Level


Construction Phase: Bulk Excavation

Barrier Height: 20 feet

Receiver/Floor
Height (ft)

-
-
-
-
-
-
25
-
-
-

D:	50 ft	F:	7 ft
E:	See Below ft	G:	20 ft



Equipment Noise Source to Barrier - "E" value (feet)

Receiver/Floor Height (ft)	25	50	75	100	125	150	160	-
-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-
25	14.1	8.0	5.0	5.0	5.0	5.0	5.0	-
-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-

Sound Barrier Analysis


noah tanski environmental consulting

South Alfred Street Residences: Ground Level Only

Construction Phase: ACP/DSM Installation Barrier Height: 15 feet

Receiver/Floor Height (ft)
-
-
-
-
-
-
-
5
-
-

D:	10 ft	F:	-8 ft
E:	See Below ft	G:	15 ft



Receiver/Floor Height (ft)	Equipment Noise Source to Barrier - "E" value (feet)							
	25	50	75	100	125	150	160	-
-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-
5	15.0	15.0	15.0	15.0	15.0	15.0	15.0	-
-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-

Sound Barrier Analysis


noah tanski environmental consulting

South Alfred Street Residences: 2nd Level

Construction Phase: ACP/DSM Installation Barrier Height: 15 feet

Receiver/Floor Height (ft)
-
-
-
-
-
-
15
-
-
-

D:	50 ft	F:	-8 ft
E:	See Below ft	G:	15 ft



Receiver/Floor Height (ft)	Equipment Noise Source to Barrier - "E" value (feet)							
	25	50	75	100	125	150	160	-
-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-
15	15.0	15.0	14.3	12.3	10.7	9.4	9.0	-
-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-

Sound Barrier Analysis

noah tanski environmental consulting


South Alfred Street Residences: 3rd Level

Construction Phase: ACP/DSM Installation Barrier Height: 20 feet

Receiver/Floor
Height (ft)

-
-
-
-
-
-
25
-
-
-

D:	50 ft	F:	-8 ft
E:	See Below ft	20	20 ft



Equipment Noise Source to Barrier - "E" value (feet)

Receiver/Floor Height (ft)	25	50	65	75	100	125	160	-
-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-
25	15.0	15.0	14.4	13.1	10.1	7.4	5.0	-
-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-

Sound Barrier Analysis


noah tanski environmental consulting

Temple Beth Am: All Levels

Construction Phase: ACP/DSM Installation Barrier Height: 7 feet

Receiver/Floor Height (ft)
-
-
-
40
35
25
15
5
-
-

D:	100 ft	F:	-8 ft
E:	See Below ft	G:	7 ft



Receiver/Floor Height (ft)	Equipment Noise Source to Barrier - "E" value (feet)							
	10	25	50	75	100	125	150	160
-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-
40	15.0	10.5	0.0	0.0	0.0	0.0	0.0	0.0
35	15.0	12.1	5.0	0.0	0.0	0.0	0.0	0.0
25	15.0	14.7	6.7	5.0	0.0	0.0	0.0	0.0
15	15.0	15.0	11.9	7.9	5.0	5.0	5.0	5.0
5	15.0	15.0	15.0	13.1	11.6	10.4	9.4	9.0
-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-

Sound Barrier Analysis

noah tanski environmental consulting


Pressman Academy: All Levels

Construction Phase: ACP/DSM Installation Barrier Height: 7 feet

Receiver/Floor
Height (ft)

-
-
-
40
35
25
15
5
-
-

D:	100 ft	F:	-8 ft
E:	See Below ft	G:	7 ft



Equipment Noise Source to Barrier - "E" value (feet)

Receiver/Floor Height (ft)	10	25	50	75	100	125	150	160
-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-
40	15.0	10.5	0.0	0.0	0.0	0.0	0.0	0.0
35	15.0	12.1	5.0	0.0	0.0	0.0	0.0	0.0
25	15.0	14.7	6.7	5.0	0.0	0.0	0.0	0.0
15	15.0	15.0	11.9	7.9	5.0	5.0	5.0	5.0
5	15.0	15.0	15.0	13.1	11.6	10.4	9.4	9.0
-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-

Sound Barrier Analysis

noah tanski environmental consulting

Beverly Park Senior Apartments: All Levels


Construction Phase: ACP Installation

Barrier Height: 7 feet

Receiver/Floor
Height (ft)

-
-
-
40
35
25
15
5
-
-

D:	195 ft	F:	-8 ft
E:	See Below ft	G:	7 ft



Equipment Noise Source to Barrier - "E" value (feet)

Receiver/Floor Height (ft)	10	25	50	75	100	125	150	160
-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-
40	15.0	15.0	8.1	5.0	0.0	0.0	0.0	0.0
35	15.0	15.0	9.6	5.0	5.0	0.0	0.0	0.0
25	15.0	15.0	12.1	8.0	5.0	5.0	5.0	5.0
15	15.0	15.0	14.1	11.3	8.9	6.9	5.0	5.0
5	15.0	15.0	15.0	13.7	12.3	11.1	10.1	9.8
-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-

Sound Barrier Analysis

noah tanski environmental consulting

Beverly Park Senior Apartments: Ground Level


Construction Phase: DSM Installation

Barrier Height: 7 feet

Receiver/Floor
Height (ft)

-
-
-
-
-
-
-
5
-
-

D:	195 ft	F:	-8 ft
E:	See Below ft	G:	7 ft



Equipment Noise Source to Barrier - "E" value (feet)

Receiver/Floor Height (ft)	10	25	50	75	100	125	150	160
-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-
5	15.0	15.0	15.0	13.7	12.3	11.1	10.1	9.8
-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-

Sound Barrier Analysis

noah tanski environmental consulting

Beverly Park Senior Apartments: Upper Level


Construction Phase: DSM Installation

Barrier Height: 7 feet

Receiver/Floor
Height (ft)

-
-
-
40
35
25
15
5
-
-

D:	195 ft	F:	-8 ft
E:	See Below ft	G:	7 ft



Equipment Noise Source to Barrier - "E" value (feet)

Receiver/Floor Height (ft)	10	25	50	75	100	125	150	160
-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-
40	15.0	15.0	8.1	5.0	0.0	0.0	0.0	0.0
35	15.0	15.0	9.6	5.0	5.0	0.0	0.0	0.0
25	15.0	15.0	12.1	8.0	5.0	5.0	5.0	5.0
15	15.0	15.0	14.1	11.3	8.9	6.9	5.0	5.0
5	15.0	15.0	15.0	13.7	12.3	11.1	10.1	9.8
-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-

Receptor: South Alfred Street Residences - Ground Level
Construction Equipment: Drill Rig

G: 0
 Equipment Noise Level at 50ft: 87.5 dBA Leq
 Noise Level at Receptor: 83.4 dBA Leq

Feet from Receptor	65
90	111.018 80.57153
80	103.0776 81.21611
70	95.52487 81.87707
60	88.45903 82.54456
50	82.0061 83.20248
40	76.32169 83.82644
30	71.58911 84.38246
20	68.00735 84.82828
10	65.76473 85.11954
0	65 85.22113
-10	65.76473 85.11954
-20	68.00735 84.82828
-30	71.58911

84.38246

-40 76.32169
83.82644

-50 82.0061
83.20248

-60 88.45903
82.54456

-70 95.52487
81.87707

-80 103.0776
81.21611

-90 111.018
80.57153

Receptor: South Alfred Street Residences - Ground Level
Construction Equipment: Loader

G: 0
 Equipment Noise Level at 50ft: 74.2 dBA Leq
 Noise Level at Receptor: 70.1 dBA Leq

Feet from Receptor	65
90	111.018 67.27153
80	103.0776 67.91611
70	95.52487 68.57707
60	88.45903 69.24456
50	82.0061 69.90248
40	76.32169 70.52644
30	71.58911 71.08246
20	68.00735 71.52828
10	65.76473 71.81954
0	65 71.92113
-10	65.76473 71.81954
-20	68.00735 71.52828
-30	71.58911

71.08246

-40 76.32169
70.52644

-50 82.0061
69.90248

-60 88.45903
69.24456

-70 95.52487
68.57707

-80 103.0776
67.91611

-90 111.018
67.27153

Receptor: South Alfred Street Residences - Ground Level
Construction Equipment: Excavator

G: 0
 Equipment Noise Level at 50ft: 75.9 dBA Leq
 Noise Level at Receptor: 64.4 dBA Leq

Feet from Receptor	65
90	111.018 68.97153
80	103.0776 69.61611
70	95.52487 70.27707
60	88.45903 70.94456
50	82.0061 71.60248
40	76.32169 72.22644
30	71.58911 72.78246
20	68.00735 73.22828
10	65.76473 73.51954
0	65 73.62113
-10	65.76473 73.51954
-20	68.00735 73.22828
-30	71.58911

72.78246

-40 76.32169
72.22644

-50 82.0061
71.60248

-60 88.45903
70.94456

-70 95.52487
70.27707

-80 103.0776
69.61611

-90 111.018
68.97153

Receptor: South Alfred Street Residences - 2nd and Upper Level

Construction Equipment: Drill Rig

G: 0
Equipment Noise Level at 50ft: 87.5 dBA Leq

Noise Level at Receptor: 79.5 dBA Leq

Feet from Receptor 115

90 146.0308
78.19051

80 140.0893
78.5513

70 134.6291
78.89662

60 129.7112
79.21985

50 125.3994
79.51349

40 121.758
79.76945

30 118.8486
79.97952

20 116.7262
80.13603

10 115.434
80.23273

0 115
80.26544

-10 115.434
80.23273

-20 116.7262
80.13603

-30 118.8486

79.97952

-40 121.758
79.76945

-50 125.3994
79.51349

-60 129.7112
79.21985

-70 134.6291
78.89662

-80 140.0893
78.5513

-90 146.0308
78.19051

Receptor: South Alfred Street Residences - 2nd and Upper Level
Construction Equipment: Loader

G: 0
 Equipment Noise Level at 50ft: 72.4 dBA Leq
 Noise Level at Receptor: 64.4 dBA Leq

Feet from Receptor	115
90	146.0308 63.09051
80	140.0893 63.4513
70	134.6291 63.79662
60	129.7112 64.11985
50	125.3994 64.41349
40	121.758 64.66945
30	118.8486 64.87952
20	116.7262 65.03603
10	115.434 65.13273
0	115 65.16544
-10	115.434 65.13273
-20	116.7262 65.03603
-30	118.8486

64.87952

-40 121.758
64.66945

-50 125.3994
64.41349

-60 129.7112
64.11985

-70 134.6291
63.79662

-80 140.0893
63.4513

-90 146.0308
63.09051

Receptor: South Alfred Street Residences - 2nd and Upper Level

Construction Equipment: Excavator

G: 0
Equipment Noise Level at 50ft: 75.9 dBA Leq

Noise Level at Receptor: 67.9 dBA Leq

Feet from Receptor 115

90 146.0308
66.59051

80 140.0893
66.9513

70 134.6291
67.29662

60 129.7112
67.61985

50 125.3994
67.91349

40 121.758
68.16945

30 118.8486
68.37952

20 116.7262
68.53603

10 115.434
68.63273

0 115
68.66544

-10 115.434
68.63273

-20 116.7262
68.53603

-30 118.8486

68.37952

-40 121.758
68.16945

-50 125.3994
67.91349

-60 129.7112
67.61985

-70 134.6291
67.29662

-80 140.0893
66.9513

-90 146.0308
66.59051

RESULTS: SOUND LEVELS
1050 La Cienega

NTEC													
Noah Tanski													
RESULTS: SOUND LEVELS													
PROJECT/CONTRACT:													
RUN:													
BARRIER DESIGN:													
ATMOSPHERICS:													
Receiver													
Name		No.	#DUs	Existing	No Barrier					With Barrier			
				LAeq1h	LAeq1h		Increase over existing	Type	Calculated	Noise Reduction			
					Calculated	Crit'n	Calculated	Crit'n	Impact	LAeq1h	Calculated	Goal	Calculated
								Sub'l Inc					minus
													Goal
				dBA	dBA	dBA	dB	dB		dBA	dB	dB	dB
50ft from centerline		2	1	0.0	62.6	66	62.6	10	----	62.6	0.0	8	-8.0
Dwelling Units			# DUs	Noise Reduction									
				Min	Avg	Max							
				dB	dB	dB							
All Selected			1	0.0	0.0	0.0							
All Impacted			0	0.0	0.0	0.0							
All that meet NR Goal			0	0.0	0.0	0.0							

RESULTS: SOUND LEVELS
1050 La Cienega

NTEC												
Noah Tanski												
RESULTS: SOUND LEVELS												
PROJECT/CONTRACT:												
RUN:												
BARRIER DESIGN:												
ATMOSPHERICS:												
Receiver												
Name	No.	#DUs	Existing	No Barrier					With Barrier			
			LAeq1h	LAeq1h		Increase over existing		Type	Calculated	Noise Reduction		
				Calculated	Crit'n	Calculated	Crit'n	Impact	LAeq1h	Calculated	Goal	Calculated
							Sub'l Inc					minus
												Goal
			dBA	dBA	dBA	dB	dB		dBA	dB	dB	dB
50ft E of centerline	1	1	0.0	52.4	66	52.4	10	----	52.4	0.0	8	-8.0
50ft W of centerline	2	1	0.0	52.8	66	52.8	10	----	52.8	0.0	8	-8.0
Dwelling Units		# DUs	Noise Reduction									
			Min	Avg	Max							
			dB	dB	dB							
All Selected		2	0.0	0.0	0.0							
All Impacted		0	0.0	0.0	0.0							
All that meet NR Goal		0	0.0	0.0	0.0							

RESULTS: SOUND LEVELS
1050 La Cienega

NTEC												
Noah Tanski												
RESULTS: SOUND LEVELS												
PROJECT/CONTRACT:												
RUN:												
BARRIER DESIGN:												
ATMOSPHERICS:												
Receiver												
Name	No.	#DUs	Existing	No Barrier					With Barrier			
			LAeq1h	LAeq1h		Increase over existing		Type	Calculated	Noise Reduction		
				Calculated	Crit'n	Calculated	Crit'n	Impact	LAeq1h	Calculated	Goal	Calculated
							Sub'l Inc					minus
												Goal
			dBA	dBA	dBA	dB	dB		dBA	dB	dB	dB
50ft E of centerline	1	1	0.0	53.0	66	53.0	10	----	53.0	0.0	8	-8.0
50ft W of centerline	2	1	0.0	52.6	66	52.6	10	----	52.6	0.0	8	-8.0
Dwelling Units		# DUs	Noise Reduction									
			Min	Avg	Max							
			dB	dB	dB							
All Selected		2	0.0	0.0	0.0							
All Impacted		0	0.0	0.0	0.0							
All that meet NR Goal		0	0.0	0.0	0.0							

Vibration Impact Analysis

noah tanski environmental consulting

1050 La Cienega Project: On-Site Construction Vibration - PPV (in/sec)

Unmitigated

Earthmoving Equipment		
Equipment:	"Large Bulldozer" (or vibrational equivalent)	
Equipment PPV (in/sec):	0.089	
Reference Distance (ft):	25	
"n" value	1.1	
Receptor	Distance (ft)	Vibration Level (in/sec PPV)
South Alfred Street Residences	15	0.156
1080 La Cienega Blvd (Commercial)	5	0.523
1016 La Cienega Blvd (Commercial)	30	0.073
Temple Beth Am	100	0.019
Pressman Academy	100	0.019
Beverly Park Senior Apartments	100	0.019

Vibratory Compactor		
Equipment:	"Vibratory Roller"	
Equipment PPV (in/sec):	0.21	
Reference Distance (ft):	25	
"n" value	1.1	
Receptor	Distance (ft)	Vibration Level (in/sec PPV)
South Alfred Street Residences	15	0.368
1080 La Cienega Blvd (Commercial)	5	1.233
1016 La Cienega Blvd (Commercial)	30	0.172
Temple Beth Am	100	0.046
Pressman Academy	100	0.046
Beverly Park Senior Apartments	100	0.046

Mitigated

<u>Earthmoving Equipment</u>		
Equipment:	"Large Bulldozer" (or vibrational equivalent)	
Equipment PPV (in/sec):	0.089	
Reference Distance (ft):	25	
"n" value	1.1	
Receptor	Distance (ft)	Vibration Level (in/sec PPV)
South Alfred Street Residences	20	0.114
1080 La Cienega Blvd (Commercial)	6	0.428

<u>Earthmoving Equipment</u>		
Equipment:	"Small Bulldozer" (or vibrational equivalent)	
Equipment PPV (in/sec):	0.003	
Reference Distance (ft):	25	
"n" value	1.1	
Receptor	Distance (ft)	Vibration Level (in/sec PPV)
South Alfred Street Residences	1	0.103
1080 La Cienega Blvd (Commercial)	1	0.103

<u>Vibratory Compactor</u>		
Equipment:	"Vibratory Roller"	
Equipment PPV (in/sec):	0.21	
Reference Distance (ft):	25	
"n" value	1.1	
Receptor	Distance (ft)	Vibration Level (in/sec PPV)
South Alfred Street Residences	45	0.110
1080 La Cienega Blvd (Commercial)	15	0.368