

CONDITIONS FOR EFFECTUATING (T) TENTATIVE CLASSIFICATION REMOVAL

Pursuant to Section 12.32-G of the Municipal Code, the (T) Tentative Classification shall be removed by posting of guarantees through the B-permit process of the City Engineer to secure the following without expense to the City of Los Angeles, with copies of any approval or guarantees provided to the Department of City Planning for attachment to the subject planning case file.

Dedication(s) and Improvement(s). Prior to the issuance of any building permits, the following public improvements and dedications for streets and other rights of way adjoining the subject property shall be guaranteed to the satisfaction of the Bureau of Engineering, Department of Transportation, Fire Department (and other responsible City, regional and federal government agencies, as may be necessary):

Responsibilities/Guarantees.

1. As part of early consultation, plan review, and/or project permit review, the applicant/developer shall contact the responsible agencies to ensure that any necessary dedications and improvements are specifically acknowledged by the applicant/developer.
2. **Bureau of Engineering.** Prior to issuance of sign offs for final site plan approval and/or project permits by the Department of City Planning, the applicant/developer shall provide written verification to the Department of City Planning from the responsible agency acknowledging the agency's consultation with the applicant/developer. The required dedications and improvements may necessitate redesign of the project. Any changes to project design required by a public agency shall be documented in writing and submitted for review by the Department of City Planning.

a) Dedication Required:

Sunset Boulevard (Avenue I) – None.

b) Improvements Required:

Sunset Boulevard – Repair all broken, off-grade or bad order concrete curb, gutter, sidewalk and roadway pavement along the property frontage. All new proposed driveways shall be constructed to BOE's and LADOT's approval and ADA compliance.

Notes: Broken curb and/or gutter includes segments within existing score lines that are depressed or upraised by more than ¼ inch from the surrounding concrete work or are separated from the main body of the concrete piece by a crack through the entire vertical segment and greater than 1/8 inch at the surface of the section.

Non-ADA compliant sidewalk shall include any sidewalk that has a cross slope that exceeds 2% and/or is depressed or upraised by more than ¼ inch from the surrounding concrete work or has full concrete depth cracks that have separations greater than 1/8 inch at the surface. The sidewalk also includes that portion of the pedestrian path of travel across a driveway.

All new sidewalk curb and gutter shall conform to the Bureau of Engineering Standard Plans S410-2, S440-4, S442-5 and S444-0.

Install tree wells with root barriers and plant street trees satisfactory to the City Engineer and the Urban Forestry Division of the Bureau of Street Services. The applicant should contact the Urban Forestry Division for further information (213) 847-3077 (email: aaron.hernandez@lacity.org).

Notes: Street lighting may be required satisfactory to the Bureau of Street Lighting (213) 847-1551.

Department of Transportation may have additional requirements for dedication and improvements.

Refer to the Department of Water and Power regarding power pole (213) 367-2715.

Refer to the Fire Department regarding fire hydrants (213) 482-6543.

Contact the Department of Transportation regarding any conflicts with traffic signals, signs, parking spaces, meters or traffic control devices (213) 482-7024.

- c) Roof drainage and surface run-off from the property shall be collected and treated at the site and drained to the streets through drain pipes constructed under the sidewalk or through curb drains connected to the catch basins.
- d) Sewer lines exist in Sunset Boulevard. All Sewerage Facilities Charges and Bonded Sewer Fees are to be paid prior to obtaining a building permit (email: Eng.CenInfo@lacity.org).
- e) The applicant shall file a request with the Bureau of Engineering Central District Office to verify that the existing sewer lines have enough capacity to handle the additional flow generated by the proposed development (213) 482-7030 (email: Eng.CenInfo@lacity.org).
- f) Submit shoring and lateral support plans to the Excavation Counter of the Bureau of Engineering for review and approval prior to excavating adjacent to the public right-of-way (213) 352-4826 (email: Eng.CenInfo@lacity.org).
- g) Submit a parking area and driveway plan to the Central District Office of the Bureau of Engineering and the Department of Transportation for review and approval.

3. Bureau of Street Lighting.

- a. No street lighting improvements if no street widening per BOE improvement conditions. Otherwise relocate and upgrade street light; one (1) on Sunset Blvd.